



APPLICATIONS - OFF ROAD

# OFF ROAD EQUIPMENT

## Agricultural - Construction - Mining

|                                    |            |  |            |
|------------------------------------|------------|--|------------|
| <b>AGCO - ALLIS .....</b>          | <b>128</b> | <b>KOBELCO.....</b>                      | <b>161</b> |
| <b>BOBCAT .....</b>                | <b>130</b> | <b>KOMATSU.....</b>                      | <b>161</b> |
| <b>CASE IH .....</b>               | <b>131</b> | <b>KUBOTA .....</b>                      | <b>163</b> |
| <b>CATERPILLAR .....</b>           | <b>137</b> | <b>LINKBELT .....</b>                    | <b>164</b> |
| <b>DAEWOO (incl. Samsung).....</b> | <b>143</b> | <b>MANITOU .....</b>                     | <b>164</b> |
| <b>DEUTZ-ALLIS .....</b>           | <b>143</b> | <b>MASSEY FERGUSON .....</b>             | <b>164</b> |
| <b>DOOSAN .....</b>                | <b>144</b> | <b>OSHKOSH.....</b>                      | <b>167</b> |
| <b>FIAT - ALLIS .....</b>          | <b>144</b> | <b>SAMSUNG (see DAEWOO).....</b>         | <b>143</b> |
| <b>FMC.....</b>                    | <b>145</b> | <b>TAKEUCHI .....</b>                    | <b>167</b> |
| <b>FORD NEW HOLLAND (FNH).....</b> | <b>145</b> | <b>TEREX.....</b>                        | <b>167</b> |
| <b>HITACHI .....</b>               | <b>148</b> | <b>TIMBERJACK .....</b>                  | <b>168</b> |
| <b>HYUNDAI .....</b>               | <b>148</b> | <b>VERSATILE.....</b>                    | <b>168</b> |
| <b>J. I. CASE (CASE IH).....</b>   | <b>148</b> | <b>VOLVO Construction Equipment.....</b> | <b>170</b> |
| <b>JCB.....</b>                    | <b>150</b> | <b>ZETOR Farm Tractors .....</b>         | <b>171</b> |
| <b>JOHN DEERE .....</b>            | <b>150</b> |  |            |

**AGCO - Allis Gleaner Company**

**Blower Motors**

| MODEL   | APPLICATION   | O.E.M. #  | PART NO.    | Page |
|---|---|---|-------------|------|
| 190X/XT/XT3, 210, 220, 220FWA w/Stopler Cab           | w/5/16 dia, 1.5 shft lngth, 1 spd, 12v w/OE#          | 0254964-0   | <b>3351</b> | 197  |
| 200 S/N 4001 & up                                     | w/2.88 shft lngth, w/double shaft motor w/OE#         | 0257336-8   | <b>3389</b> | 197  |
| 8010-8050, 8550, 9130-9190, 9455, 4W220, 4W305, 4W440 | w/3/8 dia.dbl shft, 4.63 shft lngth, 3 spd, 12v w/OE# | 1501171-1<br>0578041-6<br>72162089-6<br>2085006-6<br>71501171-4 | <b>3954</b> | 204  |
| All   | 1/4" dia. Shaft 1.5" length, 1 spd, 12v w/OE#         | 1175327   | <b>3354</b> | 197  |

**Blower Switches**

Includes Circuit Breaker, Fan, Rocker, Rotary, and Toggle

| MODEL   | APPLICATION                          | O.E.M. #                                       | PART NO.    | Page |
|---|--------------------------------------|--|-------------|------|
| 200, 6060, 9130-9150  | Blower switch (5 term.w/o resistors) | 71195109                                       | <b>1151</b> | 553  |
| 200, 220, 4W220, 4W305, 6080, 7000-7080,7580, 8010-8070, 8550 | Blower switch (5 term.w/resistors)   | 475262-3<br>1175262-3<br>70577454<br>0586082-0 | <b>1155</b> | 553  |

**Clutches**

| MODEL | APPLICATION   | O.E.M. #    | PART NO.    | Page |
|-------|---|-------------|-------------|------|
| All   | York Style comp. clutch 2 gr. 6" dia w/diode              | MA6, MAE6AR | <b>5044</b> | 229  |
| All   | York Style comp. clutch 2 gr. 6" dia w/diode & weatherpak | 024-21590   | <b>5144</b> | 230  |
| All   | York Style comp. clutch 2 gr. 7" dia w/diode              | 2084050-0   | <b>5041</b> | 229  |

**Compressors**

| MODEL   | APPLICATION                               | O.E.M. #  | PART NO.     | Page |
|---|---|---|--------------|------|
| ALL MODELS                                      | All w/OE#                                 | 84279787  | <b>54586</b> | 299  |
| 200-220, 7000-7080,7580, 8550, 4W305, 8010-8070 | A6 comp. w/5-5/8" dia. 1gr 12v clutch     | 0256782-4<br>272002-7<br>70272981<br>79008037<br>70272976<br>70264637 | <b>5255A</b> | 265  |
| 440   | York Style, Flange (F209/210R)            | 2085013   | <b>5248</b>  | 250  |
| 7145, 8610-8630, 9130-9190                      | SD508 w/132mm 2gr 12v (R12)               | 9285  | <b>5920</b>  | 294  |
|   | SD7H15 w/158mm 1 var grv. 12v (R134a)     | 4531  | <b>5735</b>  | 293  |
| ALL MODELS                                      |   |   |              |      |
| GM A6   | w/1 grv. 4-7/8 dia. clutch, new           | 1131243   | <b>5250A</b> | 264  |
|   | w/1 grv. 4-7/8 dia. clutch, reman         | 0256782   | <b>5150</b>  | 264  |
|   | w/1 grv. 5-1/2 dia. clutch, new           | 1131250   | <b>5255A</b> | 265  |
|   | w/1 grv. 5-1/2 dia. clutch, reman         | 0259362-2   | <b>5151</b>  | 264  |
| SANDEN  |   |   |              |      |
| SD508   | 2 grv. w/132mm dia. 12v (R12)             | 04363723-0  | <b>5920</b>  | 294  |
| SD5H14  | 2 grv. 5-1/4" dia. w/ o'ring fitting, 24v | 6665  | <b>5752A</b> | 293  |
| SD7H15HD  | 2 grv. 132 mm Ear 12V 1 wire (4643) w/OE# | 72504984  | <b>5725</b>  | 292  |
| (continued)                                     |   |   |              |      |

APPLICATIONS - OFF ROAD

**AGCO - ALLIS Gleaners/Combines** (continued)

**Compressors** (continued)

| MODEL                 | APPLICATION                                       | OEM#              | PART#              | Page |
|-----------------------|---|-------------------|--------------------|------|
| SANDEN (cont.)        |   |                   |                    |      |
| SD7H15HD.....         | 4 grv. 112mm Swing Mount, 12v (8147) w/OE#.....   | 3789035M1.....    | <b>58147</b> ..... | 303  |
| SD7H15 SPRHD.....     | 6 grv. 133mm Dia. DIR Mount 12v w/OE#.....        | 71441092.....     | <b>54578</b> ..... | 299  |
| T/CCI/York Style..... | York Style Heavy Duty w/Rotalock fittings.....    | ER210L-25149..... | <b>5236</b> .....  | 250  |
|                       | York Style Heavy Duty w/Tube-O'ring fittings..... | ET210L-25150..... | <b>5256</b> .....  | 250  |

**Expansion Valves and Orifice Tubes**

| MODEL  | APPLICATION                                       | O.E.M. #        | PART NO.          | Page |
|--|---|-----------------|-------------------|------|
| All Models.....                                | w/block type exp. valve #10#10#10#6 w/OE#.....    | 903-715.....    | <b>1666</b> ..... | 386  |
|  | w/right angle valve w/o'ring fitting.....         | 826-004.....    | <b>1640</b> ..... | 392  |
|  | w/right angle valve w/ext. equal.....             | 826-062.....    | <b>1625</b> ..... | 391  |
|  | w/right angle valve w/flare fitting.....          | 1162473-1.....  | <b>1635</b> ..... | 392  |
|  | w/block type exp. valve w/#8 & #10.....           | 329-413.....    | <b>1602</b> ..... | 384  |
|  | w/ext.equalized w/o'ring fitting w/OE#.....       | 826-081.....    | <b>1630</b> ..... | 391  |
|  | w/ext.equalized w/flare fitting w/OE#.....        | 31134-300.....  | <b>1610</b> ..... | 391  |
|  | w/ext. equalized w/o'ring fitting w/OE#.....      | 826-003.....    | <b>1620</b> ..... | 391  |
| 4W220/305, 8010-8070.....                      | O-Ring valve, externally equalized (2 tubes)..... | 71504287-5..... | <b>1625</b> ..... | 391  |
| 6260-6275, 7085, 7110,.....                    | Block type valve OE#.....                         | 04322165-4..... | <b>1600</b> ..... | 384  |
| 7120, 7145, 8610-8630,<br>9130-9190, 9455..... |   | 72162195.....   |                   |      |
| 7000-7080, 7580, 8550.....                     | O-Ring valve, externally equalized (2 tubes)..... | 268470.....     | <b>1631</b> ..... | 391  |
|  |   | 0259379-8.....  |                   |      |
|  |   | 259978.....     |                   |      |

**Filters - In-Cab Air Filters, Recirculation, Fresh Air**

| MODEL                                  | APPLICATION  | O.E.M. #       | PART NO.          | Page |
|--|--|----------------|-------------------|------|
| DT, RT, MT Ser., 8745-9785 Series..... | 5-1/2" (H) x 34-1/4" (L) x 2-3/8" width w/OE#..... | 3388840M2..... | <b>9966</b> ..... | 405  |

**Receiver Driers and Accumulators**

| MODEL                      | APPLICATION   | O.E.M. #        | PART NO.          | Page |
|----------------------------|---|-----------------|-------------------|------|
| 200, 210, 220, 220FWA..... | All modles w/3" drier, o'ring type.....                     | 0256818-6.....  | <b>7126</b> ..... | 527  |
| (w/Laporte cab)            |   |                 |                   |      |
| 7000-7080, 7580, 8550..... | All models w/4 x 7-1/2 3/8 female x 3/8 male.....           | 0268464-5.....  | <b>7233</b> ..... | 532  |
| 9130-9190.....             | All models w/2 3/4" drier, o'ring type w/low press. sw..... | 72161835-3..... | <b>7154</b> ..... | 529  |
|                            | Drier - 3/8" Male O-ring, PRV w/OE#.....                    | AG519278.....   | <b>7159</b> ..... | 529  |

**Switches - Pressure**

Includes Binary, Trinary™, High, Low and Sensor Types

| MODEL                        | APPLICATION                                      | O.E.M. #        | PART NO.          | Page |
|------------------------------|--|-----------------|-------------------|------|
| 200, 7020, 7060, 7580,.....  | Thermo-disc switch (Cond.mounted).....           | 0257334-3.....  | <b>1415</b> ..... | 570  |
| 8010, 8050, 8070, 8550.....  |  |                 |                   |      |
| 4W305, 6060, 8010-8070,..... | Low pressure switch (2 term. Drier mounted)..... | 70264650.....   | <b>1430</b> ..... | 571  |
| 9080, 9130-9190.....         |  | 72162165-4..... |                   |      |
| 9130-9190.....               | High pressure switch w/OE#.....                  | 72161644-9..... | <b>1488</b> ..... | 574  |

**AGCO - ALLIS Gleaners/Combines** (continued)

Switches - Thermostatic

| MODEL   | APPLICATION                                    | O.E.M. #                    | PART NO.          | Page |
|---|--|-----------------------------|-------------------|------|
| 220-220, 7010, 7020, 7060, 7080, .....<br>7580, 8010-8070, 8550               | Knob operated (36" capillary tube) w/OE# ..... | 1162474-9.....<br>0268476-9 | <b>1336</b> ..... | 582  |
| 4W220, 4W305, 440, 6060-6080, .....<br>7000, 7030-7050, 7580, 8010-8070, 8550 | Knob operated (48" capillary tube) w/OE# ..... | 0272229-9.....              | <b>1348</b> ..... | 582  |
| All.....  | w/preset type w/24" cap. Tube .....            | 404145 .....                | <b>1332</b> ..... | 582  |

APPLICATIONS - OFF ROAD

**BOBCAT**

Compressors

(Also See Illustrated Section for SELTEC TM08 SERIES COMPRESSORS)

| MODEL            | APPLICATION  | O.E.M. #       | PART NO.           | Page |
|------------------|--|----------------|--------------------|------|
| All.....         | w/2 gr 135mm, 12 volt, 2 wire, 3-hole alternator mount ..... | 488-42017..... | <b>5931</b> .....  | 325  |
| All.....         | w/2 gr 135mm, 12 volt, 1 wire .....                          | 488-42021..... | <b>5934</b> .....  | 325  |
| All.....         | w/4 gr 120mm, 12 volt, 1 wire, 3-hole alternator mount ..... | 488-42080..... | <b>5932</b> .....  | 325  |
| All.....         | w/6 gr 120mm, 12 volt, 1 wire, 3-hole alternator mount ..... | 488-42081..... | <b>5933</b> .....  | 325  |
| Sanden 7B10..... | w/2 gr 115mm, 12V, Swing Mount Body .....                    | SD7176 .....   | <b>57176</b> ..... | 302  |
| Sanden 7B10..... | w/6 gr 112mm, 12V, Swing Mount Body .....                    | SD7170 .....   | <b>57170</b> ..... | 302  |
|                  | Discharge Adapter Fitting - used on Sanden 7B10.....         |                | <b>4228S</b> ..... | 333  |
|                  | Suction Adapter Fittomg - used on Sanden 7B10 .....          |                | <b>4229S</b> ..... | 333  |

Condensers

| MODEL                    | APPLICATION                           | O.E.M. #     | PART NO.          | Page |
|--------------------------|---------------------------------------|--------------|-------------------|------|
| S150, 160, 175, 185..... | 11x23-3/8"x7/8" #6 #8 MIO w/OE# ..... | 6733001..... | <b>6406</b> ..... | 360  |
| 331, 335, 337,341.....   | Excavators w/OE# .....                | 6682037..... | <b>call</b> ..... |      |
| 430, 435.....            | SkidSteers w/OE# .....                | 7135618..... | <b>call</b> ..... |      |
| T200, 864.....           | SkidSteers w/OE# .....                | 6674234..... | <b>call</b> ..... |      |

Expansion Valves

| MODEL           | APPLICATION   | O.E.M. #      | PART NO.          | Page |
|-----------------|---|---------------|-------------------|------|
| Excavators..... | Block Type (w/2 R134a ports) -6-8 / -8-10 w/OE# ..... | 7008034 ..... | <b>1698</b> ..... | 388  |

Switches - Pressure

Includes Binary, Trinary™, High, Low and Sensor Types

| MODEL    | APPLICATION   | O.E.M. #     | PART NO.          | Page |
|----------|---|--------------|-------------------|------|
| All..... | Low Pressure, N/O, opens 10 closes 20; w/OE# .....      | 6679085..... | <b>1579</b> ..... | 575  |
| All..... | Binary Pressure, N/O, 7/16"-20 Female Thrd. w/OE# ..... | 6675779..... | <b>1578</b> ..... | 575  |

**CASE / IH (also see J.I.Case)**

**Blower Assemblies**

| MODEL                         | APPLICATION  | O.E.M. #       | PART NO.     | Page |
|-------------------------------|--|----------------|--------------|------|
| Backhoe 570LX2 / 570MXT-3     | 12v Incl. early & late style wiring harness, w/OE# | 1977564-C2     | <b>3790</b>  | 208  |
| Crawler 850D-850H/1150D-1150H | 12v 18-1/2" Length                                 | F64740, F64741 | <b>3791</b>  | 208  |
| 680H/680K 780B/780C           | 24v 18-1/2" Length; 1 speed, 2 wire w/OE#          | 1999670-C1     | <b>3792</b>  | 208  |
|                               |  | F96902         |              |      |
|                               |  | A187600        |              |      |
| 680H/680K 780B/780C           | 24v 18-1/2" Length; 3 speed, 4 wire                | 1999670-C1     | <b>3792A</b> | 208  |
|                               |  | F96902         |              |      |

**Blower Motors**

| MODEL                                    | APPLICATION                                      | O.E.M. #     | PART NO.    | Page |
|--|--|--------------|-------------|------|
| All Models                               | w/3/8 dia.dbl shft, 4.63 shft lgth, 3 spd, 12v   | 2807-516-041 | <b>3954</b> | 204  |
|  | w/5/16 dia, dbl shft, 2.75 shft lgth, 3 spd, 12v | 2807-510-076 | <b>3393</b> | 198  |
|  | w/1.25 shft lgth, ccw, 1 spd, 12v                | 2807-508-043 | <b>3354</b> | 197  |
|  | w/5/16 dia.dbl shft, 3 spd, 12v                  | F89750       | <b>3393</b> | 198  |
|  | w/3/8 dia.dbl shft, 3 spd, 12v                   | A42566       | <b>3954</b> | 204  |
|  | w/5/16 dia.dbl shft, 3 spd, 24v                  | 6231991-C91  | <b>3953</b> | 204  |
|  |  | A44302       |             |      |
| Loaders 621B/C, 821B/C, 921C             | w/5/16 single shaft, 1 spd CW 2 wires 24v w/OE#  | 1977427-C2   | <b>3782</b> | 200  |
| Hydro-100,186,766,786,886,               | Double shaft (3/8") 12v 3 speed 5 wire           | 142990-C2    | <b>3954</b> | 204  |
| 966,986,1066,1086,1466,1468,1486,1556,   |  | 117784-C5    |             |      |
| 1896,2090,2290,2390,2470,2590,2670,2870, |  | 539031-R2    |             |      |
| 3088,3288,3294,3388,3394;                |  | 112990-C2    |             |      |
| Hydro-3488,3588,3594,3688,               |  | F89388       |             |      |
| 3688HC,3788,4166,4186,4366,4386,         |  | F89750       |             |      |
| 4490,4494,4568,4586,4690,4694,           |  | F96901       |             |      |
| 4786,4890,4894,4994,5088,5288,           |  | 175577-C1    |             |      |
| 5488,6388,6588,6788,7288,7488            |  | 70902-C1     |             |      |
| Hydro-100,766,966,1066,                  | Condenser Motor (Single shaft) 12v, 2 wire       | 117783-C1    | <b>3046</b> | 190  |
| 1466,1566,1568                           |  | 539047-R2    |             |      |
| 585,595,685,695,885,895,995,             | Double shaft (5/16") 12v, rev                    | 1974779-C1   | <b>3952</b> | 203  |
| 5120-5140,5220,5230,5240, 7110-7150      |  |              |             |      |
| 1470TK                                   | Double shaft (3/8") 24v 3 speed 5 wire           | A44302       | <b>3953</b> | 204  |
|  |  | 631991-C91   |             |      |

**Blower Switches**

Includes Circuit Breaker, Fan, Rocker, Rotary, and Toggle

| MODEL                          | APPLICATION                              | O.E.M. #  | PART NO.    | Page |
|--------------------------------|--|-----------|-------------|------|
| 766,966,4166,4186,4568         | Blower switch OE#                        | 539052-R2 | <b>1151</b> | 553  |
| 786,870,886,970,986,1070,1086, | Blower switch (5 term.w/o resistors) OE# | 168822-C2 | <b>1151</b> | 553  |
| 1270,1370,1486,1490,1570,1586, |  | A42622    |             |      |
| 1690,1896,2090,2094,2096,2290, |  | L73617    |             |      |
| 2294,2390,2394,2470,2590,2594, |  |           |             |      |
| 2670,3088,3288,3294,3388,3394, |  |           |             |      |
| 3488,3588,3594,3688,3788,4386, |  |           |             |      |
| 4490,4494,4586,4690,4786,4890, |  |           |             |      |
| 4894,4994,5088,5288,5488,6388, |  |           |             |      |
| 6588,6788,7288,7488            |  |           |             |      |
| 1294,1394,1494                 | Blower switch w/OE#                      | K303726   | <b>1151</b> | 553  |
| 2470,2670,2870                 | Blower switch (5 term.w/resistors) w/OE# | A63866    | <b>1155</b> | 553  |

APPLICATIONS - OFF ROAD

CASE / IH (also see J.I.Case) (continued)

Blower Wheels & Fans

| MODEL   | APPLICATION  | O.E.M. # | PART NO. Page         |
|---|--|----------|-----------------------|
| 186,786,886,986,1086,1486,1586,<br>3088,3288,3388,3488,3588,3688,3788,<br>4166,4366,4386,4568,4586,4786,5088,<br>5288,5488,6388,6588,6788 | Blwr Motor with Wheel w/double shaft (3/8")                |          | <b>3694</b> ..... 216 |
| 715,815,915,1440,1460,1480  | Blwr Motor with Wheel w/double shaft (3/8") motor          |          | <b>3694</b> ..... 216 |
| 766,966,1066,1466,1468  | w/Custom Cab; Blwr Mtr w/Wheel w/double shaft (3/8") motor |          | <b>3694</b> ..... 216 |
| 766,996,1066,1466,1468,1566,<br>1568,4166,4186  | Condenser Fan Blade (8" dia. CW)                           |          | <b>3605</b> ..... 219 |
| 815,915   | Blwr Motor with Wheel w/single shaft (5/16") motor         |          | <b>3631</b> ..... 215 |
| 1566,1568   | Blwr Motor with Wheel w/double shaft (3/8") motor          |          | <b>3695</b> ..... 216 |

Clutches

| MODEL  | APPLICATION                             | O.E.M. #   | PART NO. Page         |
|--|---|------------|-----------------------|
| Hydro100,766,966,1066,1466,<br>1566,4166,4186  | York Style 2 grv 6" dia. Heavy Duty     | 65338-C91  | <b>5144</b> ..... 230 |
|  | York Style 2 grv 6" dia. Std. Duty      | 65338-C91  | <b>5044</b> ..... 229 |
| 186,786,870,886,970,986,<br>1070,1086,1270,1370,1468,1486,<br>1568,1570,1586,1690,2090,2094,<br>2290,2294,2390,2394,2470,2590,2594,<br>2670,3088,3288,3294,3388,3394,<br>3488,3588,3594,3688,3788,<br>4366,4386,4568,4586,4786,5088,<br>5288,5488,6388,6588,6788,7250,7488 | York Style 2 groove 7" dia. Heavy Duty  | 118161-C91 | <b>5141</b> ..... 230 |
|  | York Style 2 groove 7" dia. Std. Duty   | 118161-C91 | <b>5041</b> ..... 229 |
|  |   | 111631-C91 |                       |
|  |   | 143405-C91 |                       |
|  |   | A66057     |                       |
|  |   | 162008     |                       |
| 1294,1394,1494,1594,<br>9110,9130,9150,9170,9180,9190,<br>9210,9230,9240,9250,<br>9260,9270,9280   | Sanden 5-1/4" 2 groove SD508/510/SD5H14 | 1-3759     | <b>call</b>           |
| 2470,2670,2870,4490,4494,<br>4690,4694,4890,4894   | York 7" HD 2 groove                     | 111631-C91 | <b>5141</b> ..... 230 |

Compressors

| MODEL  | APPLICATION                                   | O.E.M. #        | PART NO. Page          |
|--|---|-----------------|------------------------|
| 766,870,966,970,995,<br>1066,1070,1270,1370,1466,1468,<br>1470TK,1490,1566,1568,1570,1690,<br>2090,2094,2290,2294,2390,2394,2470,<br>2590,2594,2670,3294,3394,3594,4166,4186 | York Style (Rotolock R209/210L)               | 417888-C92      | <b>5236</b> ..... 250  |
|  |   | A64810          |                        |
|  |   | A141060         |                        |
| All  | 2 Grv 140mm Dia. Ear Mount 12V w/OE#          | 1977959-C1      | <b>5308</b> ..... 286  |
| All  | 1"-14 Tube O Manifold w/OE#                   | 1999755-C2      | <b>5204</b> ..... 305  |
| 1294,1394,1494,1594,9110,<br>9130-9150,9170,9180,9190,<br>9210,9230,9240,9250,9260,9270,9280   | Sanden SD510 (model 9103/9120) w/2 gr clutch  | K307237         | <b>5920</b> ..... 294  |
|  |   | 60-2921-T91     |                        |
|  |   | 60-2921-T94     |                        |
| 2470,2670,2870,4490,4494,4690,<br>4694,4890,4894,7288,7488   | A6 compressor w/5" dia., 1 groove, 12v clutch | 160,638,135,362 | <b>5250A</b> ..... 264 |

(continued)

APPLICATIONS - OFF ROAD

**CASE / IH (also see J.I.Case)** (continued)

**Compressors** (continued)

| MODEL                    | APPLICATION  | OEM#               | PART#               | Page |
|--------------------------|--|--------------------|---------------------|------|
| <b>ALL MODELS</b>        |  |                    |                     |      |
| DENSO .....              | 1 grv. 146mm 12v 6E171 w/OE# .....                         | A165850 .....      | <b>5845</b> .....   | 255  |
| GM A6 .....              | 1 grv. 4-7/8 dia. clutch, new .....                        | 1131243 .....      | <b>5250A</b> .....  | 264  |
|                          | 1 grv. 4-7/8 dia. clutch, reb. ....                        | 15-2227 .....      | <b>5150</b> .....   | 264  |
|                          | 1 grv. 5-1/2 dia. clutch, new .....                        | 1131250 .....      | <b>5255A</b> .....  | 265  |
|                          | 1 grv. 5-1/2 dia. clutch, reb. ....                        | 256782-4 .....     | <b>5151</b> .....   | 264  |
| <b>SANDEN</b>            |  |                    |                     |      |
| 7H15 .....               | 1 grv. 135mm dia. Ear, 12v, 1/2" belt (8174) .....         | 8174 .....         | <b>58174</b> .....  | 303  |
| 7H15SHD .....            | 1 grv. 138mm EAR 12v, 2 wire (4480) .....                  | SD4480 .....       | <b>5314</b> .....   | 287  |
| 7H15SHD .....            | 2 grv. 132mm dia (4643) w/OE# .....                        | 9705764 .....      | <b>5725</b> .....   | 292  |
| 5H14HD .....             | 2 grv. 132mm EAR 12V 1 wire (4510) .....                   | 9822598 .....      | <b>5764</b> .....   | 294  |
| 7H15SHD .....            | 2 grv. 132mm EAR 12V 1 wire (4617) .....                   | 4617SAN .....      | <b>5717</b> .....   | 292  |
| 7H15SHD .....            | 2 grv. 132mm EAR 12V 1 wire (4654) .....                   | SD4654 .....       | <b>54654</b> .....  | 300  |
| 7H15SHD .....            | 2 grv. 132mm EAR 12V 1 wire (4673) .....                   | SD4673 .....       | <b>54673</b> .....  | 300  |
| 7H15 .....               | 2 grv. 132mm EAR 12V, 1 wire (4272) .....                  | 76047005 .....     | <b>5412A</b> .....  | 291  |
| 7H15HD .....             | 2 grv. 132mm dia. w/o'ring fitting, 12V .....              | 9822598 .....      | <b>5764</b> .....   | 294  |
| 508HD .....              | 2 grv. 132mm dia. w/o'ring fitting .....                   | 9285 .....         | <b>5920</b> .....   | 294  |
| 5H14HD .....             | 2 grv. 132mm dia. w/o'ring fitting, 24V (6665) .....       | 86508521 .....     | <b>5752A</b> .....  | 293  |
| 7H15SHD .....            | 2 grv. 152mm EAR 12V 1 wire (4478) .....                   | 1999755C3 .....    | <b>5300</b> .....   | 286  |
| 7H15SHD .....            | 2 grv. 152mm EAR 24 V 1 wire (4489) .....                  | 1999760C2 .....    | <b>5302</b> .....   | 286  |
| 7H15SHD .....            | 4 grv. 112mm DIR 12V 2 wire (8148) .....                   | 87802912 .....     | <b>58148</b> .....  | 303  |
| 7H15SHD .....            | 4 grv. 132mm DIR Mount 12V, 1x-14 (4033) .....             | 8760977 .....      | <b>54033</b> .....  | 295  |
| 7H15 .....               | 6 grv. 119mm 12v, w/Dust Cover (8244) .....                | 4281803M1 .....    | <b>58244</b> .....  | 303  |
| 7H15 .....               | 8 grv. 119mm dia. Dir. Mount, 24V (8144) .....             | 8500795 .....      | <b>58144</b> .....  | 303  |
| 7H15E .....              | 8 grv. 119mm dia. Dir Mount 2 wire (4545) .....            | SD4545 .....       | <b>54046</b> .....  | 295  |
| 7H13 .....               | 8 grv. 119mm dia. KG Head 12V w/OE# .....                  | 84032734 .....     | <b>58901</b> .....  | 303  |
| 7H15SHD .....            | 8 grv. 133mm dia. EAR 12V 2 wire (4738) .....              | 9847944 .....      | <b>54738</b> .....  | 301  |
| 7H15SHD .....            | 8 grv. 152mm dia. Direct 24V 1 wire (4300) .....           | 352524A2 .....     | <b>5304</b> .....   | 286  |
| 7H15SHD .....            | 8 grv. 152mm dia. Direct 12V 1 wire (4499) .....           | 317008A3 .....     | <b>5303</b> .....   | 286  |
|                          |  | 86993463           |                     |      |
| SELTEC / VALEO .....     | TM21HX 2 gr, 145mm dia. 24v .....                          | 488-47242 .....    | <b>5879</b> .....   | 326  |
| All w/Direct Mount ..... | TM21HX 6 gr, 137mm dia. 12v 2 wire .....                   | 435-67256 .....    | <b>51615</b> .....  | 327  |
|                          | TM21HX 8 gr, 141mm dia. 12v .....                          | 488-47244 .....    | <b>5880</b> .....   | 326  |
|                          | TM21HX 8 gr, 141mm dia. 24v .....                          | 488-47246 .....    | <b>5881</b> .....   | 326  |
|                          | TM21HX 10gr, 141mm dia. 12V 2 wire .....                   | 103 67269 .....    | <b>5927</b> .....   | 326  |
|                          | TM21HX 10gr, 141mm dia. 24V 2 wire .....                   | 103 67272 .....    | <b>5928</b> .....   | 326  |
| T/CCI/York Style .....   | York Style Heavy Duty w/Rotalock fittings .....            | ER210L-25149 ..... | <b>5236</b> .....   | 250  |
|                          | York Style Heavy Duty w/Tube-O'ring fittings .....         | ET210L-25150 ..... | <b>5256</b> .....   | 250  |
|                          | York Style Heavy Duty w/Rotalock, Right Hand Suction ..... | 1924006-C2 .....   | <b>5237RS</b> ..... | 250  |
|                          | York Style Heavy Duty w/Tube-O, Right Hand Suction .....   | 1924008-C2 .....   | <b>5247RS</b> ..... | 250  |

APPLICATIONS - OFF ROAD

**Condensers**

| MODEL                       | APPLICATION                              | O.E.M. #       | PART NO.          | Page |
|-----------------------------|--|----------------|-------------------|------|
| Backhoe 580M Series 2 ..... | w/20"x15-1/2"x1-1/4" #8 IN, #6 OUT ..... | 87417329 ..... | <b>6405</b> ..... | 360  |
| All .....                   | w/OE# .....                              | 84201601 ..... | <b>call</b> ..... |      |
|                             | w/OE# .....                              | 84201602 ..... | <b>call</b> ..... |      |
|                             | w/OE# .....                              | 84342887 ..... | <b>call</b> ..... |      |
| All .....                   | Block Type, Flange Mount w/OE# .....     | KHR2803 .....  | <b>1696</b> ..... | 388  |

**CASE / IH (also see J.I. Case)** (continued)

Evaporators

| MODEL                    | APPLICATION   | O.E.M. #         | PART NO.          | Page |
|--------------------------|---|------------------|-------------------|------|
| Loader 621B/821B, .....  | w/30"x5"x5-1/4" #8 IN, #10 OUT MOR, (w/Htr. Core) .....       | 1990757-C2 ..... | <b>6690</b> ..... | 377  |
| Magnum Series            | (overall length 36")  | 98369-C3         |                   |      |
| W14, W18, W20, W36 ..... | w/28-1/8"x5"x2-1/2" #8 IN, #10 OUT Flare Fittings w/OE# ..... | F63646 .....     | <b>6691</b> ..... | 377  |

Expansion Valves and Orifice Tubes

| MODEL                                 | APPLICATION  | O.E.M. #            | PART NO.          | Page |
|---------------------------------------|--|---------------------|-------------------|------|
| All Models .....                      | w/block type exp. valve w/OE# .....                        | 903-715 .....       | <b>1666</b> ..... | 386  |
| All .....                             | w/block type exp. Valve 2-1/2 ton w/OE# .....              | 9837C3 .....        | <b>1608</b> ..... | 384  |
| 186,886,996,1086,1486,1586 .....      | O-Ring fittings, externally equalized (2 tubes) .....      | 118305-C3 .....     | <b>1625</b> ..... | 391  |
|                                       |  | 128033-C1           |                   |      |
| 186,786,886,996,1086,1486,1586, ..... | Block Type valve w/OE# .....                               | 118321-C1 .....     | <b>1600</b> ..... | 384  |
| 3088,3288,3388,3488,3588,3688,        |  | 60-5880-T1          |                   |      |
| 3788,5088,5288,5488,6388,6588,        |  |                     |                   |      |
| 6788,7288,7488,9110,9130,9150,        |  |                     |                   |      |
| 9170,9180                             |  |                     |                   |      |
| 585,595,685,695,885,895 .....         | O-Ring fittings, externally equalized (2 tubes) .....      | 1280333-C1 .....    | <b>1625</b> ..... | 391  |
| 766,966,970,1066,1270,1370,           | Flare fittings, externally equalized (2 tubes) w/OE# ..... | 539064-R1 .....     | <b>1630</b> ..... | 391  |
| 1394,1466,1468,1490,1494,1566,1568,   |  |                     |                   |      |
| 2590,2594,2670,2870,3294,3394,3594,   |  |                     |                   |      |
| 4490,4494,4690,4694,4890,4894,4994    |  |                     |                   |      |
| 870,1070,1270 .....                   | Flare fittings, externally equalized (2 tubes) w/OE# ..... | F63726 .....        | <b>1610</b> ..... | 391  |
|                                       |  | 647669-C1           |                   |      |
| 3220,3230,4210,4230,4240,5120, .....  | Block Type valve w/OE# .....                               | 1990756-C1 .....    | <b>1602</b> ..... | 384  |
| 5130,5140,5220,5230,5240,7110,        |  | 98370-C3            |                   |      |
| 7120,7130,7140,7150,7210,7220,        |  |                     |                   |      |
| 7230,7240,7250,8910,8920,8930,        |  |                     |                   |      |
| 8940,8950,9210,9230,9240,9250,        |  |                     |                   |      |
| 9260,9270,9280,9310,9330,9350,        |  |                     |                   |      |
| 9370,9380                             |  |                     |                   |      |
| 4366,4386,4568,4586,4786,9190 .....   | Flare fittings, internally equalized (1 tube) .....        | 20179-C1 .....      | <b>1635</b> ..... | 392  |
|                                       | Block Type (female o-ring) -6-12/-10-12 w/OE# .....        | AN51515-A0400 ..... | <b>1696</b> ..... | 388  |
|                                       |  | 168903-C91          |                   |      |

Receiver Driers and Accumulators

| MODEL   | APPLICATION                               | O.E.M. #          | PART NO.          | Page |
|---|---|-------------------|-------------------|------|
| All .....                                     | Accum. 2.95" x 9" Pad Type w/OE# .....    | YT5400003P1 ..... | <b>7569</b> ..... | 541  |
| All .....                                     | Drier 4" x 7-3/4" FOR x MIO w/OE# .....   | 86984155 .....    | <b>7572</b> ..... | 541  |
| Hydro100,186,766,886,966,986, .....           | Flare 4" x 6-3/4" w/top sight glass ..... | 111218-C1 .....   | <b>7211</b> ..... | 531  |
| 1086,1466,1468,1486                           |   |                   |                   |      |
| 560,580 .....                                 | Flare 3" x 6" w/OE# .....                 | 916384-C1 .....   | <b>7124</b> ..... | 527  |
| 186,585,595,685,695,885,886,895,              | O'Ring 4" x 7" w/top sight glass .....    | 118304-C1 .....   | <b>7223</b> ..... | 531  |
| 986,1086,1486,1586,3388,3588,3788             |   |                   |                   |      |
| 186,786,886,986,1086,1486,1586, .....         | M x F O'Ring 4" x 7-7/8" w/OE# .....      | 143469-C2 .....   | <b>7395</b> ..... | 533  |
| 3088,3220,3230,3288,3388,3488,3588,3688,3788, |   | 1990758-C2        |                   |      |
| 4210,4230,4240,5088,5120,5130,5140,5220,5230, |   |                   |                   |      |
| 5240,5288,5488,6388,6588,6788,7110,7120,7130, |   |                   |                   |      |
| 7140,7150,7210,7220,7230,7240,7250,7288,7488, |   |                   |                   |      |
| 8910,8920,8930,8940,8950,9210,9230,9240,9250, |   |                   |                   |      |
| 9260,9270,9280,9310,9330,9350,9370,9380       |   |                   |                   |      |

(continued)

APPLICATIONS - OFF ROAD



**CASE / IH (also see J.I. Case)** (continued)

**Receiver Driers and Accumulators** (continued)

| MODEL  | APPLICATION                                  | O.E.M. #                      | PART NO.    | Page |
|--|--|-------------------------------|-------------|------|
| 870,970,1070,1270,1294,1370,<br>1394,1490,1494,1570,1594,1690,<br>1896,2090,2094,2096,2290,2294,<br>2390,2394,2470,2590,2594,2670,<br>2870,3294,3394,3594,4490,4494,<br>4690,4694,4890,4894,4994 | O'Ring 2-1/2" x 8" T-Flow                    | A61688                        | <b>7118</b> | 527  |
| 1066,1566,1568,1586,4166,4186  | Flare 4" x 7" w/side sight glass             | 539049-R1                     | <b>7211</b> | 531  |
| 4366,4386,4568,4586,4786   | O'Ring 2-3/4" x 10" w/LP switch, OE#         | 134552-C1<br>A76312<br>A76085 | <b>7154</b> | 529  |
| 9170,9180  | In-line drier 3/8" fittings, 2-1/2" x 7-5/8" | 60-1987-T91                   | <b>7502</b> | 538  |
| All  | Flare 2-1/2" x 8" T-Flow w/o switch          | L109036                       | <b>7152</b> | 528  |
|  | Flare 2-1/2" x 8" T-Flow w/LP switch         | L77169                        | <b>7218</b> | 531  |
| All  | w/3" drier, o'ring type                      | 088423-00                     | <b>7126</b> | 527  |

APPLICATIONS - OFF ROAD

**Switches - Pressure**

Includes Binary, Trinary™, High, Low and Sensor Types

| MODEL   | APPLICATION  | O.E.M. #                         | PART NO.    | Page |
|---|--|----------------------------------|-------------|------|
| All   | High Pressure Switch N/O, 10mm Thrd.<br>opens 275 closes 330 psi w/OE# | 232948A1                         | <b>1575</b> | 575  |
| All   | Low Pressure Switch N/C, 10mm Thrd.<br>closes 7 opens 23 psi w/OE#     | 122579A1                         | <b>1580</b> | 575  |
| Hydro100,766,966,1066,1466,<br>1468,1566,1568,4166,4186   | High pressure switch w/OE#   | 539061-R2                        | <b>1486</b> | 573  |
| 585,595,685,695,786,870,886,<br>895,970,986,1070,1086,1270,<br>1370,1486,1586,3088,3288,3388,<br>3488,3588,3688,3788,4366,4386,<br>4568,4586,4786,5088,5288,5488,6388,6588,6788,7288,7488,9170,9180   | Low pressure switch (drier mounted) w/OE#                              | 111267-C4<br>A65785<br>3846117   | <b>1432</b> | 571  |
| 1294,1394,1494,1594,1690,<br>1896,2090,2094,2096,2290,2294,<br>2390,2394,2470,2590,2594,2670,<br>2870,3294,3394,3594,4490,4494,4690,4694,4890,4894,4994   | Low pressure switch (drier mounted) w/OE#                              | A47717                           | <b>1430</b> | 571  |
| 3220,3230,4210,4230,4240,<br>5120,5130,5140,5220,5230,<br>5240,7210,7220,7230,7240,7250,8910,8920,8930,8940,  | Low pressure switch w/OE#  | 92153-C1                         | <b>1422</b> | 570  |
| 5120,5130,5140,5220,5230,5240,<br>7110,7120,7130,7140,7150,9210,<br>92309110,9130,9150,9170,9240,9250,9260,9270,9280  | Low pressure switch; N/O 11-18 psi w/OE#                               | 60-5881-T1                       | <b>call</b> |      |
| 585,595,685,695,786,870,885,886,<br>895,970,986,1070,1086,1270,1294,<br>1370,1394,1486,1490,1494,1570,1586,<br>1594,1690,1896,2090,2094,2096,2290,<br>2294,2390,2394,2470,2594,2670,2870,<br>3294,3388,3394,3588,3594,3788,4366,<br>4386,4490,4494,4568,4586,4690,4694,4786,<br>4890,4894,4994,6388,6588,6788,7288,7488 | High pressure switch w/OE#   | 111266-C1<br>539047-R2<br>A65770 | <b>1491</b> | 574  |

(continued)

**CASE / IH (also see J.I.Case)** (continued)

**Switches - Pressure** (continued)

Includes Binary, Trinary™, High, Low and Sensor Types

APPLICATIONS - OFF ROAD

| MODEL   | APPLICATION                              | OEM#       | PART# | Page |
|---|--|------------|-------|------|
| 3220,3230,4210,4230,4240,5120,<br>5130,5140,5220,5230,5240,7210,<br>7220,7230,7240,7250,8910,8920,<br>8930,8940,8950,9310,9330,9350,9370,9380 | High pressure switch (std. thread) w/OE# | 1999925-C1 | 1482  | 573  |
| 8950,9310,9330,9350,9370,9380   | High pressure switch (metric)            |            | 1451  | 572  |
| 5120,5130,5140,5220,5230,<br>5240,7110,7120,7130,7140,7150  | High pressure switch w/OE#               | 92038-C1   | 1477  | 573  |
| 4490,4494,4694,4890,4894  | Superheat switch (A6 comp.)              | 576616-C91 | 1406  | 570  |
| 4000,5000,5500  | Thermo Disc switch (cond. Mounted)       | 155491-C91 | 1415  | 570  |

**Switches - Thermostatic**

| MODEL   | APPLICATION                                 | O.E.M. #  | PART NO. | Page |
|---|---|---|----------|------|
| 186,585,595,685,695,786,885,<br>886,895,986,1086,1486,1586,3088,<br>3220,3230,3288,3388,3488,3588,3688,<br>3788,4386,4586,4786,5088,5288,5488,<br>6388,6588,6788,7288,7488                              | Knob operated, 48" capillary tube, w/OE#    | 109268-C2<br>301395-C91<br>L108189<br>01-784010 | 1348     | 582  |
| 1490,1690,1896,2090,2094,2096,<br>2290,2294,2390,2394,2470,2590,<br>2594,2670,2870,3294,3394,3594,<br>4490,4494,4690,4694,4890,4894,4994  | Knob operated, 36" capillary tube, w/OE#    | A43186<br>F43646<br>168902-C1<br>175575-C1      | 1336     | 582  |
| Hydro100,766,966,1066,1070,1466,<br>1566,1568,4166,4186,4366,4568   | Rotary Operated, 27" capillary tube, w/OE#  | 700500-C2                                       | 1335     | 582  |
| 870,970,1070,1270,1370,1570,<br>2470,2670   | Knob operated, 18-24" capillary tube, w/OE# | A42623  | 1318     | 581  |
| 1294,1394,1494,1594   | w/OE#                                       | A176304   | 1336     | 582  |
| 4210,4230,4240,5120,5130,5140,<br>5220,5230,5240,7110,7120,7130,<br>7140,7150,7210,7220,7230,7240,<br>7250,8910,8920,8930,8940,8950,<br>9210,9230,9240,9250,9260,9270,<br>9280,9310,9330,9350,9370,9380 | Rotary 36" Cap. Tube w/OE#                  | 9210-1C1  | 1336     | 582  |

**CATERPILLAR**

Backhoes / Excavators / Graders / Haulers / Loaders / Scrapers / Skidsteers / Tractors

**Blower Motors**

| MODEL                  | APPLICATION  | O.E.M. #   | PART NO.                                       | Page                               |
|------------------------|--|--|--|------------------------------------|
| DG5 Bulldozer          | Blower Assembly with Wheel, Single 3/8" Dia. Shaft; 12v, includes 2 wire connector w/OE# | 168-2313<br>304-8965   | <b>3960</b>                                    | 204                                |
| 939, 963C Track Loader | Blower Motor 24v, Single Shaft 2 wires   | 174-1504   | <b>3781</b>                                    | 200                                |
| All Models w/OE#       | Evaporator Motor (24 volt), OE #   | 8P9982<br>9G0393<br>9G0397<br>9G8693<br>9G8697<br>RD5-6071-0<br>3P8379<br>9P2217<br>RD5-6073-0 | <b>3150</b><br><br><br><br><br><br><b>3953</b> | 193<br><br><br><br><br><br><br>204 |
| All Models w/OE#       | Cond. Motor (27 volt), CW, 1.75" shaft lngth OE # 174-1486                               | 308-6335<br>174-1495   | <b>3970</b>                                    | 205                                |
| All Models w/OE#       | Evap. Motor (27 volt), REV, 3" dbl shaft OE #  | 316-1927<br>174-1494<br>174-1486   | <b>3971</b>                                    | 205                                |
| 924G Wheel Loader      | Puller Fan motor assy, 24v 11" Dia.  | 169-7434   | <b>3561C</b>                                   | 222                                |
| All                    | Puller Fan motor assy, 12v 12.64" Dia. 860 CFM   | RD5-8641-0   | <b>3564</b>                                    | 222                                |
| All                    | Puller Fan motor assy, 24v 12.64" Dia. 860 CFM   | RD5-8641-1   | <b>3565</b>                                    | 222                                |
| Skidsteer              | 12V, 3 Spd. Assy w/Red Dot Units R295-0, R9750-3; -4; -5; -6                             | RD5-8837-0   | <b>3996</b>                                    | 211                                |
| Skidsteer              | 12V, 1 Spd. Assy w/Red Dot Unit R6500  | RD5-8837-1   | <b>call</b>                                    |                                    |
|                        |  | 3000-8452  | <b>call</b>                                    |                                    |
| All                    | 24V CW, OAL 4.88" sealed w/OE#   | 3E6387   | <b>3514</b>                                    | 199                                |
| All                    | 24V CW, OAL 4.88 non-vented w/OE#  | 6T6111   | <b>3003</b>                                    | 190                                |

APPLICATIONS - OFF ROAD

**Blower Wheels**

| MODEL          | APPLICATION   | O.E.M. # | PART NO.    | Page |
|----------------|---|----------|-------------|------|
| 939/953C ; All | Dia. 5-3/4" 2-7/8" wide Steel, CCW; 5/16" shaft w/OE# | 256-0622 | <b>3778</b> | 217  |

**Clutches**

| MODEL             | APPLICATION  | O.E.M. # | PART NO.    | Page |
|-------------------|--|----------|-------------|------|
| DENSO             | 2 Grv. 24 Volt used on 10H17C # 5844G 03-3174G         |          | <b>call</b> |      |
|                   | 8 Grv. 135mm Dia; 24V, used on 10H17C # 5848G 03-3174G |          | <b>call</b> |      |
| T/CCI, York Style | 6" dia. Std. 12 volt 2 groove                          |          | <b>5044</b> | 229  |
|                   | 6" HD 12 volt 2 groove                                 |          | <b>5144</b> | 230  |
|                   | 7" Std. 12 volt 2 groove                               |          | <b>5041</b> | 229  |
|                   | 7" HD 12 volt 2 groove                                 |          | <b>5141</b> | 130  |
|                   | 7" HD 24 volt 2 groove                                 |          | <b>5042</b> | 229  |

**Compressors**

| MODEL                   | APPLICATION                       | O.E.M. #             | PART NO.     | Page |
|-------------------------|-----------------------------------|----------------------|--------------|------|
| DENSO                   |                                   |                      |              |      |
| 10PA15C, 318B Excavator | 1 grv. 134mm 5.25" Dia. 24v w/OE# | 154-0490<br>154-1224 | <b>51413</b> | 256  |
| 10S17C                  | 1 grv. 140mm 5.51" Dia. 24V w/OE# | 231-6984<br>259-7244 | <b>5844G</b> | 255  |
| (continued)             |                                   |                      |              |      |

### CATERPILLAR (continued)

Backhoes / Excavators / Graders / Haulers / Loaders / Scrapers / Skidsteers / Tractors

### Compressors (continued)

| MODEL                 | APPLICATION                                       | OEM#                 | PART#        | Page |
|-----------------------|---|----------------------|--------------|------|
| DENSO (cont.)         |   |                      |              |      |
| 10S15C                | 1 grv. 152mm 5/8" Belt 24V w/OE#                  | 300-3685             | <b>5938</b>  | 255  |
| 10S17C                | 8 grv. 138mm Dia. 24V w/OE#                       | 179-5544<br>305-0325 | <b>5848G</b> | 255  |
| GM A6                 | 4-7/8 dia. Clutch                                 | 1131243              | <b>5250A</b> | 264  |
|                       | 5-1/2 dia. Clutch                                 | 1131250              | <b>5255A</b> | 265  |
|                       | 6-7/8 dia. Clutch, re-mfg, 24v                    | 1P6416               | <b>5152</b>  | 264  |
|                       | 6-7/8" dia. clutch, 24 volt, OE #                 | 7N4296               | <b>5252A</b> | 265  |
|                       | (w/11:00 Coil Position)                           | 7N4297<br>2P8232     |              |      |
|                       | 6-7/8" dia. clutch, 24 volt, OE #                 | 1P6416               | <b>5252A</b> | 265  |
|                       | (May require extension of coil wire)              |                      |              |      |
| A6 Compressor Fitting | Straight, Low Side (#10 w/13mm Port) w/OE#        | 3E4054               | <b>5543C</b> | 334  |
| A6 Compressor Fitting | Straight, High Side (# 8 w/16mm Port) w/OE#       | 3E4053               | <b>5542C</b> | 334  |
| SANDEN                |   |                      |              |      |
| 7H13                  | 1 gr. 127mm 5" Direct 24V WL Head (8944)          | 229-8994             | <b>58944</b> | 303  |
| 7H15SHD               | 1 gr. 133mm EAR 12V 2 wire (4608)                 | 3E1907               | <b>5305</b>  | 286  |
| 7H15SHD               | 1 gr. 138mm EAR 24V 2 wire (4468)                 | 3E-1906              | <b>5391</b>  | 290  |
| 7H15                  | 1 gr. 146mm 24V 1 wire (5133) w/OE#               | 372-9260             | <b>55311</b> | 301  |
| 7H15SHD               | 1 gr. 152mm EAR 24V 2 wire (4479)                 | 106-5122             | <b>5312</b>  | 286  |
| SD510HD               | 2 gr. 132mm dia. 12V w/o'ring fitting FG head     | 9285                 | <b>5920</b>  | 294  |
| SH15SHD               | 2 gr. 132mm dia. 12V 1 wire GV head               | 4141                 | <b>54141</b> | 296  |
| 7H15SHD               | 2 gr. 5-1/2" dia. 24V w/o'ring fitting (4661)     | 114-9484             | <b>5314</b>  | 287  |
| 7H15E                 | 4 gr. 119mm 12V, WP Head (4005) w/OE#             | 40-8487              | <b>54104</b> | 296  |
| 7H15HD                | 6 gr. 119mm 12V, MD Head (4641) w/OE#             | 232-9274             | <b>5741</b>  | 293  |
| 7H15                  | 8 gr. 119mm 24V JD Head 1 wire (4149)             | -                    | <b>54149</b> | 297  |
| 7H15                  | 6 gr. 125mm 12V, JD Head (4883) w/OE#             | M6X0062              | <b>5339</b>  | 288  |
| 7H15E                 | 8 gr. 119 mm Direct 12V 2 wire (4021)             | 299-2212             | <b>54021</b> | 295  |
| 7H15HD                | 8 gr. 119mm 12V, KC Head (4666) w/OE#             | MX0182               | <b>5707</b>  | 292  |
| 7H15HD                | 8 gr. 119mm 24V, JD Head (4762) w/OE#             | 232-9282             | <b>54762</b> | 301  |
| 7H15E                 | 8 gr. 119mm Direct 12V 2 wire (4545)              | 87363860             | <b>54046</b> | 295  |
| 7H15E                 | 8 gr. 130mm 24V, 4095 Head (4291) w/OE#           | 338-9100             | <b>54291</b> | 297  |
| 7H15SHD               | 8 gr. 130mm Direct 24V 2 wire (4095)              | 320-1291             | <b>54095</b> | 296  |
| 7H15SHD               | 8 gr. 130mm Direct 24V 2 wire (4301)              | 1630872              | <b>5316</b>  | 287  |
| 7H15E                 | 8 gr. 130mm Direct 24V 2 wire (4355)              | 277-7245             | <b>54355</b> | 297  |
| 7H15SHD               | 8 gr. 130mm EAR 24V 2 wire (4487)                 | 2180234              | <b>5313</b>  | 286  |
| 7H15SHD               | 8 gr. 133mm Direct 12V 2 wire (4498, 4806)        | 178-9570             | <b>5317</b>  | 287  |
| 7H15SHD               | 8 gr. 133mm EAR 12V 2 wire (4737)                 | 151-5270             | <b>54737</b> | 301  |
| 7H15                  | 8 gr. 149mm EAR 24V 2 wire (6094)                 | 372-9360             | <b>56094</b> | 302  |
| 7H15                  | 8 gr. 152 mm dia. 12V (4283) Enhanced Type (4283) | 383-9099             | <b>54283</b> | 297  |
| 7H15SHD               | 8 gr. 152 mm dia. 24V 2 wire (4250)               | 324-9711             | <b>54250</b> | 297  |
| 7H15E                 | 8 gr. 152mm 12V, 4095 Head (4283) w/OE#           | 383-9099             | <b>54283</b> | 297  |
| 7H15SHD               | 8 gr. 152mm Direct 24V 2 wire (4302)              | 183-5106             | <b>5318</b>  | 287  |
| 7H15HD                | 10 gr. 119 mm Direct 12V 1 wire (4405)            | SD4405               | <b>54405</b> | 298  |
| 7H15                  | 12 gr. 126mm 24V w/OE#                            | 259-7286             | <b>call</b>  |      |
| SELTEC / VALEO        |   |                      |              |      |
| All w/TM-08           | 2 gr. 5" dia. 12v GM Pad Mount w/OE#              | 276-9875<br>258-2468 | <b>51616</b> | 325  |
| All w/TM-15HD         | 2 gr. 5-1/4" dia. 12v GM Pad Mount w/OE#          | 218-4994             | <b>call</b>  |      |
| All w/TM21HX          | 1 gr. 152mm dia. w/OE# 214-4302                   | 103 47250            | <b>5935</b>  | 326  |
| All w/TM21HX          | 2 gr. 145mm dia. 24v                              | 488-47242            | <b>5879</b>  | 326  |
| All w/TM21HX          | 8 gr. 141mm dia. 12v                              | 488-47244            | <b>5880</b>  | 326  |

(continued)

APPLICATIONS - OFF ROAD

**CATERPILLAR** (continued)

**Backhoes / Excavators / Graders / Haulers / Loaders / Scrapers / Skidsteers / Tractors**

**Compressors** (continued)

| MODEL                  | APPLICATION                       | OEM#            | PART#             | Page |
|------------------------|-----------------------------------|-----------------|-------------------|------|
| SELTEC / VALEO (cont.) |                                   |                 |                   |      |
| All w/TM21HX .....     | 8 gr. 141mm dia. 24v .....        | 488-47246 ..... | <b>5881</b> ..... | 326  |
| All w/TM21HX .....     | 10gr. 141mm dia. 12V 2 wire ..... | 103 67269 ..... | <b>5927</b> ..... | 326  |
| All w/TM21HX .....     | 10gr. 141mm dia. 24V 2 wire ..... | 103 67272 ..... | <b>5928</b> ..... | 326  |

**Condensers**

| MODEL                                     | APPLICATION   | O.E.M. #         | PART NO.          | Page |
|---|---|------------------|-------------------|------|
| D9R Bulldozer, .....                      | w/9 x 19-3/4 x 2-3/4 MIO Fittings w/OE# .....                           | 216-0804 .....   | <b>6349</b> ..... | 357  |
| D4H, D5H, D69, 910E, 926, others.         |   | 9X3439           |                   |      |
| Bulldozer .....                           | w/33-1/8" x 11 x 3" MIO fittings w/OE# .....                            | 107-4892 .....   | <b>6432</b> ..... | 361  |
|   | (May Need to Reuse Original Mounting Brkts)                             | 123-0913         |                   |      |
|   |   | 252-4915         |                   |      |
| 325C, 325CL; 330CL Excavators .....       | w/14" x 22-1/4x5/8" 16mm IN, 22mm OUT w/OE# .....                       | 164-0588 .....   | <b>6401</b> ..... | 360  |
| 420D Backhoe .....                        | w/21 x 25 w/OE# .....   | 211-1381 .....   | <b>6382</b> ..... | 359  |
| Backhoe .....                             | w/20" x 19-38" x 2" #6 #8 MIO fittings w/OE# .....                      | 166-2861 .....   | <b>6430</b> ..... | 361  |
|   | (Note: Improved Tube and Fin Design Replaces Original Serpentine Style) |                  |                   |      |
| Excavator .....                           | All w/OE# .....   | 140-6161 .....   | <b>call</b>       |      |
| Excavator .....                           | w/OE# .....   | 130-0253 .....   | <b>call</b>       |      |
| Grader .....                              | w/OE# .....   | 219-0018 .....   | <b>call</b>       |      |
| 525B Grapple Skidder .....                | w/12 x 28-1/2 x 2-3/4 MIO Fittings w/OE# .....                          | 164-5915 .....   | <b>6367</b> ..... | NLA  |
|   |   | 1695-447         |                   |      |
| 236B thru 287B Skidsteer Loaders .....    | w/9-3/4"x19-5/8x1" O'Ring #8 IN, #6 OUT w/OE# .....                     | 218-6807 .....   | <b>6402</b> ..... | 360  |
| Skidsteer Loaders .....                   | w/R10050-0 or R 10050-1 w/OE# .....                                     | RD4-5378-0 ..... | <b>6308</b> ..... | 362  |
| TH26, TH63, TH82, TH83, .....             | w/R10170-0 Unit w/OE# .....   | RD4-4069-0 ..... | <b>call</b>       |      |
| TH103 Telehandlers                        |   |                  |                   |      |
| Trucks (Articulated, Quarry)              |   |                  |                   |      |
| 725, 730, 735, 740; 769, 769D, .....      | w/19-3/4"x36"x1" MOR #8 IN, #6 OUT w/OE# .....                          | 7W8126 .....     | <b>6400</b> ..... | 360  |
| 771C, 771D, 775D Trucks                   |   |                  |                   |      |
| All Models .....                          | w/R10235-3 or R 10235-4 w/OE# .....                                     | RD4-3683-2 ..... | <b>6079</b> ..... | 350  |
| Wheel Loaders .....                       | w/21-5/8" x 14" x 2-5/8" w/OE# .....                                    | 199-7043 .....   | <b>6431</b> ..... | 361  |
| 906 Wheel Loader .....                    | w/R10160-0 unit w/OE# .....   | RD4-4738-0 ..... | <b>6044</b> ..... | 349  |
| 914G, 928G Wheel Loader .....             | w/R10046-0 or R 10047-0 unit w/OE# .....                                | RD4-3724-0 ..... | <b>6020</b> ..... | 349  |
| 950B, 950E, 966E, 980B 980C .....         | w/R10044-3 unit w/OE# .....   | RD4-4069-1 ..... | <b>6271</b> ..... | 354  |
| 950F, 966F Wheel Loader .....             | w/R10045-0 unit w/OE# .....   | RD4-4069-1 ..... | <b>6271</b> ..... | 354  |
| IT14G, IT28G Integrated Toolcarrier ..... | w/R10046-0 or R 10047-0 unit w/OE# .....                                | RD4-3724-0 ..... | <b>6020</b> ..... | 349  |

**Evaporators**

| MODEL           | APPLICATION   | O.E.M. #       | PART NO.          | Page |
|-----------------|---|----------------|-------------------|------|
| Excavator ..... | 11-1/2" x 11-3/4" x 2-3/4" (uses block TXV) w/OE# ..... | 245-7836 ..... | <b>6703</b> ..... | 378  |
|                 |   | 353-2151       |                   |      |
| 963/973C .....  | 6-1/4" x 21-3/4" x 2" (uses bulb type TXV) w/OE# .....  | 155-2005 ..... | <b>6704</b> ..... | 378  |

APPLICATIONS - OFF ROAD

### CATERPILLAR (continued)

Backhoes / Excavators / Graders / Haulers / Loaders / Scrapers / Skidsteers / Tractors

#### Expansion Valves and Orifice Tubes

| MODEL   | APPLICATION  | O.E.M. #           | PART NO.     | Page |
|---|--|--------------------|--------------|------|
| Block Type:   |  |                    |              |      |
| All   | Block Type Exp. Vlv. -6-10/-8-10 w/OE#               | 177-6723, 290-0221 | <b>16105</b> | 388  |
| All   | Block Type Exp. Vlv. -6-10/-8-10 w/OE#               | 130-0263           | <b>1693</b>  | 388  |
| All   | Block Type 2 Ton w/OE#                               | 3V258, 3V0258      | <b>1600</b>  | 384  |
|   | Block Type 2-1/2 Ton w/OE#                           | 329-497A           | <b>1608</b>  | 384  |
|   | Block Type 1-1/2 Ton w/OE#                           | 361-4660           | <b>1606</b>  | 384  |
| All   | All Block Type w/OE#                                 | 106-5121           | <b>1601</b>  | 384  |
| All   | All Block Type w/OE#                                 | 329-497            | <b>1640</b>  | 392  |
| 325C Excavator  | All Block Type, Flange Mount w/OE#                   | 122-6015           | <b>1682</b>  | 387  |
| 325   | All w/R10004-0 unit w/OE#                            |                    | <b>1609</b>  | 384  |
| Skidsteer   | All w/R10050-0 or R 10050-1                          | RD5-7015-0         | <b>1602</b>  | 384  |
| Haul Trucks   | All w/R10235-3 or R 10235-4                          | RD5-7015-0         | <b>1602</b>  | 384  |
| External / Internal Equalized Type:                                     |  |                    |              |      |
| All   | External Equalized 1/4" Female Flare, 12" Tube w/OE# | 1P6826             | <b>1610</b>  | 391  |
|   | Internal Equalized 12" Cap tube length w/OE#         | 2G0397             | <b>1635</b>  | 392  |
| 312CL Excavator   | Internal Equalized 12" Cap tube lengthw/OE#          | 130-0263           | <b>1693</b>  | 388  |
| 14, 16G, 225, 627, 955, 963, 977, 983B, 988B, D6, D7, D8, D9N, D10, D11 | External Equalized 1/4" Female Oring, 13" Tube w/OE# | 2G401              | <b>1625</b>  | 391  |
| 777   | Internal Equalized 12" Cap Tube w/OE#                | 2G397              | <b>1635</b>  | 392  |
| Orifice Tubes: All  | Red Orifice Tube; w/OE#                              | 7X2049             | <b>1654</b>  | 393  |

#### Fans - Pusher/Puller

| MODEL | APPLICATION        | O.E.M. # | PART NO.     | Page |
|-------|--------------------|----------|--------------|------|
| All   | 12v Spal Fan w/OE# | 180-5928 | <b>3560C</b> | 222  |
| All   | 24v Spal Fan w/OE# | 169-7434 | <b>3561C</b> | 222  |

#### Filters - Cabin Air, Evaporator and Re-Circulation, Fresh Air

| MODEL                           | APPLICATION                                    | O.E.M. #    | PART NO.    | Page |
|---------------------------------|--|-------------|-------------|------|
| 246-299 Ser.                    | 4-11/16" x 10-11/16" x 2-1/4" w/OE#            | 265-6619    | <b>9955</b> | 404  |
| 307-390 Ser, M Ser              | 7-15/16" x 8" x 11/16" w/OE#                   | 245-7823    | <b>9957</b> | 404  |
| 315-330, M & TK Ser             | 5-3/8" x 9-5/8" x 13/16" w/OE#                 | 185-8154    | <b>9946</b> | 403  |
| Challenger, 65E-95E Ser, MT Ser | 6-3/4" x 24-1/4" x 2-7/16" w/OE#               | 105-4968    | <b>9961</b> | 404  |
| D3G-D5G, 325-385B/C/L Ser       | 9-7/8" x 11-7/8" x 15/16" w/OE#                | 6C-9226     | <b>9958</b> | 404  |
| D9T-D11T, 953D-963D Ser         | 7-1/16" x 12-7/16" x 2-5/16" w/OE#             | 209-8217    | <b>9956</b> | 404  |
| Loader/Grader                   |  |             |             |      |
| 420E/F; 12M,16M,120M Ser.       | 6-3/4" x 15-7/8" x 1-7/16" w/OE#               | 211-2660    | <b>9960</b> | 404  |
| Loader/Skidsteer                |  |             |             |      |
| 246C-299C, 257D-289D Ser        | 5-7/8" x 12-7/8" x 2-3/8" w/OE#                | 265-6618    | <b>9959</b> | 404  |
| 793, 797 Quarry Truck           | w/RedDot Unit (15-3/4 x 8-3/4 x 2-1/4), Paper  | RD5-8668-0  | <b>9942</b> | 403  |
| All Models - Fresh Air          | w/RedDot R6501 Unit 10-3/8 x 3-1/4 x 3/8, Foam | RD5-10687-0 | <b>9947</b> | 403  |
| All Models - Re-Circ.           | w/RedDot R3800 Unit 15-5/16 x 9-3/4 x 1/2)     | 170-7272    | <b>9949</b> | 403  |
|                                 |  | 1P6541      |             |      |

**CATERPILLAR** (continued)

**Backhoes / Excavators / Graders / Haulers / Loaders / Scrapers / Skidsteers / Tractors**

**Heater Valves**

| MODEL        | APPLICATION   | O.E.M. #                 | PART NO.    | Page |
|--------------|---|--------------------------|-------------|------|
| All Tractors | (Cable Operated) 5/8" hose w/OE#<br>(Can substitute use # 2210) | 3P7994, 6K9622<br>7G8699 | <b>2105</b> | 470  |
| D3, D4, D5   | Pull to Open 5/8 to Core Mount                                  | RD5-10055-0              | <b>2347</b> | 472  |
| Graders      | Pull to Close 5/8 x 5/8 w/OE#                                   | RD5-8930-0               | <b>2349</b> | 472  |
| Haulers      | Pull to Open 5/8 to Core Mount                                  | RD5-8894-0               | <b>2348</b> | 472  |
| Skidsteers   | Pull to Close 3/4 x 5/8 w/OE#                                   | RD3-11046-0              | <b>2351</b> | 472  |
| Skidsteers   | Pull to Open 5/8 x 5/8 w/OE#                                    | RD5-9224-0               | <b>2350</b> | 472  |
| All          | Pull to Open Universal 5/8 x 5/8 w/OE#                          | 850932                   | <b>2104</b> | 470  |

IDLERS and TENSIONERS (see Illustration / Specification Section)

**Receiver Driers and Accumulator**

| MODEL  | APPLICATION   | O.E.M. #                       | PART NO.    | Page |
|--|---|--------------------------------|-------------|------|
| Receiver Drier (alum)                                      | 2-1/2" x 9" Pad Fittings w/Low Pressure Switch w/OE#      | 125-1642                       | <b>7625</b> | 545  |
| Receiver Drier (alum)                                      | 2-3/4" x 8-1/2" In #6 MIO; Out #6 MIO w/OE#               | 164-0622                       | <b>7631</b> | 545  |
| Receiver Drier (alum)                                      | 2-3/8" x 10-1/4" In/Out Pad Type Fittings w/OE#           | 327-6558                       | <b>7626</b> | 545  |
| Receiver Drier (steel)                                     | 3' x 7" Side Pad Type Fittings w/OE#                      | 355-1793                       | <b>7629</b> | 545  |
| Accumulator (steel)  | 4' x 8-1/2" Top Pad Type Fittings w/OE#                   | 320-0564                       | <b>7628</b> | 545  |
| Receiver Drier (steel)                                     | 4' x 9-1/2" In #12 MIO; Out #12 Female O-Ring w/OE#       | 274-5909                       | <b>7630</b> | 545  |
| Accumulator (steel)  | 4' x 9-5/8" Front Pad Type Fittings w/OE#                 | 308-2583                       | <b>7627</b> | 545  |
| 24M Motor Grader   | In-Line Drier 2-1/2" x 11" #6 #8 Male O-Ring w/OE#        | 283-4237                       | <b>7623</b> | 545  |
| 12F/13K/33K/89H Motor Grader                               | In-Line Drier 1-3/4" x 20-1/2" w/OE#                      | 3T-7497, 1P6541                | <b>7622</b> | 545  |
| All  | In-Line Drier 2-1/2 x 10-3/4 Pad Fittings w/OE#           | 320-0562; 63                   | <b>7616</b> | 544  |
| M318 Excavator   | 3" x 6-1/2" #6 #8 MOR, w/OE#                              | 121-2447                       | <b>7594</b> | 542  |
| 318B, 345BL, 375L Excavators,                              | 3-1/2" x 9-3/4" #12 IN #12 OUT FOR, w/OE#                 | 186-6189                       | <b>7595</b> | 542  |
| 420 Backhoe, D6N Tractor, 725, 730, 735, 740; 771D Trucks, |   | 7X0259                         |             |      |
| 953C, 963C, 973C 980H, 990H Loaders                        |   |                                |             |      |
| All  | w/2.5"x7" w/Pad type accumulator w/OE#                    | 113-3497                       | <b>7547</b> | 539  |
|  | All w/2.4" x 10" Pad Type use #0025 16-4286 O'rings w/OE# | 176-1902                       | <b>7568</b> | 540  |
|  | All w/O'Ring Fittings w/OE#                               | 257-3226, 3227                 | <b>7560</b> | 540  |
|  | All w/in-line drier w/quick disconnect fitting w/OE#      | 3E3535                         | <b>7145</b> | 528  |
|  | All w/Pad type accumulator w/OE#                          | 447810-0580                    | <b>7546</b> | 539  |
|  | All w/4" drier w/low press sw w/OE#                       | 5V5698                         | <b>7391</b> | 533  |
| 225 ('85 on), 235 ('85 on),                                | w/Switch, (Includes 11-3010 switch) OE #                  | 5V5698                         | <b>7391</b> | 533  |
| 637D, 988B ('85 on)  |   | 8T8642                         |             |      |
| All  | w/Accumulator, 3-1/2"x 9-13/16" w/OE#                     | 089320-00<br>197-6218          | <b>7544</b> | 539  |
| All  | w/Accumulator, 3-1/2"x 8-1/2"x 1-1/16" FOR IN / OUT w/OE# | 500759D1<br>1018789<br>1515261 | <b>7543</b> | 539  |
| D7G, D8N, D9L, D11N Track Dozer                            | w/Switch, (Includes 11-3010 switch) OE #                  | 5V5698                         | <b>7391</b> | 533  |
| D9N Track Dozer  | w/Quick Disconnect Type w/Switch, OE #                    | 9W0549                         | <b>7236</b> | 532  |
| D9N Track Dozer  | exc. Quick Disconnect Type O'Ring (4" x 8-3/8") w/OE#     | 5V5698                         | <b>7234</b> | 532  |
| D10N Track Dozer   | O'Ring (3" x 6") w/OE#                                    | 9D6888<br>9D3888               | <b>7129</b> | 527  |
| Motor Graders:   |   |                                |             |      |
| 12F/13K/33K/89H Motor Grader                               | 20-1/2" x 1-3/4" In/Out #6 Male Flare w/OE#               | 1P6541                         | <b>7622</b> | 545  |
| 14,16G Motor Grader  | 6" x 2-3/4" w/Red Dot A/C                                 | RD5-3843-0                     | <b>7125</b> | 527  |
| 24M Motor Grader   | 13-3/4" x 1-1/10" w/OE#                                   | 283-4237                       | <b>7623</b> | 545  |

(continued)

APPLICATIONS - OFF ROAD

### CATERPILLAR (continued)

Backhoes / Excavators / Graders / Haulers / Loaders / Scrapers / Skidsteers / Tractors

#### Receiver Driers and Accumulator (continued)

| MODEL                   | APPLICATION   | OEM#         | PART# | Page |
|-------------------------|---|--------------|-------|------|
| 325 Excavator           | All models w/R10004-0 unit                            | 712-225      | 7155  | 529  |
| Trucks                  | All models w/R10235-3 or R 10235-4                    | RD5-7062-1   | 7389  | 532  |
| Skidsteers              | All models w/R10050-0 or R 10050-1 w/OE#              | 088193-03    | 7133  | 528  |
| 906 Wheel Loader        | All models w/R10160-0 unit                            | 088423-00    | 7126  | 527  |
| 914G, 928G Wheel Loader | All models w/R10046-0 or R 10047-0 units              | 088273-00    | 7480  | 536  |
| All                     | All models w/R10044-3, R10045-0 R10170-0 units        | 088411-01    | 7502  | 538  |
| All                     | All models w/accumulator type tank                    | 1018789      | 7409  | 534  |
| All                     | All models w/4" drier w/quick disconnect fitting      | 106-5532     | 7236  | 532  |
| All                     | All models w/4" drier w/quick disconnect fitting      | 106-5533     | 7236  | 532  |
| All                     | All models w/Pad type accumulator w/OE#               | 113-3497     | 7547  | 539  |
| All                     | All models w/Pad type accumulator w/OE#               | 176-1902     | 7546  | 539  |
| All                     | All models w/O'Ring Fittings                          | 257-3226; 27 | 7560  | 540  |
| All                     | All models w/in-line drier w/quick disconnect fitting | 3E3535       | 7145  | 528  |
| All                     | All models w/4" drier w/low press sw w/OE#            | 5V5698       | 7391  | 533  |
| All                     | All models w/2-1/2" flare fittings                    | 6K9778       | 7152  | 528  |

APPLICATIONS - OFF ROAD

#### Switches - Pressure

Includes Binary, Trinary™, High, Low and Sensor Types

| MODEL                        | APPLICATION                                   | O.E.M. #          | PART NO. | Page |
|------------------------------|---|-------------------|----------|------|
| Binary Switch                | w/Harness w/OE#                               | 114-5333          | 1538     | 575  |
|                              | w/OE Deutsch harness N/O 7/16-20 Female Flare | 114-5333          | 1538DC   | 574  |
| Low Pressure Switch          | N/O closes 12/opens 6; M12 Female 2 wire      | 149-6371          | 15809    | 576  |
| Low Pressure Switch          | N/O on 25 off 34 2 Spade female thrd          | 20PS127MA034D025G | 1432     | 571  |
| Low Pressure Switch          | N/C on 25 off 35 2 Spade (mounts on drier)    | RD5-6394-0        | 1430     | 571  |
| High Pressure Switch         | N/C opens 325 closes 250 psi                  | 20PS129MB350K250K | 1491     | 574  |
| Thermo-Disc Switch           | (Condenser Mounted)                           | 6K9774            | 1415     | 570  |
| 325 Excavator                | w/R10004-0 unit, binary switch w/OE#          | RD5-4640-0        | 1510     | 578  |
| 325                          | w/R10004-0 unit, toggle switch w/OE#          | RD5-3748-0        | 1020     | 551  |
| 950B thru E, 966, 980 / 980C | w/R10044-3 unit, binary switch                | RD5-8433-0        | 1512     | 578  |
| 950F / 966F                  | w/R10045-0 unit, binary switch                | RD5-8433-0        | 1512     | 578  |
| Trucks                       | w/R10235-3 or R 10235-4, binary switch        | RD5-4640-0        | 1510     | 578  |
| Skidsteers                   | w/R10050-0 or R 10050-1, binary switch        | RD5-9577-0        | 1511     | 578  |
| 906 Wheel Loader             | w/R10160-0 unit, toggle switch                | RD5-0071-0        | 1028     | 551  |
| 914G, 928G Wheel Loader      | w/R10046-0 or R 10047-0 unit, binary switch   | RD5-4640-0        | 1510     | 578  |

#### Switches - Thermostatic

| MODEL  | APPLICATION                               | O.E.M. #    | PART NO. | Page |
|--|---|-------------|----------|------|
| Model 777, 126, 120 Grader, 14, 16G                      | (Cable operated)                          | 2G396       | 1327     | 581  |
| D6H, D7, D8, D9, D988B, D16 Grader,                      | (Knob operated) 36" capillary tube        | 8P5346      | 1336     | 582  |
| 627, 637D, 637E, 825, 922C 955, 963, 977, 980, 983, 992C |   | 8P5349      |          |      |
| 977, 980, 983, 992C                                      |   |             |          |      |
| All  | (Knob operated) 48" capillary tube w/OE # | 2G398       | 1348     | 582  |
|  | (Knob operated) 36" capillary tube w/OE # | 2P4338      | 1336     | 582  |
|  |   | 8P5349      |          |      |
| 325  | All models w/R10004-0 unit                | 119-9631    | 1332     | 582  |
|  |   | RD5-4531-24 |          |      |
| 906  | All models w/R10160-0 unit                | RD5-4531-24 | 1332     | 582  |
| 914G, IT14G, 928G, IT28G                                 | All models w/R10046-0 or R 10047-0 unit   | RD5-6429-0  | 1315     | 581  |
| 950B thru E, 966,  | All models w/R10044-3 unit                | RD4172-0    | 1335     | 582  |
| 980 thru C   | All models w/R10044-3 unit                | RD4172-0    | 1335     | 582  |
| 950F, 966F   | All models w/R10045-0 unit                | RD5-4531-24 | 1332     | 582  |
| Cat Haul Trucks  | All models w/R10235-3 or R 10235-4        | RD5-6429-0  | 1315     | 581  |
| Cat Skidsteer  | All models w/R10050-0 or R 10050-1        | RD5-4531-24 | 1332     | 582  |
| TH26, 63, 82, 83, 103                                    | All models w/R10170-0 unit                | RD4427-24   | 1331     | 582  |



**DAEWOO / SAMSUNG**

**Compressors**

| MODEL   | APPLICATION                             | O.E.M. #        | PART NO.           | Page |
|---|---|-----------------|--------------------|------|
| Delphi GM V-5.....  | 1 grv. 131mm Dia. 24V w/OE#.....        | 700655.....     | <b>52000</b> ..... | 266  |
| Denso 7SBU16C.....  | 9 grv. 130mm Dia. 24V 2 wire w/OE#..... | n/a.....        | <b>51419</b> ..... | 256  |
| Samsung MX225LS w/Delphi GM V-5.....                      | 1 grv. 132mm Dia. 24V w/OE#.....        | 700644.....     | <b>52002</b> ..... | 266  |
| Solar 220LC-111, 280LC-111, 330-111, 400LC-111 Excavators | 2 grv. 24V w/OE#.....                   | 2208-6011B..... | <b>52003</b> ..... | 267  |

**Receiver Driers**

| MODEL    | APPLICATION   | O.E.M. #        | PART NO.          | Page |
|----------|---|-----------------|-------------------|------|
| All..... | 228mm; 8.98" x 2.38" 3/8"-24 switch port w/OE#..... | 11N6-90060..... | <b>7618</b> ..... | 544  |

**DEUTZ-ALLIS CORP.**

**Blower Motors**

| MODEL   | APPLICATION   | O.E.M. #      | PART NO.          | Page |
|---|---|---------------|-------------------|------|
| DX83/90/110/120/140/145/160, D6507C, D7007C, D7807C | w/Double Shaft Motor (5/16") 2 wire.....            | 431-7577..... | <b>3393</b> ..... | 198  |
| DX83/90/110/120/140/145/160, D6200, D6507C, D7807C  | Condenser motor (1/4" or 5/16" shaft) 2 wire.....   | 119-2657..... | <b>3354</b> ..... | 197  |
| D5600/6600/7000/7500/8500.....                      | Pressurizer motor w/Double shaft (3/8") 5 wire..... | 003-4213..... | <b>3954</b> ..... | 204  |
| D5600/6600/7000/7007C/7500/8500.....                | Condenser motor w/Kysor (5/16") 2 wire.....         | 003-4607..... | <b>3130</b> ..... | 192  |
| D6200.....  | Evaporator motor w/Double shaft (5/16") 2 wire..... | 003-4579..... | <b>3389</b> ..... | 197  |
| D8006/10006/13006/18006.....                        | Condenser motor (5/16") 2 wire.....                 | 003-4227..... | <b>3360</b> ..... | 197  |

**Clutches**

| MODEL                   | APPLICATION                                | O.E.M. #      | PART NO.          | Page |
|-------------------------|--|---------------|-------------------|------|
| D6507C/7007C/7807C..... | SD508/510/5H14 w/132mm Dia " 2grv 12v..... |               | <b>call</b> ..... |      |
|                         | SD7H15 w/132mm Dia 2 grv 12v.....          |               | <b>5064</b> ..... | 235  |
| T/CCI (York Style)..... | 6" dia. 2 groove 12v (standard duty).....  | 003-3938..... | <b>5044</b> ..... | 229  |
|                         | 6" dia. 2 groove 12v (heavy duty).....     |               | <b>5144</b> ..... | 230  |
|                         | 7" dia. 2 groove 12v (standard duty).....  | 003-4530..... | <b>5041</b> ..... | 229  |
|                         | 7" dia. 2 groove 12v (heavy duty).....     | 118-2664..... | <b>5141</b> ..... | 230  |

**Compressors**

| MODEL                      | APPLICATION  | O.E.M. #      | PART NO.           | Page |
|----------------------------|--|---------------|--------------------|------|
| GM A6.....                 | DX83 w/A6 w/5-5/8' dia. 1gr 12v clutch.....            | 434-3180..... | <b>5255A</b> ..... | 265  |
| <b>SANDEN</b>              |  |               |                    |      |
| 508.....                   | w/2 gr. 132mm dia. pulley w/o'ring fitting.....        | 9285.....     | <b>5920</b> .....  | 294  |
| 510.....                   | w/2 gr. 132mm dia. pulley w/flare fitting.....         | 9103.....     | <b>call</b> .....  |      |
| 5H14.....                  | w/2 gr. 132mm dia. pulley w/o'ring fitting, 12V.....   | 72239750..... | <b>5764</b> .....  | 294  |
| 7H15.....                  | w/8 gr. 133mm Direct Mount 24V (Enhanced Version)..... | SD4355.....   | <b>54355</b> ..... | 297  |
| D6507C/7007C/7807C.....    | Sanden SD508 w/5-1/4" 2gr 12v clutch (R12).....        |               | <b>5920</b> .....  | 294  |
| T/CCI/York (Rotolock)..... | Left hand suction (R209/210L).....                     | 003-4532..... | <b>5236</b> .....  | 250  |

**DEUTZ-ALLIS CORP.** (continued)

Expansion Valves and Orifice Tubes

| MODEL                           | APPLICATION  | O.E.M. # | PART NO. | Page |
|---------------------------------|--|----------|----------|------|
| DX83/90/110/120/140/145/160     | Block Type Exp. Valve w/OE#                              | 432-2165 | call     |      |
| D5600/6600/7000/7007C/7500/8500 | w/Kysor, O'Ring fittings, externally equalized (2 tubes) | 003-4586 | 1625     | 391  |

Receiver Driers and Accumulators

| MODEL                | APPLICATION                      | O.E.M. #  | PART NO. | Page |
|----------------------|----------------------------------|-----------|----------|------|
| D8006, D10006, D7206 | O-Ring Fittings 3" x 6-1/4", OE# | 003-4228  | 7129     | 527  |
|                      |                                  | 003-4583  |          |      |
| D13006               | Flare Fittings, 2-1/2" x 8"      | 6K9778    | 7152     | 258  |
|                      |                                  | 175254-C1 |          |      |

Switches - Pressure

Includes Binary, Trinary™, High, Low and Sensor Types

| MODEL        | APPLICATION                | O.E.M. # | PART NO. | Page |
|--------------|----------------------------|----------|----------|------|
| All with OE# | High pressure switch w/OE# | 003-4225 | 1491     | 574  |
| All with OE# | Low pressure switch w/OE#  | 003-4208 | 1432     | 571  |

Switches - Thermostatic

| MODEL                           | APPLICATION                             | O.E.M. # | PART NO. | Page |
|---------------------------------|---|----------|----------|------|
| 6206,6806,7206,8500/10006/13006 | Knob Operated, 36" capillary tube w/OE# | 003-4221 | 1336     | 582  |
|                                 |   | 003-4619 |          |      |
|                                 |   | 220743   |          |      |
|                                 |   | 70272229 |          |      |
|                                 |   | 922090   |          |      |

**DOOSAN Construction Equip.**

| MODEL                  | APPLICATION                         | O.E.M. #   | PART NO. | Page |
|------------------------|-------------------------------------|------------|----------|------|
| <b>COMPRESSORS</b>     |                                     |            |          |      |
| DX255LC w/Denso        | 4 grv. 24V 10PA15C w/OE#            | 2208-6013B | 51421    | 257  |
| DX230LC Excavator w/V5 | 2 grv. 24V w/OE#                    | 2208-6011B | 52003    | 267  |
| RECEIVER DRIERS        | 2.5" x 8" M18 In/Out w/switch w/OE# | 2204-6039A | 7614     | 544  |

**FENDT**

| MODEL            | APPLICATION                      | O.E.M. #         | PART NO. | Page |
|------------------|----------------------------------|------------------|----------|------|
| EXPANSION VALVES | All w/Block Type Exp. Vlv. w/OE# | f816.550.050.010 | 16102    | 388  |

**FIAT-Allis**

| MODEL                | APPLICATION               | O.E.M. # | PART NO. | Page |
|----------------------|---------------------------|----------|----------|------|
| <b>BLOWER MOTORS</b> |                           |          |          |      |
| FR15 Wheel Loader    | Blower Motor Assembly 24V |          | 3799     | 209  |

APPLICATIONS - OFF ROAD

**FMC**

| MODEL                       | APPLICATION                             | O.E.M. #             | PART NO.          | Page |
|-----------------------------|---|----------------------|-------------------|------|
| <b>COMPRESSORS - SANDEN</b> |   |                      |                   |      |
| 7H15HD .....                | 1 Gr. 169mm DIR 12V 2 wire (4602) ..... | F4HT-19D629-BA ..... | <b>5772</b> ..... | 294  |
| 7H15HD .....                | 2 Gr. 132mm EAR 12V 2 wire (4497) ..... | XC3H19D629AB .....   | <b>5320</b> ..... | 287  |
| 7H15HD .....                | 6 Gr. 119mm EAR 12V 2 wire (4653) ..... | F4TD-19D629-AA ..... | <b>5307</b> ..... | 286  |
| 7H15HD .....                | 6 Gr. 120mm DIR 12V 2 wire (4766) ..... | SD4766 .....         | <b>5356</b> ..... | 288  |
| 7H15HD .....                | 8 Gr. 119mm EAR 12V 2 wire (4753) ..... | XC3H19D629BA .....   | <b>5355</b> ..... | 288  |

**FORD - NEW HOLLAND**

**Blower Motor Assemblies**

| MODEL                            | APPLICATION   | O.E.M. #           | PART NO.          | Page |
|----------------------------------|---|--------------------|-------------------|------|
| LM410 thru 445 Telehandler ..... | Assm. 12v, 12-5/8" Length, (incl. 3 Spd Resistor) w/OE# ..... | 85824975 .....     | <b>3795</b> ..... | 209  |
| LX465 thru 895 Skidsteer .....   | Assm. 12v, 13-3/4" Length, (incl. 3 Spd Resistor) w/OE# ..... | 86592107 .....     | <b>3797</b> ..... | 209  |
| 550 thru 755B Backhoe .....      | Assm. 12v, Double Shaft 5/16" w/wheels w/OE# .....            | E2NN-18456AA ..... | <b>3798</b> ..... | 201  |
| 555C thru 675D Backhoe .....     | Assm. 12v, 13-3/4" Length w/OE# .....                         | E7NN-18456AC ..... | <b>3796</b> ..... | 209  |

**Blower Motors**

| MODEL  | APPLICATION   | O.E.M. #                     | PART NO.          | Page |
|--|---|------------------------------|-------------------|------|
| 550, 555D thru 675D, 755B .....  | Double shaft (3/8") 12v, 1 Speed, 2 wires w/OE# .....         | 86010530 .....               | <b>3789</b> ..... | 201  |
| 3610 / 4610 / 5610 / 6610 / 6710 / 6810<br>7610 / 7710 / 8210 / 8530 / 8630 / 8730 / 8830<br>TW5 / TW10 / TW15 / TW20 / TW25 / TW30 / TW35<br>2600 / 2610 / 2910 / 3600 / 3610 / 3910<br>4100 / 4110 / 4600 / 4610 / 5600 / 5610<br>5700 / 5900 / 6600 / 6610 / 6700 / 6710<br>7600 / 7610 / 7700 / 7710 / 7810 / 7910<br>8000 / 8200 / 8210 / 8400 / 8530 / 8600<br>8630 / 8700 / 8730 / 8830 / 9000 / 9600 / 9700 / 9710 |   |                              |                   |      |
| TW5 / TW10 / TW15 / TW20 .....   | Double shaft (3/8") 12v, 3 Speed, 4 wire w/OE# .....          | 9807217 .....                | <b>3954</b> ..... | 204  |
| TW25 / TW30 / TW35   |   | 2807-516-041<br>D5NN-18527AA |                   |      |
| FW20/30/40/60 .....  | Single shaft 12v 3 speed motor .....                          |                              | <b>call</b>       |      |
| 4400 Swather .....   | Condenser motor 12v single shaft .....                        | 48652 .....                  | <b>3130</b> ..... | 192  |
| 4400 Swather .....   | Double shaft 12v motor .....                                  | 53856 .....                  | <b>call</b>       |      |
| All .....  | 3-1/4" dia. Sealed motor w/vent tube 12v w/OE# .....          | 86525581 .....               | <b>call</b>       |      |
| DC180.B Crawler Dozer .....  | Puller Fan motor assy, 24v 8.27"OA Dia. 7.95" Fan w/OE# ..... | 87530578 .....               | <b>3497</b> ..... | 222  |

**Clutches**

| MODEL   | APPLICATION   | O.E.M. #           | PART NO.          | Page |
|---|---|--------------------|-------------------|------|
| A62/64/66,530A,550,555,8200, 8400 .....               | York Style comp. 7" dia. 2 gr., Std. Duty clutch .....  | D2NN19D649AA ..... | <b>5041</b> ..... | 229  |
| 8600,8700,9200,9600,9700,9710                         | York Style comp. 7" dia. 2 gr., Heavy Duty clutch ..... |                    | <b>5141</b> ..... | 230  |
| FW20,TW5/15/20/25/30/35,5600,5610, .....              | York Style comp. 6" dia. 2 gr. Std. Duty clutch .....   | D5NN19D649A .....  | <b>5044</b> ..... | 229  |
| 5700,5900,6600,6610,6700,6710,7600, .....             | York Style comp. 6" dia. 2 gr. Heavy Duty clutch .....  |                    | <b>5144</b> ..... | 230  |
| 7610,7700,7810,7910,8210,8530,8630,<br>8730,8830,9000 |   |                    |                   |      |

APPLICATIONS - OFF ROAD

FORD - NEW HOLLAND (continued)

Compressors

APPLICATIONS - OFF ROAD

| MODEL  | APPLICATION   | O.E.M. #     | PART NO.     | Page |
|--|---|--------------|--------------|------|
| B95 Backhoe  | SD7H15 1 grv. 135mm tube o'ring, 12v w/OE#          | 87431022     | <b>58174</b> | 303  |
| FW20, TW5/15/25/35, 7710, 7740,                      | SD5H14 compressor w/5-1/4" 12v 2 gr clutch          | SFD-02-1795  | <b>5412</b>  | 291  |
| 7810, 7910, 8000, 8210, 8530, 8630,                  | SD7H15 model listed. With horizontal rear fittings. | E8NN19D629AA |              |      |
| 8700, 8730, 8830, 9030, 9710                         |   |              |              |      |
| TR76/86/96, A62/64/66,                               | T/CCI York Style Rotolock (R209/210L)               | KB402009     | <b>5236</b>  | 250  |
| FW20, TW15/25, 5600, 5610, 5700, 5900,               |   | D3NN19D623A  |              |      |
| 6600, 6610, 6700, 6710, 7600, 7700, 7810,            |   |              |              |      |
| 7910, 8000, 8200, 8210, 8400, 8530, 8600,            |   |              |              |      |
| 8630, 8700, 8730, 8830, 9000, 9200, 9600, 9700, 9710 |   |              |              |      |
| TW5/20/30/35, 530A, 550, 555, 7610                   | T/CCI York Style Tube-O comp. (T209/210L)           |              | <b>5256</b>  | 250  |
| 230A, 233, 234, 335, 2310, 2600, 2610,               | Sanden SD508 comp.w/5-1/4" 12v 2 gr clutch          | SFD-01-3769  | <b>5920</b>  | 294  |
| 3600, 3610, 3910, 4100, 4110, 4600,                  |   |              |              |      |
| 4610, 7840, 8240, 8340                               |   |              |              |      |
| 4400 Swather   | SD508 2 gr. 6" 12v (Supplied w/5-1/4")              | 54358        | <b>5920</b>  | 294  |
| <b>SANDEN COMPRESSORS</b>                            |   |              |              |      |
| 7H15   | 1 gr. 128mm Dia. 1x14; Dir Mount 12V (8174)         | SD8174       | <b>58174</b> | 303  |
| 7H15SHD  | 1 gr. 138mm Dia. Ear Mount 12V 2 wire (4480)        | SD4480       | <b>5314</b>  | 287  |
| 7H15HD   | 2 gr. 125mm Dia. EAR 12V 1 wire (7819)              | 9967426      | <b>5702</b>  | 291  |
| 5H11   | 2 gr. 125mm Dia. EAR 12V 1 wire (6332)              | 05811103     | <b>56332</b> | 302  |
|  |   | 5176185      |              |      |
| 510HD  | 2 gr. 132mm Dia. EAR 12V 1 wire (9103)              | K307237      | <b>call</b>  |      |
| 5H14HD   | 2 gr. 132mm Dia. EAR 12V 1 wire (4510)              | 9822598      | <b>5764</b>  | 294  |
| 7H15SHD  | 2 gr. 132mm Dia (4643) w/OE#                        | 9705764      | <b>5725</b>  | 292  |
| 7H15HD   | 2 gr. 132mm Dia. w/o'ring fitting, 12V              | D6NN19D629A  | <b>5764</b>  | 294  |
|  |   | 86508521     |              |      |
| 7H15HD   | 2 gr. 132mm Dia. w/o'ring fittings 12v w/oe         | E8NN19D629AA | <b>5412A</b> | 291  |
| 7H15SHD  | 2 gr. 132mm Dia. EAR 12V 1 wire (4617)              | 4617SAN      | <b>5717</b>  | 292  |
| 7H15SHD  | 2 gr. 132mm Dia. EAR 12V 1 wire (4654)              | SD4654       | <b>54654</b> | 300  |
| 7H15SHD  | 2 gr. 132mm Dia. EAR 12V 1 wire (4673)              | SD4673       | <b>54673</b> | 300  |
| 7H15SHD  | 2 gr. 152mm Dia. EAR 12V 1 wire (4478)              | 1999755C3    | <b>5300</b>  | 286  |
| 7H15SHD  | 2 gr. 152mm Dia. EAR 24 V 1 wire (4489)             | 1999760C2    | <b>5302</b>  | 286  |
| 7H15   | 4 gr. 112mm Dia. DIR 12V 1 wire (8147)              | 87519620     | <b>58147</b> | 303  |
| 7H15SHD  | 8 gr. 133mm Dia. EAR 12V 2 wire (4738)              | 9847944      | <b>54738</b> | 301  |
| 7H13   | 8 gr. 119mm Dia. KG Head 12V w/OE#                  | 84032734     | <b>58901</b> | 303  |
| 7H15SHD  | 8 gr. 152mm Dia. Direct 24V 1 wire (4300)           | 352524A2     | <b>5304</b>  | 286  |
| 7H15SHD  | 8 gr. 152mm Dia. Direct 12V 1 wire (4499)           | 317008A3     | <b>5303</b>  | 286  |
|  |   | 86993463     |              |      |

Condensers

| MODEL                        | APPLICATION                              | O.E.M. #  | PART NO.    | Page |
|------------------------------|--|-----------|-------------|------|
| 555E / 575E / 655E / 675E    | 9"x20-1/2"x1-1/4" #8 IN #6 OUT MOR w/OE# | 85812052  | <b>6403</b> | 360  |
| (Ser.31018061-up);           |  |           |             |      |
| LB75 / LB110 / LB115 Backhoe |  |           |             |      |
| L175 Skidsteer               | 14"x20"x3/4" #8 IN #6 OUT MOR w/OE#      | 875546517 | <b>6404</b> | 360  |
| (Ser. 7M468042-up)           |  |           |             |      |

Expansion Valves and Orifice Tubes

| MODEL                            | APPLICATION                                   | O.E.M. #    | PART NO.     | Page |
|----------------------------------|---|-------------|--------------|------|
| Excavator                        | Block Type, Flange Mount, 2 Ton w/OE#         | 8486364     | <b>16102</b> | 388  |
|                                  |   | 73178038    |              |      |
| A62/64/66, 230A, 233, 234, 530A, | Flare fittings, internally equalized (1 tube) | SFD-25-1038 | <b>1635</b>  | 392  |
| 550, 555, 655A                   |   |             |              |      |
| (continued)                      |   |             |              |      |

**FORD - NEW HOLLAND** (continued)

Expansion Valves and Orifice Tubes (continued)

| MODEL   | APPLICATION                                     | O.E.M. #             | PART NO. | Page |
|---|---|----------------------|----------|------|
| D6,836,846,856,876,936,<br>946,956,976,2310,2610,2910   | Block type valve w/OE#                          | 79840                | 1600     | 384  |
| FW20/30/40/60,TW10/20/30,<br>8000,9000  | Flare fittings, externally equalized (2 tubes)  | 31510<br>D3AH18949AA | 1610     | 391  |
| FW20/30/40/60,<br>TW5/10/15/20/25/30/35,3910,8000,9000  | O-Ring fittings, externally equalized (2 tubes) |                      | 1625     | 391  |
| TR76/96,4700/4750Swather,<br>9030,256,276,9030  | O-Ring fittings, externally equalized (2 tubes) | 70267                | 1631     | 391  |
| 2600,3600,3610,4100,4110,<br>4600,4610,5600,5610,5700,5900,<br>6600,6610,6700,6710,7600,7610,<br>7700,7710,8210 | O-Ring fittings, externally equalized (2 tubes) | E7NN19849AA          | 1625     | 391  |
| 5640,8530,8630,8730,8830  | O-Ring fittings, externally equalized (2 tubes) |                      | 1630     | 391  |
| All   | Block Type, 2 Ton 1/4" R12 trinary port w/OE#   | 82000932             | 1604     | 384  |
|   | Block Type (female o-ring) -6-12/-10-12 w/OE#   | AN51515-A0400        | 1696     | 388  |

APPLICATIONS - OFF ROAD

Filters (Fresh Air)

| MODEL | APPLICATION                            | O.E.M. # | PART NO. | Page |
|-------|--|----------|----------|------|
| All   | All (24"x6"x1-1/2") w/Cabin Air Filter | 970597   | 7962     | 400  |

IDLERS and TENSIONERS (see Illustration / Specification Section)

Receiver Driers and Accumulators

| MODEL   | APPLICATION   | O.E.M. #               | PART NO. | Page |
|---|---|------------------------|----------|------|
| 555E / 575E / 655E / 675E; LW270  | 3"x10-1/2" #6 IN MOR; #6 OUT FOR, Port 7/16" w/OE#  | 85804063<br>76047001   | 7596     | 542  |
| EC270 Excavator (ser. 727002-up)  | 3"x 6-1/2" #6 #8 MOR, w/OE#                         | 73186213               | 7594     | 542  |
| All   | 3"x10 5/8-18 Male IN; 5/8-18 OUT Female w/OE#       | 82012480<br>82007131   | 7577     | 541  |
| TR76/85/86/96   | O-Ring fittings, 3" x 6" w/switch port              | 763787                 | 7126     | 527  |
| TR76/85/86/96   | O-Ring fittings, 3" x 10" w/o switch port           |                        | 7156     | 529  |
| TW10/20/30,530A,550,555,655A,<br>8000,8200,8400,8530,8600,8700,<br>9000,9200,9600,9700,9710 | Flare fittings, 3" x 6-1/2"                         | D6NN19959A             | 7124     | 527  |
| 550,560   | Flare fittings, 3" x 6-1/2"                         | D6NN19959A             | 7124     | 527  |
| 5610,5900,6610,6710,7610,7710   | O-Ring fittings, 4" x 7-1/4" w/side inlet & bracket | E4NN19825AA            | 7394     | 523  |
| 5640,7840,8240,8340   | Springlock fittings, 3.05' x 14.35"                 | F0NN19825AC<br>8915400 | 7564     | 540  |
| All   | O-Ring fittings, 4" x 8-3/8" w/OE#                  | 696524                 | 7234     | 532  |

Switches - Pressure

Includes Binary, Trinary™, High, Low and Sensor Types

| MODEL | APPLICATION                                  | O.E.M. #    | PART NO. | Page |
|-------|--|-------------|----------|------|
| All   | Low pressure switch w/OE#                    | SFD-25-1002 | 1432     | 571  |
| All   | High pressure switch                         | 1183562     | 1491     | 574  |
| All   | Thermo disc switch (condenser mounted) w/OE# | D5NN19N548A | 1415     | 570  |

**FORD - NEW HOLLAND** (continued)

Switches - Thermostatic

| MODEL  | APPLICATION  | O.E.M. #                                 | PART NO.    | Page |
|--|--|--|-------------|------|
| Electronic Thermostat  | Electronic Thermostat Elimination Kit, replaces OE Electronic Thermostat (requires 7/16" Drill Bit for Modification) | 82034877<br>81865558<br>F0NN-19618AA, AB | <b>1344</b> | 582  |
| TR86   | w/OE#, Knob operated, 48" capillary tube   | 271474                                   | <b>1348</b> | 582  |
| TW5/15/20/25/30/35,7810,7910,8210,8530,8630,8730                 | Knob operated, 18" capillary tube  | D6NN19N683A<br>D6NN19N683C               | <b>1318</b> | 581  |
| 4400/4700/4750 Swather, 9030,256,276,836,9030                    | Knob operated, 36" capillary tube  | 53620<br>31505                           | <b>1336</b> | 582  |
| 7840,8000,8200,8240,8340,8400,8600,8700,9000,9200,9600,9700,9710 | Knob operated, 48" capillary tube  | D3NN19618A                               | <b>1348</b> | 582  |

APPLICATIONS - OFF ROAD

**HITACHI**

| MODEL           | APPLICATION   | O.E.M. #    | PART NO.     | Page |
|-----------------|---|-------------|--------------|------|
| Blower Motor    | w/Wheel 24V, CCW, 2 wire w/OE#                              | 56500-40180 | <b>3503</b>  | 199  |
| Condenser       | 15-3/16" x 19-3/4" x 3/4" (overall 15-3/8' x 23-3/4") w/OE# | 503708-5940 | <b>6414</b>  | 360  |
| Expansion Valve | Block Type, Flange Mount -6-10/-10-12 w/OE#                 | 4658938     | <b>1695</b>  | 388  |
| Expansion Valve | Block Type, Flange Mount -6-10/-10-12 w/OE#                 | 4464354     | <b>16103</b> | 388  |

**HYUNDAI**

| MODEL                  | APPLICATION                                    | O.E.M. #    | PART NO.     | Page |
|------------------------|--|-------------|--------------|------|
| <b>COMPRESSORS</b>     |  |             |              |      |
| Delphi GM V-5          | 1 grv. 131mm Dia. 24V w/OE#                    | 700655      | <b>52000</b> | 266  |
| Denso 7SBU17C          | 9 grv. 130mm Dia. 24V 2 wire w/OE#             | 7SBU17C     | <b>51419</b> | 256  |
| Loader                 | 1 grv 115mm 24V DKV14C w/OE#                   | 506011-4703 | <b>51422</b> | 324  |
| <b>RECEIVER DRIERS</b> |  |             |              |      |
| All                    | 228mm; 8.98" x 2.38" 3/8"-24 switch port w/OE# | 11N6-90060  | <b>7618</b>  | 544  |

**J.I. CASE (CASE / IH)**

Blower Motors

| MODEL                          | APPLICATION                           | O.E.M. #       | PART NO.    | Page |
|--------------------------------|---------------------------------------|----------------|-------------|------|
| <b>Tractors</b>                |                                       |                |             |      |
| 1988-75 Tractors w/Kysor KH900 | Round Heater (24 volt)                | 275211         | <b>3012</b> | 190  |
| All                            | w/Double Shaft 5/16" 12 volt, 3 speed | F89750         | <b>3393</b> | 198  |
| All                            | w/Double Shaft 3/8" 12 volt, 3 speed  | A42566, F89388 | <b>3954</b> | 204  |
| All                            | w/Double Shaft 3/8" 24 volt, 3 speed  |                | <b>3953</b> | 204  |

Blower Switches

Includes Circuit Breaker, Fan, Rocker, Rotary, and Toggle

| MODEL      | APPLICATION                                     | O.E.M. # | PART NO.    | Page |
|------------|---|----------|-------------|------|
| Model 2870 | Rotary Switch 12V 18 amp 3 spd w/Resistor w/OE# | F63866   | <b>1155</b> | 553  |
| All        | Rotary Switch 12V 20 amp 3 spd 5 Terminal w/OE# | A42622   | <b>1151</b> | 553  |

**J.I. CASE (CASE / IH)** (continued)

**Blower Wheels**

| MODEL | APPLICATION  | O.E.M. #  | PART NO. Page |
|-------|--|-----------|---------------|
| All   | 4-3/4" Dia. 2-7/8" Width 5/16" Bore; CCW, Alum., w/OE# | 891756R91 | call          |

**Clutches**

| MODEL             | APPLICATION     | O.E.M. # | PART NO. Page  |
|-------------------|-----------------|----------|----------------|
| T/CCI, York Style | 6" Std 2 groove | MA-6A    | 5044 ..... 229 |
|                   | 7" Std 2 groove | A66057   | 5041 ..... 229 |
|                   | 7" HD 2 groove  | MAN-01   | 5141 ..... 230 |

**Compressors**

| MODEL                     | APPLICATION                                     | O.E.M. #              | PART NO. Page  |
|---------------------------|---|-----------------------|----------------|
| <b>SANDEN COMPRESSORS</b> |   |                       |                |
| 7H15SHD                   | w/6" dia. pulley, 12V, w/OE# 4795               | 352524A2<br>86983968  | 5304 ..... 286 |
| 7H15SHD                   | w/6" dia. pulley, 12V, w/OE# 4768               | 317008A3<br>86993463  | 5303 ..... 286 |
| 7H15SHD                   | w/6" dia. pulley, 12V, w/OE# 4611               | 1990760C2<br>86983967 | 5302 ..... 286 |
| 7H15SHD                   | w/6" dia. pulley, 12V, w/OE# 4609               | 1990755C3<br>86993462 | 5300 ..... 286 |
| 5H14                      | w/2 gr. 132mm dia. pulley w/o ring fitting, 12V | 6664                  | 5764 ..... 294 |
| 508                       | w/2 gr. 132mm dia. w/o ring fitting             | 9285                  | 5920 ..... 294 |
| T/CCI, York Style         | Rotalock w/o clutch                             | A141060               | 5256 ..... 250 |
| T/CCI, York Style         | Rotalock w/o clutch                             | A64810, A66245        | 5236 ..... 250 |

**Condensers**

| MODEL                        | APPLICATION | O.E.M. # | PART NO. Page |
|------------------------------|-------------|----------|---------------|
| 621B/C, 821B/C Wheel Loaders | w/OE#       | 97213-C2 | call          |

**Expansion Valves and Orifice Tubes**

| MODEL | APPLICATION               | O.E.M. #   | PART NO. Page  |
|-------|---------------------------|------------|----------------|
| All   | Block Valve (2-1/2 ton)   | 040138-108 | 1608 ..... 384 |
|       | Block Valve (2 ton) w/OE# | 1990756-C2 | 1602 ..... 384 |

**Receiver Driers and Accumulators**

| MODEL     | APPLICATION  | O.E.M. #       | PART NO. Page  |
|-----------|--|----------------|----------------|
| Excavator | 4"x7-3/4" #6 IN FOR; #6 OUT MIO w/OE#                    | 86984155       | 7572 ..... 541 |
| All       | All w/OE#  | A61688         | 7118 ..... 527 |
|           | Note: P/N 7154 uses P/N #1430 switch                     | A76085, A76312 | 7154 ..... 529 |
|           | For drier w/o switch use P/N 7156 07-2604A (O'ring type) | L77169         | 7218 ..... 531 |
|           |  | L109036        | 7152 ..... 528 |
|           |  | 1990758-C2     | 7395 ..... 533 |

### J.I. CASE (CASE / IH) (continued)

#### Switches - Pressure

Includes Binary, Trinary™, High, Low and Sensor Types

| MODEL                      | APPLICATION                    | O.E.M. #     | PART NO.          | Page |
|----------------------------|--------------------------------|--------------|-------------------|------|
| Low Pressure Switch .....  | exc. Drier Mounted w/OE# ..... | A65785 ..... | <b>1432</b> ..... | 571  |
| Low Pressure Switch .....  | Drier Mounted w/OE# .....      |              | <b>1430</b> ..... | 571  |
| High Pressure Switch ..... | All w/OE# .....                | A65770 ..... | <b>1491</b> ..... | 574  |
| Thermo-Disc Switch .....   | All w/OE# .....                | A61291 ..... | <b>1415</b> ..... | 570  |

#### Switches - Thermostatic

| MODEL                      | APPLICATION                             | O.E.M. #              | PART NO.          | Page |
|----------------------------|---|-----------------------|-------------------|------|
| All Models exc. 2870 ..... | Knob operated, 18" capillary tube ..... | A42623 .....          | <b>1318</b> ..... | 581  |
| Models 2870 .....          | Knob operated, 36" capillary tube ..... | A43186, A42609, ..... | <b>1336</b> ..... | 582  |
|                            |   | A63865                |                   |      |

### JCB Construction Equipment

| MODEL                       | APPLICATION   | O.E.M. #          | PART NO.          | Page |
|-----------------------------|---|-------------------|-------------------|------|
| <b>BLOWER ASSEMBLIES</b>    |   |                   |                   |      |
| All .....                   | Dual Blwr. Assm 12v 3-speed resistor (included) w/OE# ..... | 006-A46-22 .....  | <b>3919</b> ..... | 210  |
|                             |   | 30000154          |                   |      |
| <b>COMPRESSORS - SANDEN</b> |   |                   |                   |      |
| 7H15HD .....                | 2 gr. 125mm Ear Mount 24V 1 wire (4652) .....               | 0.024604921 ..... | <b>5752</b> ..... | 293  |
| <b>RECEIVER DRIERS</b>      |   |                   |                   |      |
| 535SX .....                 | 11-3/4" x 2" w/OE# .....                                    | 564207 .....      | <b>7617</b> ..... | 544  |

### JOHN DEERE

#### Blower Assemblies

| MODEL   | APPLICATION   | O.E.M. #       | PART NO.          | Page |
|---|---|----------------|-------------------|------|
| 240 / 320 Skidsteer .....                             | Assm. 12v, 13-3/4" Length; incl. 3 spd resistor w/OE# ..... | KV16757 .....  | <b>3793</b> ..... | 209  |
| 2140 / 2350 / 2550 / 2750 / 2940 / 2950 .....         | Assm. 12v, 21" Length; incl. resistor; 4 wire w/OE# .....   | RE10998 .....  | <b>3794</b> ..... | 209  |
| 4240 / 4350 / 4430 / 4630 / 4650 / 4850               |   |                |                   |      |
| 8430 / 8450 / 8650 / 8850 Cotton Pickers and Sprayers |   |                |                   |      |
| 3200 / 3400 / 3800 Telescopic Handlers .....          | Blower Assembly All w/OE# .....                             | AL110881 ..... | <b>3801</b> ..... | 209  |
| 4630 Sprayers   |   | AL80700        |                   |      |
| 5000 / 6000/ 7000 Tractors                            |   |                |                   |      |
| All .....   | Assm 12V HD Update version - increased air flow w/OE# ..... | AL110881 ..... | <b>3801</b> ..... | 209  |
|   |   | AL193961       |                   |      |
|   |   | AL214942       |                   |      |
|   |   | AL75105        |                   |      |
|   |   | AL80700        |                   |      |



**JOHN DEERE** (continued)

**Blower Motors**

| MODEL   | APPLICATION  | O.E.M. #            | PART NO.    | Page |
|---|--|---------------------|-------------|------|
| Pressurizer Motor   | 12v 1-Spd, 2 wire, w/5/16" Shaft w/OE#                   | AH167731            | <b>3507</b> | 199  |
|   | (uses blower wheel #3776)                                | AH128925            |             |      |
| All   | Blwr. Mtr w/wheel 12v 1-spd, 2 wire w/OE#                | AT365432            | <b>3508</b> | 199  |
| 340D / 440C / 440D Skidders   | Single Shaft (5/16") 1 spd 12v, CCW, 1 wire w/OE#        | AT55563             | <b>3784</b> | 200  |
| 444H / 444J / 544H / 544J / 624H / 624J   | Single Shaft (5/16") 1 spd 24v, CCW, 2 wires w/OE#       | AT225451            | <b>3787</b> | 201  |
| 644H / 644J / 744H / 744J / 824J / 844J Loaders,<br>TC44H / TC54H / TC62H Tool Carriers,<br>444JR Forklifts | (note: #3787 requires wheel, use #3777)                  | AT208399            |             |      |
|   |  | AT313282 (note)     | <b>3787</b> | 201  |
| 655 / 655B / 750 / 750B / 755,<br>755B / 850 / 850B / 855   | Single Shaft (5/16") 3 spd 24v, CCW, 4 wires w/OE#       | AT66531             | <b>3786</b> | 200  |
| <b>CRAWLER LOADERS, BULLDOZERS</b>  |  |                     |             |      |
| 750C, 750C II, 850C 850C II   | Single Shaft (5/16") 1 spd 24v, CCW, 2 wires w/OE#       | AT170496            | <b>3785</b> | 200  |
| <b>CRAWLER BULLDOZERS</b>   |  |                     |             |      |
| 1032 / 1042 / 1052 / 1055 / 1065 / 1068,<br>1072 / 1075 / 1085 / 4425 / 6620 / 7720,<br>8820 Combines;      | Double Shaft (3/8") 12v, 2 wires, Sealed HD w/OE#        | AR82005             | <b>3788</b> | 201  |
| 1640 / 2040 / 2140 / 2350 / 2550 / 2750,<br>2950 / 3040 / 3140 / 4040 / 4240 / 4440,<br>4350 Tractors       |  | RE251028<br>RE25160 |             |      |
| 4400 / 4420 / 6600 / 7700 / 7720 /  | Double Shaft (3/8") 3 spd. 12v, 5 wire w/OE#             | AH80194             | <b>3954</b> | 204  |
| 9400 / 9500 / 9600, CTS Combines<br>425BP, 547BHP, 560BP, 700BP (Hupp)                                      | Double shaft (3/8") 1 spd. 12v w/vent tube, 2 wire w/OE# | AR82010             | <b>3951</b> | 203  |
|   |  | 64909-G1            |             |      |
| 4000 / 4020 / 4030 / 4040 / 4230 /  | Double Shaft (5/16") 1 spd. 12v, 2 wire, OE#             | AR62497             | <b>3380</b> | 197  |
| 4240 / 4320 / 4430 / 4440 / 4620 / 4630 /<br>4640 / 4840 / 5020 / 6030 / 7020 / 7520 / 8430 / 8630 Tractors |  | AH63511             |             |      |
| 4000 / 4020 / 4320 / 4520 / 4620 / 5020 /   | Single Shaft (5/16") Cond. Motor w/OE#                   | AR49962             | <b>3130</b> | 192  |
| 6030 / 7020 Tractors  |  |                     |             |      |
| 4520 Tractor  | Stoplcr Cab w/OE#  | 6338F,AR45856       | <b>3351</b> | 197  |
| 4720 Tractor  | All w/OE#  | RE162771            | <b>call</b> |      |
|   | All w/OE#  | RE208336            | <b>call</b> |      |
|   | All w/OE#  | RE300527            | <b>call</b> |      |
| 7520 Tractor  | Single shaft (5/16") 12v, OE#                            | AR49962             | <b>3046</b> | 190  |
| 8560 / 8760 / 8960 Tractors   | Single shaft (5/16") 12, rev., OE#                       | RE37152             | <b>3063</b> | 191  |
| 8570 / 8770 / 8870 / 8970 Tractors  | Single shaft (5/16") 12v CCW, OE#                        | RE46880             | <b>3402</b> | 198  |
| Loaders w/Red Dot AC  | Condenser motor 24v                                      | RD5-7129-24         | <b>3514</b> | 199  |

APPLICATIONS - OFF ROAD

**Blower - Switches**

| MODEL | APPLICATION                       | O.E.M. # | PART NO.    | Page |
|-------|-----------------------------------|----------|-------------|------|
| All   | Blower sw., 5 term. w/o resistors | AH84588  | <b>1151</b> | 553  |
|       |                                   | AR49964  |             |      |
|       |                                   | AR82014  |             |      |
| All   | Blower switch 3 spd. w/OE#        | AR53155  | <b>1151</b> | 553  |
| All   | w/OE#                             | AR53154  | <b>call</b> |      |

JOHN DEERE (continued)

Blower Wheels

| MODEL   | APPLICATION  | O.E.M. #     | PART NO.    | Page |
|---|--|--------------|-------------|------|
| 444H / 444J / 544H / 544J / 624H / 624J,.....   | Single Shaft (5/16") 6-1/4" Dia, Plastic, CCW w/OE#..... | R121666..... | <b>3777</b> | 217  |
| 644H / 644J / 744H / 744J / 824J / 844J         | Loaders  |              |             |      |
| 4700  | Sprayers;  |              |             |      |
| 8100 / 8200 / 8300 / 8400 / 9100 / 9200 / 9300, |  |              |             |      |
| 9300T, 9400 / 9400T                             | Tractors   |              |             |      |
| 4430,4440,4620,4630,4640,4840,7020,.....        | w/Double shaft (3/8").....                               |              | <b>3694</b> | 216  |
| 7520,8430,8440,8450,8630,8650,8850              |  |              |             |      |
| 3300,4400,4420,6600,6620,7700,8820.....         | w/Double shaft (3/8").....                               |              | <b>3695</b> | 216  |
| 3300,4400,6600,7700.....                        | Condenser Fan (7" CW).....                               |              | <b>3530</b> | 219  |
|   | Wheel for Pressurizer Mtr. (# 3507).....                 | H124185..... | <b>3776</b> | 217  |

Clutches

| MODEL                               | APPLICATION   | O.E.M. #         | PART NO.     | Page |
|-------------------------------------|---|------------------|--------------|------|
| T/CCI (York Style).....             | w/7" dia. 2 gr Std. Duty clutch.....                          | AH85847.....     | <b>5041</b>  | 229  |
| 7700 Combine.....                   | w/7" dia. 2 gr Heavy Duty clutch.....                         | 511199.....      | <b>5141</b>  | 230  |
| Denso 6E171.....                    | w/1 gr 146mm 5.7" Dia. 12V w/JD Compr. #.....                 | AH119048.....    | <b>call</b>  |      |
|                                     | 12V w/Keyed Shaft; (use on # 5845 Compressor).....            |                  | <b>5027K</b> | 232  |
|                                     | 12V w/Splined Shaft; (use on # 5845 Compressor).....          |                  | <b>5027S</b> | 232  |
| Denso 10PA15C.....                  | w/1 gr 152mm 5.98" Dia. 24V; (used on #5843G Compressor)..... |                  | <b>5026</b>  | 232  |
|                                     | w/8 gr 124.5mm 4.9" Dia 12V w/JD Compr. #.....                | AL78779.....     | <b>5022</b>  | 232  |
|                                     |   | AL78494          |              |      |
|                                     | w/8 gr 124.5mm 4.9" Dia 24V w/JD Compr. #.....                | AL78779.....     | <b>call</b>  |      |
| Denso 10PA17C.....                  | w/1 gr 146mm 5.7" Dia. 12V w/JD Compr. #.....                 | RE64024.....     | <b>5018</b>  | 231  |
|                                     | w/1 gr 146mm 5.7" Dia. 12V w/JD Compr. #.....                 | RE46657.....     | <b>5019</b>  | 231  |
|                                     |   | RE53408          |              |      |
|                                     |   | TY6626           |              |      |
|                                     |   | TY6765           |              |      |
|                                     | w/1 gr 146mm 5.7" Dia. 12V w/JD Compr. #.....                 | RE58348.....     | <b>5020</b>  | 231  |
|                                     |   | RE55422          |              |      |
|                                     |   | TY6784           |              |      |
|                                     | w/1 gr 146mm 5.7" Dia. 24V w/JD Compr. #.....                 | AT163728.....    | <b>5017</b>  | 231  |
|                                     |   | TY6783           |              |      |
|                                     | w/1 gr 146mm 5.7" Dia. 24V w/JD Compr. #.....                 | 447100-3830..... | <b>call</b>  |      |
|                                     | w/1 gr 146mm 5.7" Dia. 24V w/JD Compr. #.....                 | RE64024.....     | <b>5830</b>  | 254  |
|                                     | w/1 gr 152mm 5.9" Dia. 12V w/JD Compr. #.....                 | AT215510.....    | <b>5021</b>  | 232  |
|                                     |   | 4333459          |              |      |
|                                     | w/8 gr 124.5mm 4.9" Dia 12V w/JD Compr. #.....                | RE46609.....     | <b>5025</b>  | 232  |
|                                     | w/8 gr 124.5mm 4.9" Dia 24V w/JD Compr. #.....                | AT1211063.....   | <b>5024</b>  | 232  |
|                                     | w/8 gr 124.5mm 4.9" Dia 24V w/JD Compr. #.....                | 447100-5070..... | <b>call</b>  |      |
|                                     | w/8 gr 145mm 5.7" Dia 24V w/JD Compr. #.....                  | AT168543.....    | <b>5023</b>  | 232  |
| 10PA15C and 17C.....                | w/9 gr 135mm Dia. 24V 2-wire w/OE#.....                       |                  | <b>50102</b> | 232  |
| <b>CLUTCH COILS and DUST COVERS</b> |   |                  |              |      |
| for Denso Compressors.....          | Clutch Coil 12V.....  |                  | <b>call</b>  |      |
|                                     | Clutch Coil 24V.....  |                  | <b>5023C</b> | 231  |
|                                     | Shallow Type 5/16" thick Dust Cover.....                      |                  | <b>5669S</b> | 231  |
|                                     | Deep Dish Type 7/8" thick Dust Cover.....                     |                  | <b>5669D</b> | 231  |
| for Sanden Compressors.....         | w/SD5H14 comp. w/5-14" dia. clutch.....                       | 6504-6310.....   | <b>5064</b>  | 235  |

APPLICATIONS - OFF ROAD

**JOHN DEERE** (continued)

**Compressor Components**

DENSO - Manifolds, Pressure Relief Valves, Shaft Seal Kits

| MODEL             | APPLICATION  | O.E.M. # | PART NO.     | Page |
|-------------------|--|----------|--------------|------|
| 6E171             | Manifold - Suction Side OEM style                        | RE10980  | <b>5441</b>  | 335  |
| 6E171             | Manifold - Discharge Side OEM style                      | RE10981  | <b>5442</b>  | 335  |
| 6E171             | Pressure Relief Valve; M12-1.0 Thread                    | RE10982  | <b>50800</b> | 335  |
| 10PA17C           | Manifold - Top - Dis. and Suct. #8x#10 MIO; w/oil bypass | RE69715  | <b>5437</b>  | 335  |
|                   | Pressure Relief Valve; M10-1.5 Thread w/o-ring           |          | <b>5687</b>  | 335  |
| 10PA15C, 17C, 20C | Shaft Seal Kit   |          | <b>call</b>  |      |

**JOHN DEERE**

**Compressors** (continued)

ALL with DENSO COMPRESSORS (listed by J.Deere models)

| MODEL                                   | APPLICATION  | OEM#     | OEM#     | OEM#     | OEM#     | PART#        | Page |
|---|--|----------|----------|----------|----------|--------------|------|
| All w/10S15C                            | 1 gr 152mm dia. 24V w/OE#                                    |          |          |          | 4431081  | <b>5938</b>  | 255  |
| <b>BACKHOE LOADERS</b>                  |  |          |          |          |          |              |      |
| 300D / 310D / 315D / 410D / 510D / 710D | 1 gr 136mm dia 12v 10PA17C                                   | RE55422  | TY6784   | 471-0447 |          | <b>5836</b>  | 254  |
| 310G / 310SG / 315SG / 410SG            | 8 gr 145mm dia 12v 10PA17C                                   | RE46609  | TY6764   | 471-0441 |          | <b>5832</b>  | 254  |
| <b>CABLE SKIDDERS</b>                   |  |          |          |          |          |              |      |
| All w/ DKS-15CH                         | 1 gr 139mm dia. 24v, Pad Fittings, Ear Mount w/OE#           |          | 4719131  | 4710206  |          | <b>51414</b> | 324  |
| 360DC / 460DC                           | 8 gr 146mm dia 12v 10PA17C                                   | AN22149  |          | 471-0454 |          | <b>5838</b>  | 254  |
| 540E / 540G / 640E 640G / 740E / 740G   | 1 gr 136mm dia 12v 10PA17C                                   | RE55422  | TY6784   | 471-0447 |          | <b>5836</b>  | 254  |
| 540G-III / 640G-III                     | 8 gr 146mm dia 12v 10PA17C                                   | AN22149  |          | 471-0454 |          | <b>5838</b>  | 254  |
| 848G                                    | 8 gr 145mm dia 12v 10PA17C                                   | RE46609  | TY6764   | 471-0441 |          | <b>5832</b>  | 254  |
| <b>COMBINES</b>                         |  |          |          |          |          |              |      |
| 2054 / 2056 / 2058 / 2064 / 2066        | 8 gr 145mm dia 12v 10PA17C                                   | RE46609  | TY6764   | 471-0441 |          | <b>5832</b>  | 254  |
| 9400 / 9500 / 9600 / CTS RICE           | 1 gr 136mm dia 12v 10PA17C                                   | RE46657  | TY6765   | 471-0442 |          | <b>5833</b>  | 254  |
| <b>COMPACT TRACK LOADERS</b>            |  |          |          |          |          |              |      |
| CT322 / CT332                           | 8 gr 146mm dia 12v 10PA17C                                   | RE69716  | TY24304  | 471-0460 |          | <b>5838</b>  | 254  |
| <b>COTTON PICKERS and STRIPPERS</b>     |  |          |          |          |          |              |      |
| 7450 / 9930 / 9965 / 9970 / 9976        | 1 gr 136mm dia 12v 10PA17C                                   | RE55422  | TY6784   | 471-0447 |          | <b>5836</b>  | 254  |
| 7455 / 7460                             | 8 gr 146mm dia 12v 10PA17C                                   | AN22149  |          | 471-0454 |          | <b>5838</b>  | 254  |
| 9935 / 9970 / 9986 / 9996               | 8 gr 146mm dia 12v 10PA17C                                   | AN22149  |          | 471-0454 |          | <b>5838</b>  | 254  |
| 9976                                    | 8 gr 146mm dia 12v 10PA17C                                   | RE69716  | TY24304  | 471-0460 |          | <b>5838</b>  | 254  |
| <b>CRAWLERS - BULLDOZERS, LOADERS</b>   |  |          |          |          |          |              |      |
| All                                     | 1 gr 152mm, 6.0" dia 12v, 10PA17C (w/ 5/8") Aftermarket type |          |          |          |          | <b>5842G</b> | 254  |
| 450H / 450J / 550H / 550J / 650H / 650J | 8 gr 145mm dia 12v 10PA17C                                   | RE46609  | TY6764   | 471-0441 |          | <b>5832</b>  | 254  |
| 655B / 750B / 750C / 750C -II / 755B /  | 1 gr 146mm dia 24v 10PA17C                                   | AT163728 | TY6783   | 471-0446 |          | <b>5834</b>  | 254  |
| 850B / 850C / 850C-II                   |  |          |          |          |          |              |      |
| <b>EXCAVATORS</b>                       |  |          |          |          |          |              |      |
| 450 LC                                  | 1 gr 152mm dia 24v 10PA15C w/OE#                             |          |          |          | 4333459  | <b>5843G</b> | 255  |
| <b>GRAPPLES</b>                         |  |          |          |          |          |              |      |
| 660D                                    | 8 gr 145mm dia 12v 10PA17C                                   | RE46609  | TY6764   | 471-0441 |          | <b>5832</b>  | 254  |
| <b>GRAPPLE SKIDDERS</b>                 |  |          |          |          |          |              |      |
| 548E / 548G / 648E / 648G / 748E / 748G | 1 gr 136mm dia 12v 10PA17C                                   | RE55422  | TY6784   | 471-0447 |          | <b>5836</b>  | 254  |
| <b>LOADERS</b>                          |  |          |          |          |          |              |      |
| 444H / 544H / 624H / 644H / 644J / 724J | 8 gr 145mm dia 24v 10PA17C                                   | AT226273 | AT172975 | 471-0456 | SE502835 | <b>5831</b>  | 254  |
| 444H / 744H                             | 1 gr 146mm dia 24v 10PA17C                                   | AT163728 | TY6783   | 471-0446 |          | <b>5834</b>  | 254  |
| 544G / 624G / 644G                      | 1 gr 136mm dia 12v 10PA17C                                   | RE55422  | TY6784   | 471-0447 |          | <b>5836</b>  | 254  |
| 744H 744J / 824J                        | 8 gr 136mm dia 24v 10PA17C                                   | AT211063 |          | 471-0452 |          | <b>5837</b>  | 254  |
| <b>LOADERS (Log Loader)</b>             |  |          |          |          |          |              |      |
| 444H LL                                 | 1 gr 146mm dia 24v 10PA17C                                   | AT163728 | TY6783   | 471-0446 |          | <b>5834</b>  | 254  |
| 544G LL                                 | 1 gr 136mm dia 12v 10PA17C                                   | RE55422  | TY6784   | 471-0447 |          | <b>5836</b>  | 254  |
| 444H LL / 544HLL / 624HLL               | 8 gr 145mm dia 24v 10PA17C                                   | AT226273 | AT172975 | 471-0456 | SE502835 | <b>5831</b>  | 254  |

(continued)

### JOHN DEERE (continued)

#### Compressors (continued)

ALL with DENSO COMPRESSORS (listed by J.Deere models)

APPLICATIONS - OFF ROAD

| MODEL   | APPLICATION   | O.E.M. #          | PART NO. | Page      |
|---|---|-------------------|----------|-----------|
| <b>MOTOR GRADERS</b>  |   |                   |          |           |
| 670B / 672B / 770B / 772B / 772BH                                   | 1 gr 146mm dia 24v 10PA17C  | AT163728 TY6783   | 471-0446 | 5834 254  |
| <b>SKID STEERS</b>  |   |                   |          |           |
| 260 / 270 / 280   | 8 gr 145mm dia 12v 10PA17C  | RE46609 TY6764    | 471-0441 | 5832 254  |
| 317 / 320 / 325 / 328 / 332   | 8 gr 146mm dia 12v 10PA17C  | RE69716 TY24304   | 471-0460 | 5838 254  |
| <b>SPRAYERS</b>   |   |                   |          |           |
| 4710 / 4920   | 8 gr 145mm dia 12v 10PA17C  | RE46609 TY6764    | 471-0441 | 5832 254  |
| 6100 / 6500 / 6600  | 1 gr 136mm dia 12v 10PA17C  | RE55422 TY6784    | 471-0447 | 5836 254  |
| <b>TELESCOPIC HANDLERS</b>  |   |                   |          |           |
| 3200 / 3215 / 3220 / 3400 / 3415 / 3420 / 3800                      | 8 gr 125mm dia 12v 10PA15C  | AL155836 AL174136 | 471-0458 | 5835 254  |
| <b>TOOL CARRIERS</b>  |   |                   |          |           |
| All   | 1 gr 152mm, 6.0" dia 12v, 10PA17C (w/ 5/8" belt) Aftermarket type |                   |          | 5842G 255 |
| 544G TC   | 1 gr 136mm dia 12v 10PA17C  | RE55422 TY6784    | 471-0447 | 5836 254  |
| TC44H   | 1 gr 146mm dia 24v 10PA17C  | AT163728 TY6783   | 471-0446 | 5834 254  |
| TC44H / TC54H / TC62H   | 8 gr 145mm dia 24v 10PA17C  | AT226273          | 471-0456 | 5469 254  |
| <b>TRACTORS</b>   |   |                   |          |           |
| <b>4000 SERIES</b>  |   |                   |          |           |
| 4555 / 4560 / 4755 / 4760 / 4955 / 4960                             | 1 gr 136mm dia 12v 10PA17C  | RE55422 TY6784    | 471-0447 | 5836 254  |
| <b>5000 SERIES</b>  |   |                   |          |           |
| 5200 / 5210 / 5220 / 5300 / 5310 / 5320 / 5400 / 5500               | 1 gr 146mm dia 12v 10PA17C  | RE64024 TY6789    | 471-0448 | 5830 254  |
| 5310N / 5320N / 5400N / 5420N / 5500N / 5510N / 5520N               | 1 gr 146mm dia 12v 10PA17C  | RE64024 TY6789    | 471-0448 | 5830 254  |
| 5310N / 5320N / 5325N / 5420N / 5425N / 5510N / 5520N / 5525N       | 8 gr 145mm dia 12v 10PA17C  | RE46609 TY6764    | 471-0441 | 5832 254  |
| 5410 / 5420 / 5425 / 5510 / 5520 / 5525                             | 8 gr 145mm dia 12v 10PA17C  | RE46609 TY6764    | 471-0441 | 5832 254  |
| <b>6000 SERIES</b>  |   |                   |          |           |
| 6100 / 6110 / 6120 / 6200 / 6210 / 6300 / 6310 / 6320               | 8 gr 127mm dia 12v 10PA15C  | AL78779 TY6769    | 471-0445 | 5835 254  |
| 6400 / 6405 / 6410 / 6420 / 6500 / 6605                             | 8 gr 125mm dia 12v 10PA15C  | AL155836          | 471-0458 | 5835 254  |
| 6403 / 6603   | 8 gr 145mm dia 12v 10PA17C  | RE46609 TY6764    | 471-0441 | 5832 254  |
| 6310S / 6410S / 6510S   | 8 gr 125mm dia 12v 10PA15C  | AL155836          | 471-0458 | 5835 254  |
| 6600 / 6800   | 8 gr 127mm dia 12v 10PA15C  | AL78779 TY6769    | 471-0445 | 5835 254  |
| <b>7000 SERIES</b>  |   |                   |          |           |
| 7200 / 7210 / 7400 / 7510 / 7600 / 7720 / 7815 / 7820 / 7920        | 8 gr 145mm dia 12v 10PA17C  | RE46609 TY6764    | 471-0441 | 5832 254  |
| 7210 / 7410 / 7510 / 7600 / 7700 / 7800 / 7810                      | 8 gr 146mm dia 12v 10PA17C  | RE69716 TY24304   | 471-0460 | 5838 254  |
| 7220 / 7320 / 7420 / 7505 / 7520                                    | 8 gr 125mm dia 12v 10PA15C  | AL155836          | 471-0458 | 5835 254  |
| <b>8000 SERIES</b>  |   |                   |          |           |
| 8100 / 8100T / 8110 / 8100T / 8120 / 8120T / 8130                   | 8 gr 145mm dia 12v 10PA17C  | RE46609 TY6764    | 471-0441 | 5832 254  |
| 8200 / 8200T / 8210 / 8210T / 8220 / 8220T / 8230                   | 8 gr 145mm dia 12v 10PA17C  | RE46609 TY6764    | 471-0441 | 5832 254  |
| 8300 / 8300T / 8310 / 8310T / 8320 / 8320T / 8330                   | 8 gr 145mm dia 12v 10PA17C  | RE46609 TY6764    | 471-0441 | 5832 254  |
| 8400 / 8400T / 8410 / 8410T / 8420 / 8420T / 8430                   | 8 gr 145mm dia 12v 10PA17C  | RE46609 TY6764    | 471-0441 | 5832 254  |
| 8520 / 8520T / 8530   | 8 gr 145mm dia 12v 10PA17C  | RE46609 TY6764    | 471-0441 | 5832 254  |
| 8570 / 8770 / 8870 / 8970   | 1 gr 146mm dia 12v 10PA17C  | RE46657 TY6765    | 471-0442 | 5833 254  |
| <b>9000 SERIES</b>  |   |                   |          |           |
| 9100 / 9120 / 9200 / 9220 / 9300 / 9320 / 9400 / 9420 / 9520 / 9620 | 8 gr 146mm dia 12v 10PA17C  | RE69716 TY24304   | 471-0460 | 5838 254  |
| 9300T / 9320T / 9400T / 9420T / 9520T / 9620T                       | 8 gr 146mm dia 12v 10PA17C  | RE69716 TY24304   | 471-0460 | 5838 254  |
| <b>UTILITY LOADERS</b>  |   |                   |          |           |
| 444J / 544J / 624J  | 8 gr 145mm dia 24v 10PA17C  | AT226273          | 471-0456 | 5831 254  |

**JOHN DEERE** (continued)

**Compressors** (continued)

ALL with DENSO COMPRESSORS (listed by J.Deere models)

| MODEL                          | APPLICATION                     | OEM#     | OEM#    | OEM#              | OEM# | PART#         | Page |
|--------------------------------|---------------------------------|----------|---------|-------------------|------|---------------|------|
| <b>WINDROWERS</b>              |                                 |          |         |                   |      |               |      |
| 4895 / 4995 / 4890 / 4990..... | 8 gr 146mm dia 12v 10PA17C..... | RE69716  | TY24304 | 471-0460.....     |      | <b>5838</b>   | 254  |
| All w/6E171 .....              | 1 gr 146mm dia 12v w/OE# .....  | RE10972  | TY6626  | 047100-8530 ..... |      | <b>5845SR</b> | 255  |
| All w/10PA17C.....             | 8 gr 145mm dia 24v w/OE#.....   | AT168543 |         |                   |      | <b>5469</b>   | 254  |
| All w/FS6 .....                | 1 gr 147.6mm dia 12v w/OE#..... | RE12513  |         |                   |      | <b>5458</b>   | 259  |
| All w/10PA17C.....             | 8 gr 145mm dia 12v, w/OE#.....  | RE46609  |         |                   |      | <b>5479</b>   | 254  |

**Compressors** (listed in Denso compressor model sequence)

| MODEL                     | APPLICATION   | O.E.M. #    | PART NO.      | Page |
|---------------------------|---|-------------|---------------|------|
| <b>COMPRESSOR - DENSO</b> |   |             |               |      |
| <b>SINGLE GROOVE</b>      |   |             |               |      |
| 10SRE18C.....             | 1 gr 126mm Dia.12v 2-wires w/OE#.....                   | RE284680    | <b>51428</b>  | 257  |
| 10PA17C.....              | 1 gr 136mm Dia.12v (ext.lip pulley) w/OE# .....         | RE55422     | <b>5836</b>   | 254  |
| 10PA17C.....              | 1 gr 146mm Dia. 24v (flush pulley) w/OE#.....           | AT163728    | <b>5834</b>   | 254  |
| 10PA17C.....              | 1 gr 146mm Dia.12v (flush pulley) w/OE#.....            | RE46657     | <b>5833</b>   | 254  |
| 6E171.....                | 1 gr 146mm Dia.12v - Sanden Repl. for 6E171 w/ OE#..... | AH121578    | <b>5845SR</b> | 255  |
| 6E171.....                | 1 gr 146mm Dia. 24v 6E171 w/OE# .....                   | TY6744      | <b>5849</b>   | 255  |
| 6E171.....                | 1 gr 146mm Dia. 12v 6E171 w/OE#.....                    | RE10972     | <b>5845</b>   | 255  |
|                           |   | AR99850     |               |      |
|                           |   | RE12513     |               |      |
|                           |   | TY6626      |               |      |
|                           |   | TY6766      |               |      |
|                           |   | 047100-8530 |               |      |
| 6E171.....                | 1 gr 147.6 mm Dia 12v w/OE#.....                        | RE12513     | <b>5458</b>   | 259  |
| 10S15C.....               | 1 gr 152mm Dia. 24v w/OE#.....                          | 4431081     | <b>5938</b>   | 255  |
| <b>MULTI-GROOVE</b>       |   |             |               |      |
| SCS06C.....               | 6 gr All w/OE#.....                                     | MIA10103    | <b>call</b>   |      |
| 10PA17C.....              | 8 gr 145mm Dia. 12v w/OE#.....                          | RE46609     | <b>5479</b>   | 254  |
| 10PA17C.....              | 8 gr 145mm Dia. 24v w/OE#.....                          | AT226273    | <b>5831</b>   | 254  |
| 10PA17C.....              |   | AT172975    |               |      |
| 10PA17C.....              | 8 gr 145mm Dia. 12v w/OE#.....                          | RE46609     | <b>5832</b>   | 254  |
| 10PA17C.....              | 8 gr 145mm Dia. 24v w/OE#.....                          | AT168543    | <b>5469</b>   | 254  |
| 10PA15.....               | 8 gr 4.9" Dia. w/OE#.....                               | AL78779     | <b>5835</b>   | 254  |
| 10PA15C.....              | 9 gr 135mm Dia. 24v w/OE#.....                          | TTDC221758  | <b>51412</b>  | 256  |
| 10PA15C.....              | 11 gr 135mm Dia. 24v 2-wires w/OE#.....                 | 447200-0014 | <b>51430</b>  | 257  |
|                           | can replace 9 grv.                                      | A000234081  |               |      |

| <b>COMPRESSORS - (GM A-6)</b> |  |          |              |     |
|-------------------------------|--|----------|--------------|-----|
| GM A6 .....                   | 1 gr 6.77" Dia. 24v (superheat-2:00)w/OE#..... | SE501473 | <b>call</b>  |     |
|                               |  | TY6666   |              |     |
|                               |  | AT64486  |              |     |
|                               | 1 gr 4-7/8 Dia. 12 v w/OE#.....                | 1131243  | <b>5250A</b> | 264 |
|                               | 1 gr 5-1/2 Dia. 12v w/OE#.....                 | AR68802  | <b>5255A</b> | 265 |
|                               |  | AR77343  |              |     |
|                               |  | AR92109  |              |     |
|                               |  | TY6665   |              |     |
|                               | 1 gr 6-7/8" Dia 24v w/OE#.....                 | AT56112  | <b>5252A</b> | 265 |
| A6 Remanufactured.....        | 1 gr 5-1/2" Dia 12v w/OE#.....                 | AR60948  | <b>5151</b>  | 264 |
|                               |  | RE60697  |              |     |

| <b>COMPRESSORS - SANDEN</b> |   |         |             |     |
|-----------------------------|---|---------|-------------|-----|
| 7H15SHD.....                | 8 gr 133mm 5-1/4" Dia JD head (SD4698) w/OE#..... | RE68372 | <b>5321</b> | 287 |

### JOHN DEERE (continued)

#### Compressors (continued)

APPLICATIONS - OFF ROAD

| MODEL  | APPLICATION  | OEM#                   | PART#        | Page |
|--|--|------------------------|--------------|------|
| <b>COMPRESSORS - SELTEC / VALEO</b>  |  |                        |              |      |
| 120D / 135D / 160DLC / 190 DW /<br>200DLC / 220DW / 225DLC / 240DLC<br>270DLC / 350DLC, Excavators |  |                        |              |      |
| All w/ DKS-15CH  | 1 gr 139mm Dia. 24v, Pad Fittings, Ear Mount w/OE# | 4719131<br>4710206     | <b>51414</b> | 324  |
| 435C, 437C Loaders All w/TM-15HD   | 2 gr 135mm Dia. 12v w/OE#                          | 811958600              | <b>5780</b>  | 321  |
| All w/TM-21HX  | 2 gr 145mm Dia. 24v, Direct Mount, TM21HX          | 488-47242              | <b>5879</b>  | 326  |
| All w/TM-21HX  | 8 gr 141mm Dia. 12v, Direct Mount, TM21HX          | 488-47244              | <b>5880</b>  | 326  |
| All w/TM-21HX  | 8 gr 141mm Dia. 24v, Direct Mount, TM21HX          | 488-47246              | <b>5881</b>  | 326  |
| All w/TM-21HX  | 10 gr 119mm Dia. 12V, Direct Mount, TM21HX         | 103-67267              | <b>5927</b>  | 326  |
| All w/TM-21HX  | 10 gr 135mm Dia. 12V, 2 wire Direct Mount, TM21HX  | 103-67270<br>103-67269 | <b>5927</b>  | 326  |
| All w/TM-21HX  | 10gr 141mm Dia. 24V, 2 wire Direct Mount, TM21HX   | 103-67272              | <b>5928</b>  | 326  |

|                                       |  |              |             |     |
|---------------------------------------|--|--------------|-------------|-----|
| <b>COMPRESSORS - T/CCI York Style</b> |  |              |             |     |
| T/CCI, York Style Compressors         | Rotolock (R209/210L) compressor              | AH84826      | <b>5236</b> | 250 |
| 4400 / 6600 / 7700 Combines           | Flange compressor (F209/210R)                | AH17726      | <b>5248</b> | 250 |
| 4400 / 6600 / 7700 Combines           | York Style Heavy Duty w/Tube-O'ring fittings | ET210L-25150 | <b>5256</b> | 250 |

#### Condensers

| MODEL    | APPLICATION   | O.E.M. #               | PART NO.    | Page |
|----------|---|------------------------|-------------|------|
| All with | 15-3/16" x 19-3/4" x 3/4" (overall 15-3/8' x 23-3/4") w/OE# | 4647814<br>503708-5940 | <b>6414</b> | 360  |

#### Evaporators

| MODEL  | APPLICATION                              | O.E.M. #   | PART NO.    | Page |
|--|--|------------|-------------|------|
| 444H / 544H / 624H / 644H / 744H Loaders       | 10"x15-1/2"x3-3/4" Block - Flange Mount, | RE57574    | <b>6693</b> | 378  |
| TC44H / TC54H / TC62H Tool Carriers            | #8 IN / #10 OUT; with Heater Core        |            |             |      |
| 4700 Sprayers                                  |  |            |             |      |
| 670A / 670B / 672A / 672B / 770 / 770A / ..... | 4"x29"x3" #8 IN #10 OUT MOR              | AR58152    | <b>6692</b> | 377  |
| 770AH, 770B / 772B / 772BH Motor Graders       |  |            |             |      |
| 762 / 762A / 762B / 862 / 862B Scrapers        |  |            |             |      |
| 4030 / 4230 / 4430 / 4630 / 8430 Tractors      |  |            |             |      |
| 490E   | w/Red Dot AC                             | RD2-1909-0 | <b>call</b> |      |
| 744E   | w/Red Dot AC                             | RD2-1381-0 | <b>6598</b> | 373  |

#### Expansion Valves and Orifice Tubes

| MODEL            | APPLICATION  | O.E.M. #           | PART NO.     | Page |
|------------------|--|--------------------|--------------|------|
| ALL              | Block Valve 2 Ton -6-10/-8-10 w/OE#                  | 3501-10001         | <b>1602</b>  | 384  |
|                  | Block Valve 2 Ton -6-12/-10-8 w/OE#                  | 3501-79512         | <b>1682</b>  | 387  |
|                  | Block Type, Flange Mount -6-10/-10-12w/OE#           | 4658938            | <b>1695</b>  | 388  |
|                  | Block Exp.Vlv 1-1/5 Ton (-6-10 /-10-10) w/OE#        | AT180988           | <b>1666</b>  | 386  |
|                  | Block Valve 2 Ton -6-10/-10-12 w/OE#                 | 4464354            | <b>16103</b> | 388  |
|                  | Block Valve 2 Ton -6-10/-8-8 w/OE#                   | AT261345           | <b>1601</b>  | 384  |
|                  | External Equalized 1/4" Female Oring, 13" Tube w/OE# | RE206757           | <b>1625</b>  | 391  |
| <b>COMBINES:</b> |  |                    |              |      |
| All              | Block Valve; O'Ring type w/OE#                       | AL77879<br>RE62137 | <b>1664</b>  | 386  |
| All              | Equalizer Tube 13"; Cap tube 14" w/OE#               | RE13886            | <b>1631</b>  | 391  |

(continued)

**JOHN DEERE** (continued)

Expansion Valves and Orifice Tubes (continued)

| MODEL   | APPLICATION   | OEM#     | PART# | Page |
|---|---|----------|-------|------|
| COMBINES: (cont.)                                 |   |          |       |      |
| 4400 / 4420 / 6600 / 7700                         | Flare fittings, externally equalized (2 tubes) OE#    | AH80191  | 1610  | 391  |
| 6620 / 7720 / 8820                                | O-Ring fittings, externally equalized (2 tubes)       | AR58482  | 1631  | 391  |
|   |   | AH140818 |       |      |
| 9400 / 9500 / 9600 / CTS                          | Block Valve; O'Ring type, 2 Mounting Holes w/OE#      | AH122867 | 1606  | 384  |
|   |   | AH137702 |       |      |
| CRAWLER BULLDOZERS:                               |   |          |       |      |
| 750 / 750B / 850B                                 | Ext. Equalized 10" equal. Tube; cap tube 9-1/2" w/OE# | AT62543  | 1680  | 391  |
| EXCAVATORS:                                       |   |          |       |      |
| 690B / 690C / 690D / 790D / 890 / 890A / ...      | Ext. Equalized 10" equal. Tube; cap tube 9-1/2" w/OE# | AT62543  | 1680  | 391  |
| 892DLC / 990                                      |   |          |       |      |
| GRADERS and SCRAPERS:                             |   |          |       |      |
| 770A / 770AH / 770B / 772AH / 772B / 772BH        | Ext. Equalized 10" equal. Tube; cap tube 9-1/2" w/OE# | AT62543  | 1680  | 391  |
| 762 / 762A / 762B / 862 / 862B                    |   |          |       |      |
| LOADERS: (Backhoe, Compact Track, Crawler)        |   |          |       |      |
| 310C / 315C / 410B / 410C /                       | Ext. Equalized 10" equal. Tube; cap tube 9-1/2" w/OE# | AT62543  | 1680  | 391  |
| 510C / 510B / 610C                                |   |          |       |      |
| CT322 / CT332 Compact Track Loaders               | Block Type Exp. Vlv. w/2 Mounting Holes w/OE#         | KV22928  | 1683  | 387  |
| 544E / 624E / 655B / 755 / 755A / 755B / 855      |   |          |       |      |
| SKIDSTEERS:                                       |   |          |       |      |
| 240 / 250 / 260 / 270 / 280 / 317 / 320 /         | Block Type Exp. Vlv. w/2 Mounting Holes w/OE#         | KV22928  | 1683  | 387  |
| 325 / 328 / 332                                   |   |          |       |      |
| TRACTORS:   |   |          |       |      |
| 4030 / 4040 / 4050 / 4055 /                       | Externally equalized (2 tubes) w/OE#                  | RE13886  | 1631  | 391  |
| 4230 / 4240 / 4250 / 4255 / 4430 / 4440 / 4450 /  |   | AR58482  |       |      |
| 4455 / 4555 / 4560 / 4630 / 46640 / 4650 / 4755 / |   | AH140818 |       |      |
| 4760 / 4840 / 4850 / 4955 / 4960 / 8430 / 8440 /  |   |          |       |      |
| 8450 / 8630 / 8640 / 8650 / 8850                  |   |          |       |      |
| 4000 / 4020 / 4320 / 4520 / 4620 /                | Internally equalized; Flare fittings, 12" tube        | AR49961  | 1635  | 392  |
| 5020 / 6030 / 7020 / 7520                         |   |          |       |      |
| 6200,6300,6400,6500,7200,7400,                    | Block Valve; O'Ring type w/OE#                        | AL77579  | 1664  | 386  |
| 7600,7700,7800                                    |   | RE62137  |       |      |
| 8100 / 8200 / 8300 / 8400                         | Block Valve; Flange Mount w/OE#                       | AT189639 | 1614  | 385  |
|   |   | RE174765 |       |      |
|   |   | RE57575  |       |      |

APPLICATIONS - OFF ROAD

Filters - In-Cab Air Filters, Recirculation, Fresh Air

| MODEL                         | APPLICATION   | O.E.M. #    | PART NO. | Page |
|-------------------------------|---|-------------|----------|------|
| All                           | 6-1/2" (H) x 12-1/2" (L) x 1-3/4" w/OE#                 | RE187966    | 7970     | 401  |
| Tractors 6020, 6110-6910 Ser. | 6-11/16" (H) x 8-1/8" (L)x 1-3/8" w/OE#                 | AL71259     | 9962     | 404  |
| All                           | 9-13/16" (H) x 14" (L)x 2-13/16" w/OE#                  | 4S00640     | 9963     | 404  |
|                               |   | 4350249     |          |      |
| Backhoe                       | w/Red Dot R9450 Unit (fresh air Filter 14-3/4 x 3-1/2)  | RD5-8106-0  | 9941     | 403  |
| Backhoe, Loader               | w/Red Dot R9450 Unit (fresh air Filter 14-1/2 x 5)      | RD5-8105-0  | 9943     | 403  |
| All                           | w/Red Dot R6500 Unit (fresh air Filter 13-1/2 x 4-9/16) | RD5-10416-0 | 9944     | 403  |

Heater Valves

| MODEL | APPLICATION                    | O.E.M. # | PART NO. | Page |
|-------|--------------------------------|----------|----------|------|
| All   | Cable operated 5/8" hose w/OE# | AH112704 | 2105     | 470  |

### JOHN DEERE (continued)

#### Receiver Driers and Accumulators

APPLICATIONS - OFF ROAD

| MODEL   | APPLICATION   | O.E.M. #                                    | PART NO.    | Page |
|---|---|---|-------------|------|
| ALL.....  | 7.38" x 2.36" Pad Fittings w/OE#.....                           | RE380910.....                               | <b>7621</b> | 545  |
|   | 9.00" x 2.36" Pad Fittings (2 plugs for switch ports).....      | 5829969.....                                | <b>7620</b> | 544  |
|   | 6.00" x 2.5" Pad Fittings w/OE#.....                            | AL204865.....                               | <b>7619</b> | 544  |
|   | 7-1/2" x 2-7/8" #6 MIO Fittings w/OE#.....                      | 5821662227.....                             | <b>7613</b> | 544  |
|   | 4" x 7 1/2" Male and Female O-Ring 2 sightglass w/OE#.....      | RE291794.....                               | <b>7233</b> | 532  |
|   | 3" x 8 1/4" Male O-Ring w/1/4" Female R12 port w/OE#.....       | 811913900.....                              | <b>7133</b> | 528  |
| <b>COMBINES:</b>  |   |   |             |      |
| 2054 / 2056 / 2058 / 2064 / 2066 / 2254 / ...   | 4" x 8-1/2" #6 FOR IN, #6 MOR OUT w/OE#.....                    | AZ45582.....                                | <b>7597</b> | 542  |
| 2256 / 2258 / 2264 and 2266   |   |   |             |      |
| 4400 / 4420 / 6620 / 7700 / 7720 / 8820 / ...   | 4" x 7-1/2" In-line O-Ring fittings, 2 sight glasses w/OE#..... | AR59780.....                                | <b>7233</b> | 532  |
| 9400 / 9500 and 9600  |   | AR74486<br>RE49169                          |             |      |
| 6620 / 7720 / 8820 / 9400 / 9500 / ...  | 4" x 9" M x F O-Ring fittings, w/moisture ind. w/OE#.....       | AT125596.....                               | <b>7392</b> | 533  |
| 9600 and CTS  |   | AT63170<br>AH114865<br>AT151981<br>AH234099 |             |      |
| <b>EXCAVATORS:</b>  |   |   |             |      |
| 75C / 80C / 135C / 200CLC / 210CW / ...   | 2-3/8" x 9" Pad Mount; Female Switch Port w/OE#.....            | 4448179.....                                | <b>7420</b> | 534  |
| 225CLC / 230CLC / 330C / 330LC / 370C;  |   | 4646799                                     |             |      |
| 75D / 85D / 120D / 135D / 160DLC / 190DW  |   |   |             |      |
| 200DLC / 220DW / 225DLC / 240DLC / 270DLC and 350DLC                                  |   |   |             |      |
| <b>GRADERS:</b>   |   |   |             |      |
| 670D.....   | 3.5" x 9.0" #10 IN / OUT w/OE#.....                             | AT190809.....                               | <b>7576</b> | 541  |
|   |   | 803-465                                     |             |      |
| <b>HARVESTERS: (Forage and Wheel)</b>   |   |   |             |      |
| 6610 / 6650 / 6710 / 6810 / 6750 / 6850, 4" x 8-1/2" #6 FOR IN, #6 MOR OUT w/OE#..... |   | AZ45582.....                                | <b>7597</b> | 542  |
| 6910 / 6950 / 7200 / 7250 / 7300 / 7350 / 7400,                                       |   |   |             |      |
| 7450 / 7500 / 7550 / 7700 / 7750 / 7850 / 7950  |   |   |             |      |
| 1070E / 1170E / 1270E and 1470E.....  | 3" x 11-1/2" Fem OR x MIO w/OE#.....                            | AL163559.....                               | <b>7574</b> | 541  |
| <b>SPRAYERS:</b>  |   |   |             |      |
| 4630 / 4940.....  | 4" x 7-1/2" Fem OR x MIO w/OE#.....                             | AL162467.....                               | <b>7575</b> | 541  |
| 4710 / 4720 / 4920.....   | 3" x 11-1/2" Fem OR x MIO w/OE#.....                            | RE214440.....                               | <b>7573</b> | 541  |
| 5430.....   | 3" x 11-1/2" Fem OR x MIO w/OE#.....                            | AL163559.....                               | <b>7574</b> | 541  |
| <b>TELESCOPIC HANDLERS:</b>   |   |   |             |      |
| 3800.....   | 4" x 8-1/2" #6 FOR IN, #6 MOR OUT w/OE#.....                    | AZ45582.....                                | <b>7597</b> | 542  |
| <b>TRACTORS:</b>  |   |   |             |      |
| 5070M / 5080M / 5090M / 6020 / 6120 / ...   | 3" x 11-1/2" Fem OR x MIO w/OE#.....                            | AL163559.....                               | <b>7574</b> | 541  |
| 6130 / 6220 / 6230 / 6320 / 6330 / 6420 / 6430 / 6520 /                               |   |   |             |      |
| 6530 / 6534 / 6630 / 6820 / 6830 / 6920 / 6930 /                                      |   |   |             |      |
| 7130 / 7220 / 7230 / 7330 and 7530  |   |   |             |      |
| 7715 and 7815 Tractors (Ser.070,001- ).....   | 3" x 11-1/2" Fem OR x MIO w/OE#.....                            | RE214440.....                               | <b>7573</b> | 541  |
| 1654 / 1854 / 5620 / 5720 / 5820 / 6020 / ...   | 4" x 7-1/2" Fem OR x MIO w/OE#.....                             | AL162467.....                               | <b>7575</b> | 541  |
| 6120 / 6125J / 6130J / 6140J / 6145J / 6165J /  |   |   |             |      |
| 6220 / 6215 / 6320 / 6415 / 6420 / 6520 / 6615 /                                      |   |   |             |      |
| 6620 / 6820 / 6920 / 7720 / 7320 / 7420 / 7425 /                                      |   |   |             |      |
| 7515 / 7520 and 7525  |   |   |             |      |
| 4030 / 4040 / 4050 / 4055 / 4230 / 4240 / ...   | 4" x 7-1/2" In-line O-Ring fittings, 2 sight glasses w/OE#..... | AR59780.....                                | <b>7233</b> | 532  |
| 4250 / 4255 / 4430 / 4440 / 4450 / 4455 /   |   | AR74486<br>RE49169                          |             |      |
| 4555 / 4560 / 4630 / 4640 / 4650 / 4755 /   |   |   |             |      |
| 4760 / 4840 / 4850 / 4955 / 4960 / 7200 /   |   |   |             |      |
| 7400 / 7600 / 7700 / 7800 / 8430 / 8440 /   |   |   |             |      |
| 8450 / 8630 / 8640 / 8650 / 8850  |   |   |             |      |

(continued)



**JOHN DEERE** (continued)

Receiver Driers and Accumulators (continued)

| MODEL  | APPLICATION   | OEM#     | PART#       | Page |
|--|---|----------|-------------|------|
| TRACTORS: (cont.)  |   |          |             |      |
| 8100 / 8200 / 8300 / 8400                                      | 4" x 9" M x F O-Ring fittings, w/moisture ind. w/OE#  | AT125596 | <b>7392</b> | 533  |
|  |   | AT63170  |             |      |
|  |   | AH114865 |             |      |
|  |   | AT151981 |             |      |
|  |   | AT162848 |             |      |
|  |   | AT125596 |             |      |
| 4000 / 4020 / 4320 / 4520 / 4620 / 5020 / 6030 / 7020 and 7520 | Flare fittings, 3" x 6" w/OE#                         | AR45867  | <b>7124</b> | 527  |
| 6200 / 6300 / 6400 / 6500 (incl. L-Ser)                        | M x F O-Ring fittings, 4" x 7-7/8" In-line type w/OE# | AL77851  | <b>7233</b> | 532  |
| 8560 / 8570 / 8760 / 8770 / 8870                               | All w/OE#   | RE24620  | <b>7409</b> | 534  |
| 8960 and 8970  |   | RE51918  |             |      |
| All  | Flare fittings, 4" x 6-3/4" w/side inlet              | RE79486  | <b>7211</b> | 531  |
| All  | All w/OE#   | AH137486 | <b>7392</b> | 533  |

APPLICATIONS - OFF ROAD

**Switches - Pressure**

Includes Binary, Trinary™, High, Low and Sensor Types

| MODEL  | APPLICATION                                      | O.E.M. # | PART NO.    | Page |
|--|--|----------|-------------|------|
| All Models - Binary Switch   | M10 open 32 close 42 psi; 325 /250 w/OE#         | RE155938 | <b>1576</b> | 578  |
|  |  | RE60887  |             |      |
| COMBINES:  |  |          |             |      |
| 4400 / 4420 / 6600 / 6620 / 7700 / 7720 / 8820                               | Superheat switch w/A6 compressor w/OE#           | AR78501  | <b>1406</b> | 570  |
| 6600 / 7700  | Low Press. sw., N/O 28-50 psi OE#                | AH84166  | <b>call</b> |      |
|  |  | AH83293  |             |      |
| 6600 / 7700  | High Press sw. Red; N/C 225-375, w/OE#           | AH84165  | <b>call</b> |      |
|  |  | AH83292  |             |      |
| 9500 / 9600 / CTS  | Low press. sw., N/O 6-45 psi OE#                 | AH116110 | <b>call</b> |      |
|  |  | AH144084 |             |      |
| 9500 / 9600 / CTS  | High Press sw. N/C 193-395, w/OE#                | RE24307  | <b>call</b> |      |
| EXCAVATORS:  |  |          |             |      |
| 075C / 075D / 080C / 085D  | Low Press sw. N/O opens 24 - closes 28 w/OE#     | 4709907  | <b>1571</b> | 575  |
| 120D / 135C / 135D / 160DLC / 190DW  |  |          |             |      |
| 200CLC / 200DLC / 220DW / 225CLC / 225DLC /                                  |  |          |             |      |
| 230CLC / 240DLC / 270CLC / 270DLC / 330C LC /350DLC                          |  |          |             |      |
| LOADERS - SKIDDERS:  |  |          |             |      |
| 300D / 310D / 315D / 310E / 310SE  | Low Press sw. N/O opens 24 - closes 28 w/OE#     | 4709907  | <b>1571</b> | 575  |
| 310G / 315SE / 310SG / 315SG / 410D /  |  |          |             |      |
| 410E / 510D / 710D / 710G Backhoe Loaders                                    |  |          |             |      |
| 444H / 544H / 624H / 644H 7/44H Loaders                                      |  |          |             |      |
| 360DC, 360DG, 460DC, 460DG, 540G-II, 540G-III,                               |  |          |             |      |
| 560D, 640G-II, 640G-III, 748G-II, 748G-III Skidders                          |  |          |             |      |
| TRACTORS:  |  |          |             |      |
| 5200 / 5210 / 5220 / 5300 / 5310 / 5400 / ...                                | Binary N/O 32 opens- 42 closes 325/250 M10 w/OE# | RE155938 | <b>1576</b> | 578  |
|  |  | RE60887  |             |      |
| 5410 / 5500 7210 / 7410 / 7510 / 7610 / 7710 /                               |  |          |             |      |
| 7810 / 8100 / 8110 / 8200 / 8210 / 8300 / 8310 /                             |  |          |             |      |
| 8400 / 8410 8570 / 8870 / 8970 / 9100 / 9200 / 9300 and 9400                 |  |          |             |      |
| 5200 / 5210 / 5300 / 5310 / 5320N / 5400 /                                   | High pressure sw. N/C 193-395, w/OE#             | RE60888  | <b>1577</b> | 575  |
| 5410 / 5500 / 5510 / 5520N / 7610 / 7710 / 7810 /                            |  |          |             |      |
| 8100 / 8200 / 8300 / 8400 / 9100 / 9200 / 9300 and 9400                      |  |          |             |      |
| 4000 / 4020 / 4030 / 4040 /  | Superheat switch w/A6 compressor w/OE#           | AR78501  | <b>1406</b> | 570  |
| 4230 / 4240 / 4320 / 4430 / 4440 / 4520 / 4620 /                             |  |          |             |      |
| 4630 / 4640 / 4840 / 5020 / 6030 / 7020 / 7520 / 8430 / 8440 / 8630 and 8640 |  |          |             |      |

(continued)

### JOHN DEERE (continued)

#### Switches - Pressure (continued)

Includes Binary, Trinary™, High, Low and Sensor Types

APPLICATIONS - OFF ROAD

| MODEL   | APPLICATION                                 | OEM#               | PART# | Page |
|---|---|--------------------|-------|------|
| TRACTORS: (cont.)   |   |                    |       |      |
| 4020 / 4030 / 4040 / .....<br>4050 / 4055 / 4230 / 4240 / 4250 / 4255 /<br>4320 / 4430 / 4440 / 4450 / 4455 / 4520 /<br>4555 / 4560 / 4620 / 4630 / 4640 / 4650 /<br>4755 / 4760 / 4840 / 4850 / 4955 / 4960 /<br>5020 / 6030 / 7020 / 7520 / 8430 / 8440 /<br>8450 / 8560 / 8570 / 8630 / 8640 / 8650 /<br>8760 / 8770 / 8850 / 8870 / 8960 and 8970 | Thermo-Disc switch, condenser mounted w/OE# | AR45868            | 1415  | 570  |
| 4000 / 4020 / 4030 / 4040 / .....<br>4050 / 4055 / 4230 / 4240 / 4250 / 4430 /<br>4440 / 4450 / 4455 / 4555 / 4560 / 4620 /<br>4630 / 4640 / 4650 / 4755 / 4760 / 4840 /<br>4850 / 4955 / 4960 / 5020 / 6030 / 8430 /<br>8440 / 8450 / 8630 / 8640 / 8650 / and 8850  | Low pressure sw., N/O 28-50 psi OE#         | AH84163<br>AH84166 | call  |      |
| 4050 / 4250 / 4450 / 4455 / 4555 / .....<br>4560 / 4620 / 4650 / 4755 / 4760 / 4840 /<br>4850 / 4955 / 4960 / 7200 / 7400 / 7600 / 7700 / and 7800  | High pressure sw. N/C 193-395, w/OE#        | RE24307            | call  |      |
| 4050 / 4250 / 4450 / 4455 / 4555 / 4560 / .....<br>4620 / 4650 / 4755 / 4760 / 4840 / 4850 /<br>4955 / 4960   | Low pressure sw., N/O 26-46 psi OE#         | RE24308            | call  |      |
| 8100 / 8200 / 8300 / 8400 / 8570 / .....<br>8770 / 8870 and 8970  | Pressure cycling switch w/Accumulator       | RE52295            | call  |      |
| 8650 / 8850   | High press sw. Red; N/C 225-375, w/OE#      | RE17366<br>RE11468 | call  |      |
| 8650 / 8850   | High pressure switch, OE#                   | AR44321            | 1491  | 574  |

#### Switches - Thermostatic

| MODEL   | APPLICATION                       | O.E.M. # | PART NO. | Page |
|---|-----------------------------------|----------|----------|------|
| COMBINES:   |                                   |          |          |      |
| 4400  | Knob operated, 72" capillary tube | AR53324  | 1337     | 582  |
| 4420 / 6600 / 7700  | Knob operated, 48" capillary tube | AH80197  | 1348     | 582  |
| 6600 / 6620 / 7700 / 7720 / 8820  | Knob operated, 36" capillary tube | AR49960  | 1336     | 582  |
| TRACTORS:   |                                   |          |          |      |
| 4320 / 4620 / 5020 / 6030 / 7020 / 7520   | Knob operated, 72" capillary tube | AR53324  | 1337     | 582  |
| 4030 / 4050 / 4055 / 4230 / .....<br>4240 / 4250 / 4255 / 4430 / 4440 / 4450 / 4455 / 4520 /<br>4555 / 4560 / 4620 / 4630 / 4640 / 4650 / 4755 / 4760 /<br>4840 / 4850 / 4955 / 4960 / 5020 / 8430 / 8440 / 8450 /<br>8630 / 8640 / 8650 / 8850 | Knob operated, 36" capillary tube | AR49960  | 1336     | 582  |
| 7200 / 7400 / 7600 / 7700 / 7800  | Preset type w/OE#                 | RE48284  | call     |      |
| 8570 / 8770 / 8870 / 8970   | Preset type w/OE#                 | AH144020 | call     |      |

#### Tensioners

|                | O.E.M. #   | PART NO.     | Page  |
|----------------|--|--------------|-------|
| Belt Tensioner | Steel - Flat - Dia 74mm x Width 38mm (8 Grv) w/OE# | RE164876     | 56406 |
|                | Steel - Flat - Dia 74mm x Width 39mm w/OE#         | 89401, 38507 | 56401 |
|                | Steel - Flat - Dia 74mm x Width 39mm w/OE#         | RE184034     | 56408 |
|                | Steel - Flat - Dia 74mm x Width 42.6mm w/OE#       | RE506352     | 56446 |
|                | Steel - Flat - Dia 74mm x Width 46mm w/OE#         | RE2490       | 56402 |

**KOBELCO - Excavators**

| MODEL                            | APPLICATION                                      | O.E.M. #    | PART NO.      | Page |
|----------------------------------|--|-------------|---------------|------|
| Blower Motor                     | w/Wheel 5/16" shaft 24V CCW 2 wire w/OE#         | 56500-40180 | <b>3503</b>   | 199  |
|                                  | w/Wheel 1/4" shaft, 24V CW 2 wire w/OE#          | 51550-40860 | <b>3505</b>   | 199  |
| Compressors                      | w/ 1 Grv 125mm 24V; WM Head (SD7361) W/OE#       | TDKR151300S | <b>57361</b>  | 302  |
|                                  | w/ 1 Grv 146mm 24V; WL Head (SD7360) W/OE#       | TDKR151310S | <b>57360</b>  | 302  |
|                                  | w/ 1 Grv 146mm 24V; WM Head (SD7351) W/OE#       | TDKR151320S | <b>57351G</b> | 302  |
| Receiver Driers and Accumulators | w/ 2-3/4"x10" 3/8x3/8 MOR w/Schrader Vlv -on top | RD5-7062-1  | <b>7389</b>   | 532  |
| Thermostatic Switches            | w/ Pre-set, Side Mount; 24" Cap. Tube            | RD5-4531-24 | <b>1332</b>   | 582  |
| TXV, Expansion Valves            | w/ Block Type Exp. Vlv. 1.5 Ton Rating           | RD5-6868-0  | <b>1600</b>   | 384  |

**KOMATSU**

**Blower Motors and Wheels**

| MODEL                    | APPLICATION                             | O.E.M. #       | PART NO.    | Page |
|--------------------------|---|----------------|-------------|------|
| Blower Motor             | 6-3/16" dia. wheel, CW 24V 2 wire w/OE# | 282500-1480    | <b>3504</b> | 199  |
|                          | 24v Dual Shaft w/wheels , 2 wire w/OE#  | YN20M00107S011 | <b>3506</b> | 199  |
|                          |   | AN51500-10700  |             |      |
| Blower Wheel - PC Series | All models w/R10015-2, -3 evap. Unit    | RD5-7311-0     | <b>3610</b> | 215  |
|                          | All models w/R10015-2, -3 evap. Unit    | RD 5-7312-0    | <b>3611</b> | 215  |

**Clutches**

| MODEL            | APPLICATION  | O.E.M. #    | PART NO.     | Page |
|------------------|--|-------------|--------------|------|
| Denso 10S15C     | 1gr, 152mm Dia 24V, 5/8 v-belt                               |             | <b>50101</b> | 232  |
| Denso 10PA15C    | 1gr, 6" Dia 24V, 2 Wire, 5/8 belt (used on # 5843G 03-3173G) |             | <b>5026</b>  | 232  |
| Sanden           | w/SD5H14 comp. w/5-1/4 Dia. Clutch                           | 6504-6310   | <b>5064</b>  | 235  |
| T/CCI York Style | w/2 gr. 6" Dia w/diode                                       | MA6, MAE6AR | <b>5044</b>  | 229  |
| T/CCI York Style | w/2 gr. 7" Dia w/diode                                       | 15-4148     | <b>5041</b>  | 229  |
| T/CCI York Style | w/2 gr. 6" Dia w/diode & weatherpak                          | 024-21590   | <b>5144</b>  | 230  |

**Compressors**

| MODEL                 | APPLICATION   | O.E.M. #     | PART NO.     | Page |
|-----------------------|---|--------------|--------------|------|
| DELPHI - SP10         | 2 gr. 121mm Dia. 3-Ear Mount, 12v (1/2" belt)         | SP10-717638  | <b>51002</b> | 266  |
|                       |   | 22E-979-1110 |              |      |
|                       |   | 3541139M91   |              |      |
| DENSO - 10S15C        | 1 gr. 152mm Dia. Dir Mount 24V (5/8" belt)            | 20Y-979-6121 | <b>5938</b>  | 255  |
|                       |   | 421-07-31220 |              |      |
|                       |   | 418-562-3161 |              |      |
| DENSO - 10PA15C       | 1 gr. 152mm Dia. 24V; WA600-3L Ser# A52001-up         | 447200-1741  | <b>5843G</b> | 255  |
|                       |   | 447200-0246  |              |      |
|                       |   | 20Y-979-311  |              |      |
| <b>SANDEN</b>         |   |              |              |      |
| 7H15E                 | 1 gr. 126mm Dia. 24V (Enhanced Version)               | SD4580       | <b>54580</b> | 299  |
| 7H15HD                | 2 gr. 125mm Dia. 24V 1 wire (4652) w/OE#              | 1433064H91   | <b>5752A</b> | 293  |
| 7H15HD                | 8 gr. 119mm Dia. 24V (4545 Head) SD4592               | 12Y979-1121  | <b>54592</b> | 300  |
| 5H14SHD               | 8 gr. 119mm Dia. 24v (FL Head) w/OE#                  | SD6697       | <b>56697</b> | 302  |
| <b>SELTEC / VALEO</b> |   |              |              |      |
| All                   | 1 gr. 135mm Dia. 5/8" belt, Direct, 24V, 2 wire w/OE# | 203979-6931  | <b>5851</b>  | 323  |
| PC78                  | 1 gr. 135mm Dia. 5/8" belt, Direct, 24V, 2 wire w/OE# | 22U-979-1711 | <b>51402</b> | 324  |
| WA75-3 Loaders        | 1 gr. 5.3" Dia 12V DKS15CH w/OE#                      | 42W-07-11280 | <b>51426</b> | 324  |

### KOMATSU (continued)

#### Condensers

| MODEL             | APPLICATION  | O.E.M. #          | PART NO.          | Page |
|-------------------|--|-------------------|-------------------|------|
| Excavators.....   | 16-1/2" x 22-7/8" x 3/4" (incl. Filter Drier) w/OE#.....         | 20Y-810-1221..... | <b>6408</b> ..... | 360  |
| Excavators.....   | 14-1/2" x 20-1/2" x 5/8" (In: .600 pilot / Out: .400 pilot)..... | 208-979-7520..... | <b>6409</b> ..... | 360  |
| Excavators.....   | 14" x 22-1/4" IN 16mm / OUT 22mm w/OE#.....                      | 20Y-979-6131..... | <b>6401</b> ..... | 360  |
| Wheel Loader..... | 13-7/8" x 23-3/8" x 7/8" w/OE#.....                              | 56E-07-21132..... | <b>6411</b> ..... | 360  |

#### Evaporators

| MODEL                    | APPLICATION  | O.E.M. #         | PART NO.          | Page |
|--------------------------|--|------------------|-------------------|------|
| Excavators.....          | 9-1/4" x 11-1/4" x 1-1/2" In: #10 Bead / Out: #8 Bead..... | 446600-0991..... | <b>6700</b> ..... | 378  |
| Excavators.....          | 9-38" x 10" x 1-1/2" Bead Fittings w/OE#.....              | 446600-0992..... | <b>6709</b> ..... | 379  |
| D475, PC1250, PC340..... | 9-1/2" x 10-3/4" x 3-1/2" Pad Fittings w/OE#.....          | 447600-4970..... | <b>6701</b> ..... | 378  |
| WA250-3.....             | 9-3/4" x 10-1/4" x 3-1/2" Pad Fittings W/OE#.....          | 447600-2340..... | <b>6702</b> ..... | 378  |

#### Expansion Valves and Orifice Tubes

| MODEL                | APPLICATION  | O.E.M. #           | PART NO.          | Page |
|----------------------|--|--------------------|-------------------|------|
| All.....             | Block Type Exp. Vlv. -6-10/-8-10 w/OE#.....                    | 447500-1390.....   | <b>1693</b> ..... | 388  |
| All.....             | Block Exp.Vlv 1-1/5 Ton (-6-10 /-10-10) w/OE#.....             | 447500-1031.....   | <b>1666</b> ..... | 386  |
|                      | Block Exp.Vlv 2 Ton (-6-10 /-8-10) w/OE#.....                  | 447500-3540.....   | <b>1672</b> ..... | 386  |
| All.....             | Internally Equal. - 14" Cap. Tube IN M16/OUT M22 w/OE.....     | T1065-72170.....   | <b>1681</b> ..... | 392  |
| DTC,FC, M120.....    | Internally Equal. - 11-1/4" Cap. Tube IN M16/OUT M22 w/OE..... | 447500-0180.....   | <b>call</b> ..... |      |
|                      |  | 447500-0210.....   |                   |      |
| WA380 Excavator..... | w/Block Type Exp. Vlv w/OE#.....                               | 447500-1030.....   | <b>1665</b> ..... | 386  |
| Excavator.....       | w/Red Dot A/C (R1620 Unit).....                                | RD5-7015-0.....    | <b>1602</b> ..... | 384  |
|                      | w/Red Dot A/C (R1550-1600, R9800 Units).....                   | RD4157-0.....      | <b>1600</b> ..... | 384  |
| PC Series.....       | All models w/R10015-2, -3 evap. Unit.....                      | RD5-6868-0.....    | <b>1600</b> ..... | 384  |
| WA350 - WA600.....   | All models w/R10050-4, -5, -6, -7 unit.....                    | RD5-6868-0.....    | <b>1600</b> ..... | 384  |
|                      | Block Type (female o-ring) -6-12/-10-12 w/OE#.....             | AN51515-A0400..... | <b>1696</b> ..... | 388  |

#### Filters - In-Cab Air Filters, Recirculation, Fresh Air

| MODEL                                      | APPLICATION               | O.E.M. #          | PART NO.          | Page |
|--|---------------------------|-------------------|-------------------|------|
| Loader/Dozer PC200-2.0 Ser., D/WA Ser..... | 8" x 8" x 3/4" w/OE#..... | 77Z-97-00010..... | <b>9964</b> ..... | 404  |

IDLERS and TENSIONERS (see TENSIONERS also Illustration / Specification Section)

#### Receiver Driers and Accumulators

| MODEL              | APPLICATION  | O.E.M. #         | PART NO.          | Page |
|--------------------|--|------------------|-------------------|------|
| All.....           | Drier, Aluminum 2-3/8 x 10-1/4 w/OE#.....                | 51440-A1180..... | <b>7634</b> ..... | 546  |
| All.....           | Accumulator Pad Type w/OE#.....                          | 176-1902.....    | <b>7546</b> ..... | 539  |
| Grader GD655.....  | Pad Mount, 2-3/8"x9" with (2) 3/8-24 Fem. Sw. Ports..... | 464699.....      | <b>7420</b> ..... | 534  |
|                    |  | 20Y-979-320..... |                   |      |
| PC Series.....     | All models w/R10015-2, -3 evap. Unit.....                | RD5-7064-0.....  | <b>7502</b> ..... | 538  |
| WA350 - WA600..... | All models w/R10050-4, -5, -6, -7 unit.....              | RD5-7064-0.....  | <b>7502</b> ..... | 538  |
| All.....           | Accumulators 3/4" Female Inlet;.....                     |                  | <b>7431</b> ..... | 535  |
|                    | 3/4" MIO Outlet w/two 1/4" R12 Ports.....                |                  |                   |      |

**KOMATSU** (continued)

**Switches - Pressure**

Includes Binary, Trinary™, High, Low and Sensor Types

| MODEL               | APPLICATION                                  | O.E.M. #         | PART NO.          | Page |
|---------------------|--|------------------|-------------------|------|
| PC Series.....      | All models w/R10015-2, -3 evap. Unit .....   | RD5-8433-0 ..... | <b>1512</b> ..... | 578  |
| WA350 - WA600 ..... | All models w/R10050-4, -5, -6, -7 unit ..... | RD5-8433-0 ..... | <b>1512</b> ..... | 578  |

**Switches - Thermostatic**

| MODEL               | APPLICATION                                  | O.E.M. #       | PART NO.          | Page |
|---------------------|--|----------------|-------------------|------|
| PC Series.....      | All models w/R10015-2, -3 evap. Unit .....   | RD4427-24..... | <b>1331</b> ..... | 582  |
| WA350 - WA600 ..... | All models w/R10050-4, -5, -6, -7 unit ..... | RD4427-24..... | <b>1331</b> ..... | 582  |

**KUBOTA**

**Compressors**

| MODEL               | APPLICATION                                     | O.E.M. #          | PART NO.           | Page |
|---------------------|---|-------------------|--------------------|------|
| Denso SCSA06C ..... | 1 gr. 122mm DIR Pad Fittings 12v w/OE#.....     | MIA10078.....     | <b>5856</b> .....  | 255  |
| Denso 10P08E.....   | 1 gr. 122mm EAR Mount 12V 1 wire 1/2" belt..... | T0070-87290.....  | <b>5939</b> .....  | 256  |
| Denso SCS06C.....   | 1 gr. 4.18" Dia w/OE#.....                      | T1065-72213.....  | <b>52001</b> ..... | 257  |
| Denso SV07E .....   | 1 gr. 4.37 Dia. Pad Fittings 12v w/OE#.....     | 3C581-50060 ..... | <b>51429</b> ..... | 257  |
|                     |   | 3C581-97590 ..... |                    |      |
| Denso SV07E .....   | 1 gr. w/OE#.....                                | 447280-3090.....  | <b>call</b>        |      |
| Denso SCSA06C.....  | 6 gr. w/OE#.....                                | MIA10103.....     | <b>call</b>        |      |

**CONDENSERS**

| MODEL                            | APPLICATION                                  | O.E.M. #          | PART NO.          | Page |
|----------------------------------|--|-------------------|-------------------|------|
| B5030 / L4630 / L5030 .....      |  | T2055-7220.....   | <b>call</b>       |      |
| M108S / M8200 / M6800HDC / ..... | 13-1/2"x14-1/4"x7/8" Pad Fittings w/OE#..... | 3A851-50040 ..... | <b>6407</b> ..... | 360  |
| M9000 / M9540 .....              |  |                   |                   |      |

**Evaporator**

| MODEL    | APPLICATION  | O.E.M. #          | PART NO.          | Page |
|----------|--|-------------------|-------------------|------|
| AIL..... | 9" x 8-3/4 x 2-1/4 IN/OUT Metric O-Ring w/OE#..... | 3A851-72100 ..... | <b>6710</b> ..... | 379  |

**Expansion Valves and Orifice Tubes**

| MODEL  | APPLICATION   | O.E.M. #          | PART NO.           | Page |
|--|---|-------------------|--------------------|------|
| All.....                                       | w/Block Type IN -6-12 OUT -10-12 w/OE#.....           | 6A671-75040 ..... | <b>16104</b> ..... | 388  |
|  |   | 447500-1850 ..... |                    |      |
| M Series Tractors.....                         | w/Block Type IN 6.5 -12.5mm OUT 8 - 12.5mm w/OE#..... | 3A851-72170 ..... | <b>1685</b> .....  | 387  |
| DTC, FC, M120 w/Internally Equalized.....      | 11-1/4" Cap. Tube. IN 16mm, OUT 22mm w/OE#.....       | 33770-96120.....  | <b>call</b>        |      |
| Tractors w/Internally Equalized Exp. Vlv. .... | 14" Cap. Tube. IN 16mm, OUT 22mm w/OE# .....          | T1065-72170.....  | <b>1681</b> .....  | 392  |
| Excavator .....                                | All w/OE# .....                                       | 6A671-75040 ..... | <b>call</b>        |      |
| Receiver Driers (Accumulators) .....           | Drier 2.5" x 10" w/ Pad Fittings w/OE# .....          | T0070-7920.....   | <b>7546</b> .....  | 539  |
|  |   | T0070-79270 ..... |                    |      |
|  | Drierr 2.38" x 9.5" w/ Pad Fittings w/OE#.....        | T2055-72230.....  | <b>7615</b> .....  | 544  |
| Switches - Pressure .....                      | Low Pressure Switch M10 w/OE#.....                    | 33770-96290.....  | <b>1570</b> .....  | 575  |

**LINKBELT - Excavators 4300,5800,6000**

| MODEL                                | APPLICATION   | O.E.M. #           | PART NO.           | Page |
|--------------------------------------|---|--------------------|--------------------|------|
| Blower Motors.....                   | w/Red Dot Units; 24V Blower Assembly .....              | RD5-8583-1 .....   | <b>3999</b> .....  | 211  |
| Compressor .....                     | w/ 2Grv 135mm Dia 24V (488-45015).....                  | RD5-7163-0 .....   | <b>5756</b> .....  | 320  |
| Compressor .....                     | w/ 1 Grv 125mm 24V; WM Head (SD7344) W/OE# .....        | LC91V00001F1 ..... | <b>57344</b> ..... | 302  |
| Expansion Valves .....               | Block Valve - 2 ton Rating.....                         | RD5-7015-1 .....   | <b>1602</b> .....  | 384  |
| Heater Valves .....                  | w/Red Dot Unit, 24V Electr. Heater Valve Actuator.....  | RD1-1419-2 .....   | <b>2346</b> .....  | 472  |
| Filter Driers / Accumulators.....    | 2-3/4" x 10; #6,#6 Male ORng, top switch port, PRV..... | RD5-3593-1 .....   | <b>7388</b> .....  | 532  |
|                                      | 3"x9" Accumulator; Pad Type w/OE# .....                 | YT54500003P1.....  | <b>7569</b> .....  | 541  |
| Switches - Pressure High / Low ..... | Binary switch, Male 3/8 Thread.....                     | RD5-4585-0 .....   | <b>1500</b> .....  | 578  |
|                                      | Pressure Switch 2 Pin M10 (32 - 2).....                 |                    | <b>1570</b> .....  | 575  |
| Switches - Thermostatic.....         | Pre-Set Type 24" Cap Tube (31° - 39°) .....             | RD5-4531-24 .....  | <b>1332</b> .....  | 582  |

**MANITOU**

| MODEL                | APPLICATION            | O.E.M. #     | PART NO.          | Page |
|----------------------|------------------------|--------------|-------------------|------|
| Receiver Drier ..... | All MLA628 w/OE# ..... | 564207 ..... | <b>7617</b> ..... | 544  |

**MASSEY FERGUSON**

**Blower Motors**

| MODEL   | APPLICATION  | O.E.M. #         | PART NO.          | Page |
|---|--|------------------|-------------------|------|
| 410,510,540,550,750,760 Combine.....  | Condenser motor, single shaft (1/4" or 5/16')..... | 250936M92 .....  | <b>3354</b> ..... | 197  |
|   |  | 274939M3 .....   |                   |      |
| 550,850 Combine.....  | Cond. Motor (3-1/4" dia. w/vent tube) .....        | 284573M2 .....   | <b>call</b> ..... |      |
| 750,760,850,860,865 Combine.....  | Double shaft (3/8") 12v 3 speed 5 wire.....        | 1048515M91 ..... | <b>3954</b> ..... | 204  |
| 285, 1085,1155,1505,1805,2640,2675,2705,<br>2745,2775,2805,3505,3525,3545 Tractor |  | 1681361M91 ..... |                   |      |
|   |  | 1894729M91 ..... |                   |      |

**Blower Switches**

Includes Circuit Breaker, Fan, Rocker, Rotary, and Toggle

| MODEL  | APPLICATION                              | O.E.M. #       | PART NO.          | Page |
|--|--|----------------|-------------------|------|
| <b>COMBINE:</b>                                  |  |                |                   |      |
| 410 / 510 / 540.....                             | Blower switch, OE# .....                 | 250696M1 ..... | <b>1150</b> ..... | 553  |
| 750 / 760.....                                   | Blower switch, 5 term.w/o resistors..... | 271105M1 ..... | <b>1151</b> ..... | 553  |
| <b>TRACTOR:</b>                                  |  |                |                   |      |
| 285 / 1085 / 1105 / 1135 / 1155 /<br>1505 / 1805 | Blower switch, 5 term.w/o resistors..... | 271105M1 ..... | <b>1151</b> ..... | 553  |

**Clutches**

| MODEL                | APPLICATION                             | O.E.M. #        | PART NO.          | Page |
|----------------------|---|-----------------|-------------------|------|
| All.....             | York Style 2 gr. 6" dia w/diode .....   | 165129C91 ..... | <b>5044</b> ..... | 229  |
| 410,510 Combine..... | York Style 2 gr. 7" dia Heavy Duty..... | 470039M91 ..... | <b>5141</b> ..... | 230  |

**MASSEY FERGUSON** (continued)

**Compressors**

| MODEL  | APPLICATION                                   | O.E.M. #   | PART NO.     | Page |
|--|---|------------|--------------|------|
| 500-4000 Ser.w/SN# C210010 and up                  | Sanden SD7H15 (model 4708) w/2 gr 12v clutch  | 3712528M2  | <b>5341</b>  | 288  |
| 3060,3660,3670 Tractor                             | Sanden SD7H15 (model 4643) w/2 gr 12v clutch  |            | <b>5725</b>  | 292  |
| 410,510,8590,9720 Combine                          | York/CCI Rotolock (R209/210L) compressor      | 250951M91  | <b>5236</b>  | 250  |
|  |   | 1034589M91 |              |      |
| 410,510,8590,9720 Combine                          | York/CCI Tube-O (T209/210L) compressor        | 1026088M91 | <b>5256</b>  | 250  |
| 750,760 Combine                                    | York/CCI Flange (F209/210R) compressor        | 1042505M91 | <b>5248</b>  | 250  |
| 383,390,393,396,398,399 Tractor                    | Sanden SD7H15 (model 4708) w/2 gr 12v clutch  | 3763384M91 | <b>5341</b>  | 288  |
| 690,698,699 Tractor                                | Sanden SD510 (model 9120) w/2 gr 12v clutch   | 690711M1   | <b>5920</b>  | 294  |
| 1080,1085,1100,1130,1150,1500, 1800 Tractor        | Frigidaire A6 comp w/5-5/8" dia. 12v clutch   | 530748M91  | <b>5255A</b> | 265  |
|  |   | 521257M92  |              |      |
| 3060,3660,3670,3690,6150,6170,6180, 8120,8140,8160 | Sanden SD7H15 (model 4708) w/2 gr 12v clutch  | 3712528M2  | <b>5341</b>  | 288  |
| <b>COMPRESSORS - GM Harrison / Frigidaire</b>      |   |            |              |      |
| All  | w/A6 comp. w/1 grv. 4-7/8 dia. Clutch         | 1131243    | <b>5250A</b> | 264  |
|  | w/A6 comp. w/1 grv. 5-1/2 dia. Clutch         | 530748M91  | <b>5255A</b> | 265  |
|  |   | 521257M92  |              |      |
|  |   | 1904014M92 |              |      |
|  |   | 533713M92  |              |      |
|  |   | 586126M91  |              |      |
|  |   | 595995M91  |              |      |
|  |   | 771810M91  |              |      |
|  |   | 5307487M91 |              |      |
|  |   | 5212557M92 |              |      |
|  |   | 1904024M91 |              |      |
|  | w/A6 comp. w/1 grv. 6-7/8 dia. Clutch, 24v    | 595995M91  | <b>5252A</b> | 265  |
|  |   | 586126M91  |              |      |
|  |   | 771810M91  |              |      |
| <b>COMPRESSORS - SANDEN</b>                        |   |            |              |      |
| 7H15HD   | 2 gr. 125mm dia horiz pad fittings (4708)     | 3712528M2  | <b>5341</b>  | 288  |
| 7H15HD   | 2 gr. 132mm dia, vert 1x14 fittigs (4643)     | 72504984   | <b>5725</b>  | 292  |
| 7H15SHD  | 2 gr. 140mm dia. Ear Mount; 12V 1 wire (8088) | 3782613M2  | <b>5308</b>  | 286  |
| <b>COMPRESSORS - SELTEC / VALEO</b>                |   |            |              |      |
| TM16SHD  | 2 gr. 152mm 12v w/OE#                         | 48846204   | <b>5810</b>  | 323  |

APPLICATIONS - OFF ROAD

**Expansion Valves and Orifice Tubes**

| MODEL  | APPLICATION                                       | O.E.M. #   | PART NO.    | Page |
|--|---|------------|-------------|------|
| <b>COMBINE:</b>  |   |            |             |      |
| 410 / 510  | O-Ring fittings, internally equalized (1 tube)OE# | 1034564M91 | <b>1640</b> | 392  |
| 540 / 550  | O-Ring fittings, internally equalized (1 tube)OE# | 237409M1   | <b>1647</b> | 392  |
| 750 / 760 / 850 / 860 / 865  | O-Ring fittings, internally equalized (1 tube)OE# | 3038920M91 | <b>1647</b> | 392  |
|  | Flare fittings, internally equalized (1 tube)OE#  | 529876M91  | <b>1635</b> | 392  |
|  | Flare fittings, externally equalized (2 tubes)OE# | 250902M1   | <b>call</b> |      |
| 850 / 860 / 865  | Block valve, OE#                                  | 284238M1   | <b>1600</b> | 384  |
| 8560 / 8570 / 8590 / 9720  | Flare fittings, externally equalized (2 tubes)OE# | 1072136M91 | <b>call</b> |      |
| <b>TRACTOR:</b>  |   |            |             |      |
| 383 / 390 / 393 / 396 / 398 / 399  | O-Ring fittings, internally equalized (1 tube)OE# | 3478520M91 | <b>call</b> |      |
| 690 / 698 / 699 / 2640 / 3505 / 3525 / 3545                                | O-Ring fittings, externally equalized (2 tubes)OE | 3380223M1  | <b>call</b> |      |
| 1080 / 1100 / 1130 / 1150  | O-Ring fittings, internally equalized (1 tube)OE# | 1034564M91 | <b>1640</b> | 392  |
| 1085 / 1105 / 1135 / 1155 / 1505 / 1805                                    | Flare fittings, internally equalized (1 tube)OE#  | 529876M91  | <b>call</b> |      |
| 1500 / 1800  | Flare fittings, externally equalized (2 tubes)OE# | 250902M1   | <b>call</b> |      |
| 2675 / 2705 / 2745 / 2775 / 2805   | O-Ring fittings, externally equalized (2 tubes)OE | 3321511M91 | <b>1631</b> | 391  |
|  | O-Ring fittings, internally equalized (1 tube)OE# | 3038920M91 | <b>1647</b> | 392  |
| 3050 / 3060 / 3070 / 3090 / 3120T / 3140 / 3630 / 3650,3660,3670,3680,3690 | Block valve, OE#                                  | 3311533M91 | <b>1600</b> | 384  |

**MASSEY FERGUSON** (continued)

Filters - In-Cab Air Filters, Recirculation, Fresh Air

| MODEL                 | APPLICATION                               | O.E.M. #        | PART NO. Page         |
|-----------------------|---|-----------------|-----------------------|
| MF3050-8020 Ser. .... | All 5-1/2" x 34-1/4" x 2-3/8" w/OE# ..... | 3388840M2 ..... | <b>9966</b> ..... 405 |

APPLICATIONS - OFF ROAD

Receiver Driers and Accumulators

| MODEL  | APPLICATION                                     | O.E.M. #         | PART NO. Page         |
|--|---|------------------|-----------------------|
| COMBINE: 410,510,750,760 .....   | Flare fittings, 3" x 6" .....                   | 1034581M91 ..... | <b>7124</b> ..... 527 |
|  | Flare fittings, 2-1/2" x 8" .....               | 1032477M91 ..... | <b>7152</b> ..... 528 |
| COMBINE: 8570,8590,9720 .....  | Flare fittings, 2-3/4" x 10" w/switch.....      | 1039481M91       |                       |
|  |   | 3347710M1 .....  | <b>7154</b> ..... 529 |
| TRACTOR: 285,383,390,393,396,398,399,690,698,<br>1080,1085,1100,1105,1130,1135,1150,<br>1155,1500,1505,1800,1805,3050,3060,<br>3070,3090,3140,3505,3525,3545,3630,<br>3650,3660,3670,3680,3690 | All .....                                       | 72161835         |                       |
|  |   | 772075M91 .....  | <b>7124</b> ..... 527 |
| All .....  | Flare fittings, 3" x 6" .....                   | 3383321M1 .....  | <b>7152</b> ..... 528 |
|  | Flare fittings, 2-1/2" x 8" .....               | 376335M1         |                       |
| TRACTOR: 690,698,699,2640,3545 .....   | O-Ring fittings 3" x 6" .....                   | 692462M91 .....  | <b>7125</b> ..... 527 |
| TRACTOR: 3060,3670,3690,6150 6170, .....   | O-Ring fittings 2-3/4" x 6" w/port.....         | 3712495M1 .....  | <b>7126</b> ..... 527 |
| 6180,8120,8140,8160  |   |                  |                       |
| TRACTOR: 2675,2705,2745,2775,2805 .....  | O-Ring fittings, 2-1/2" x 8" w/female port..... | 3039149M91 ..... | <b>7118</b> ..... 527 |

Switches - Pressure

Includes Binary, Trinary™, High, Low and Sensor Types

| MODEL  | APPLICATION                                  | O.E.M. #        | PART NO. Page         |
|--|--|-----------------|-----------------------|
| COMBINE: 540 / 550 / 750 / 760 / 850 / 860 / 865; and<br>TRACTOR:<br>1080 / 1085 / 1100 / 1105 / 1130 / 1135 / 1150 / 1155 /<br>1500 / 1505 / 1800 / 1805 / 2640 / 2675 / 2705 / 2745 /<br>2775 / 2805 / 3505 / 3525 |  |                 |                       |
| All w/OE#.....   | Superheat switch, A6 compressor .....        | 837255M91 ..... | <b>1406</b> ..... 570 |
|  | High pressure switch .....                   | 250958M1 .....  | <b>1491</b> ..... 574 |
|  | Low pressure switch .....                    | 274011M1 .....  | <b>1432</b> ..... 571 |
|  | Thermo Disc switch (condenser mounted) ..... |                 | <b>1415</b> ..... 570 |

Switches - Thermostatic

| MODEL   | APPLICATION                            | O.E.M. #         | PART NO. Page         |
|---|--|------------------|-----------------------|
| COMBINE: 410 / 510 / 540 / 750 / 760; and<br>TRACTOR: 285 / 383 / 390 / 393 / .....   | Knob operated, 48" capillary tube..... | 250698M1 .....   | <b>1348</b> ..... 582 |
| 396 / 698 / 699 / 1080 / 1085 / 1100 / 1105 /<br>1130 / 1135 / 1150 / 1155 / 1500 / 1505 / 1800 / 1805 /<br>2640 / 2675 / 2705 / 2745 / 2775 / 2805 / 3525 / 3545 |  | 1034565M91       |                       |
|   |  | 3320059M2        |                       |
| COMBINE:<br>410 / 510 .....   | All w/OE# .....                        | 1030616M91 ..... | <b>call</b>           |
| 8560 / 8570 / 8590 .....  | All w/OE# .....                        | 1072139M91 ..... | <b>1336</b> ..... 582 |
| TRACTOR:<br>383 / 390 / 393 / 396 / 398 / 399 .....   | All w/OE# .....                        | 3478454M1 .....  | <b>1348</b> ..... 582 |
| 690 / 698 / 699 / 3050 / 3060 / 3070 / .....  | All w/OE# .....                        | 3310669M91 ..... | <b>1336</b> ..... 582 |
| 3090 / 3120 / 3140 / 3630 / 3650 / 3660 /<br>3670 / 3680 / 3690   |  |                  |                       |



## OSHKOSH

### Blower Motors

| MODEL            | APPLICATION  | O.E.M. #     | PART NO.   | Page |
|------------------|--|--------------|------------|------|
| All Models ..... | 2 Speed, 12V; 2 wires, Internal Grnd. CW w/OE# ..... | 2GL973 ..... | 3146 ..... | 193  |

## SAMSUNG (see DAEWOO)

## TAKEUCHI

| MODEL                                | APPLICATION   | O.E.M. #          | PART NO.   | Page |
|--------------------------------------|---|-------------------|------------|------|
| Blower Motors .....                  | Blower Housing Assembly 3 Speed, 24V .....                    | RD5-5534 .....    | 3997 ..... | 211  |
| Compressor .....                     | w/ 2gr. 125mm 24V, Ear Mount, R134a (Sanden #4742) .....      | 4742 .....        | 5749 ..... | 293  |
| Filter (Fresh Air, Re-Circ.) .....   | 16-5/16" x 5-3/4" x 1/2" (foam) w/R2820 A/C .....             | RD3-10331-0 ..... | 9948 ..... | 403  |
| Filter Driers and Accumulators ..... | 2-1/2"x 6-3/4" IN 3/8 male; OUT 1/2" male (In-LineType) ..... | RD5-4947-0 .....  | 7140 ..... | 528  |

## TEREX

### Blower Motors

| MODEL              | APPLICATION     | O.E.M. #     | PART NO. | Page |
|--------------------|-----------------|--------------|----------|------|
| w/Kysor Unit ..... | 24v w/OE# ..... | 274222 ..... | call     |      |

### Blower Switches

Includes Circuit Breaker, Fan, Rocker, Rotary, and Toggle

| MODEL                       | APPLICATION                       | O.E.M. #     | PART NO.   | Page |
|-----------------------------|-----------------------------------|--------------|------------|------|
| 1988-72 Loader/Hauler ..... | w/Kysor Unit, Toggle Switch ..... | 220758 ..... | 1060 ..... | 552  |

## Compressors

| MODEL                           | APPLICATION   | O.E.M. #          | PART NO.    | Page |
|---------------------------------|---|-------------------|-------------|------|
| A6 Frigidaire .....             | w/6-7/8" dia. clutch 24v; Not for CCW applications .....        | 1131274 .....     | 5252A ..... | 265  |
|                                 | (with L.H. Coil Position (11:00 PM))                            |                   |             |      |
| A6 Frigidaire .....             | w/4-7/8" dia. clutch 24 volt, CCW .....                         | 2724154 .....     | call        |      |
|                                 | (with L.H. Coil Position (11:00 PM). (CCW rotation compressor)) |                   |             |      |
| A6 Frigidaire .....             | w/5" dia. 24v clutch (high pressure switch) .....               | 1131274 .....     | 5254 .....  | 265  |
| DENSO - 10PA15C                 |   |                   |             |      |
| AC80 / AC120 Demag Cranes ..... | 1 gr. w/135mm Dia., 24v, 1/2 belt .....                         |                   | 51411 ..... | 256  |
| Advance Mixer Truck .....       | 8 gr. w/180mm Dia. w/4802 Head, 12v .....                       | 4909 .....        | 54909 ..... | 301  |
| All 10PA15C .....               | 11 gr. w/135mm Dia., 24v w/OE# (Will replace 9 groove) .....    | 447200-0014 ..... | 51430 ..... | 257  |

## Expansion Valves

| MODEL                     | APPLICATION  | O.E.M. #      | PART NO.   | Page |
|---------------------------|--|---------------|------------|------|
| Loader/Hauler w/OE# ..... | w/Kysor Unit, O-Ring fittings externally equalized (2 tubes) ..... | 404073 .....  | 1625 ..... | 391  |
| All w/OE # .....          | O-Ring fittings externally equalized (2 tubes) .....               | 9053997 ..... | 1625 ..... | 391  |

### TEREX (continued)

#### Filters - In-Cab Air Filters, Recirculation, Fresh Air

| MODEL                   | APPLICATION                     | O.E.M. #      | PART NO. Page  |
|-------------------------|---------------------------------|---------------|----------------|
| TA30/TR100, TK Ser..... | 9-7/8" x 11-7/8" x 15/16" ..... | 6C-9226 ..... | 9958 ..... 404 |

#### Heater Valves

| MODEL                       | APPLICATION                               | O.E.M. #     | PART NO. Page  |
|-----------------------------|---|--------------|----------------|
| 1988-72 Loader/Hauler ..... | w/Kysor Unit (Can substitute #2210) ..... | 173048 ..... | 2105 ..... 470 |

#### Receiver Driers and Accumulators

| MODEL                         | APPLICATION   | O.E.M. #         | PART NO. Page  |
|-------------------------------|---|------------------|----------------|
| SKL863 / SKL873 Loaders ..... | 3"x6-1/4" #6 IN, #6 OUT MOR, HPRV .....   |                  | 7593 ..... 542 |
| All w/OE #.....               | Female O-Ring 3" x 8-1/2", GM style; R12 Only -<br>(Note: Use #7107 07-0200A for retrofit to R134a) | 3046235 .....    | see note       |
|                               | Male O-Ring, 2-1/2" x 8" w/Switch Port .....  | 400003 .....     | 7480 ..... 536 |
|                               | 7-1/2" x 2-7/8" #6 MIO Fittings w/OE#.....  | 5821662227 ..... | 7613 ..... 544 |

#### Switches - Thermostatic

| MODEL                        | APPLICATION                            | O.E.M. #      | PART NO. Page  |
|------------------------------|--|---------------|----------------|
| 1988-72 Loader /Hauler ..... | w/Kysor Unit, Cable operated.....      | 404019 .....  | 1327 ..... 581 |
| All w/OE #.....              | Knob operated, 18" capillary tube..... | 9038467 ..... | 1318 ..... 581 |

### TIMBERJACK

| MODEL                    | APPLICATION   | O.E.M. #         | PART NO. Page  |
|--------------------------|---|------------------|----------------|
| Blower Motor .....       | All w/3 Spd. (CW, CCW) 12V (Double Shaft 2-3/4) ..... | PM393 .....      | 3393 ..... 198 |
| Filter (Fresh Air) ..... | w/Red Dot Unit R2820 (16-5/16 x 5-3/4 x 1/2) .....    | 5X013817 .....   | 9948 ..... 403 |
| Resistor.....            | w/Red Dot Unit R2820 (3 speed) .....                  | RD5-9445-0 ..... | 1364 ..... 562 |

### VERSATILE

#### Blower Motors

| MODEL  | APPLICATION                                   | O.E.M. #     | PART NO. Page  |
|--|---|--------------|----------------|
| D6,500,555,700,750,800,825, .....                | Double shaft (3/8") 12v 3 sp 5 wire, OE#..... | 35513 .....  | 3954 ..... 204 |
| 835,836,850,855,856,875,<br>876,900,935,950,1156 |   | 18380        |                |
| Tractor w/Kysor AC (78-80) .....                 | Evap.motor 12v double shaft 2 wire.....       | 275152 ..... | 3389 ..... 197 |

#### Blower Switches

Includes Circuit Breaker, Fan, Rocker, Rotary, and Toggle

| MODEL                            | APPLICATION         | O.E.M. #     | PART NO. Page  |
|----------------------------------|---------------------|--------------|----------------|
| Tractor w/Kysor AC (78-80) ..... | Rocker switch ..... | 220891 ..... | 1105 ..... 552 |

**VERSATILE** (continued)

**Clutches**

| MODEL  | APPLICATION   | O.E.M. # | PART NO.                   | Page       |
|--|---|----------|----------------------------|------------|
| 700,750,800,825,835,850,855,875, 895,900,935,950 | York Style w/ 2 Grv. 7" dia. 12v<br>York Style w/ 2 Grv. 7" dia. 12v HD | 17906    | <b>5041</b><br><b>5141</b> | 229<br>230 |

**Compressors**

| MODEL  | APPLICATION                      | O.E.M. #       | PART NO.    | Page |
|--|----------------------------------|----------------|-------------|------|
| D6,256,276,756,836,856,876,1156                  | SD510 w/2 gr clutch (9125)       | 88340          | <b>call</b> |      |
| 700,750,800,825,835,850,855,875, 895,900,935,950 | York Style Rotolock (R209/210L)  | 17905          | <b>5236</b> | 250  |
| 160,555,835,855,875,895,945,955, 975,1150        | SD510 (model 9103) w/2 gr clutch | 63557<br>63456 | <b>5290</b> | 304  |

**Expansion Valves**

| MODEL  | APPLICATION  | O.E.M. # | PART NO.    | Page |
|--|--|----------|-------------|------|
| D6,756,836,856,876,1156  | Block Valve w/OE#                                      | 79840    | <b>1600</b> | 384  |
| 150,160  | w/OE#  | 48724    | <b>call</b> |      |
| 256,276  | O-Ring fittings, externally equalized (2 tubes) w/OE#  | 70267    | <b>1631</b> | 391  |
| 500,555,700,750,800,825,835,850, 855,875,895,900,935,945,950,955,975 | Flare fittings, externally equalized (1-1/2 ton) w/OE# | 31510    | <b>1610</b> | 391  |
| Swather w/Kysor AC (79-86)   | Block Valve w/OE#                                      | 404098   | <b>1600</b> | 384  |
| Tractor w/Kysor AC (78-80)   | O-Ring fittings, externally equalized (2 tubes) w/OE#  | 404073   | <b>1625</b> | 391  |
| All  | Block Type, 2 Ton 1/4" R12 trinary port w/OE#          | 82000932 | <b>1604</b> | 384  |

**Receiver Driers and Accumulators**

| MODEL  | APPLICATION                     | O.E.M. # | PART NO.    | Page |
|--|---------------------------------|----------|-------------|------|
| 500,555,700,750,800,825,835,850, 855,875,895,900,935,945,950,955,975 | Flare, 4" x 6-3/4" w/side inlet | 30080    | <b>7211</b> | 531  |
| 700,800,825,850,900  | Flare, 2-1/2" x 8"              | 18395    | <b>7152</b> | 528  |
| All w/OE#  | O-Ring, 3" x 9" with PRV        | 9705765  | <b>7156</b> | 529  |
| Swather w/Kysor AC (79-86)   | O-Ring, 4" x 7" w/side inlet    | 402527   | <b>7232</b> | 531  |
| Tractor w/Kysor AC (78-80)   | O-Ring, 2-3/4" x 10" Tee-flow   | 402529   | <b>7156</b> | 529  |

**Switches - Pressure**

Includes Binary, Trinary™, High, Low and Sensor Types

| MODEL  | APPLICATION                           | O.E.M. # | PART NO.    | Page |
|--|---------------------------------------|----------|-------------|------|
| D6,150,160,256,276,500,555,700,750, 756,800,825,835,836,850,855,856,875, 876,895,900,935,945,950,955,975,1150,1156 | Thermo Disc switch, condenser mounted |          | <b>1415</b> | 570  |
| All  | Low pressure switch w/OE#             | 31509    | <b>call</b> |      |
| All  | High pressure switch w/OE#            | 30377    | <b>call</b> |      |

**VERSATILE** (continued)

Switches - Thermostatic

| MODEL  | APPLICATION                            | O.E.M. #       | PART NO.    | Page |
|--|--|----------------|-------------|------|
| D6,256,276,500,555,700,750,756,800,<br>825,835,836,850,855,856,875,876,895,<br>900,935,945,950,955,975,1150,1156 | Knob operated, 36" capillary tube..... | 53620<br>31505 | <b>1336</b> | 582  |
| All.....   | Knob operated, 48" capillary tube..... | 18342          | <b>1348</b> | 582  |
| 700,800.....   | Lever operated.....                    | 18392          | <b>call</b> |      |
| 1150.....  | w/OE#.....                             | 62481          | <b>call</b> |      |
| Swather w/Kysor AC (79-86).....  | Knob operated, 36" capillary tube..... | 404028         | <b>1336</b> | 582  |

APPLICATIONS - OFF ROAD

**VOLVO - Construction Equipment**

Blower Motor Assembly

| MODEL                  | APPLICATION   | O.E.M. # | PART NO.     | Page |
|------------------------|---|----------|--------------|------|
| L70C Wheel Loader..... | Assm. 24v 13.70" Length (incl. 4 Spd Resistor)..... | V1006834 | <b>3800A</b> | 209  |
|                        | Assm. 24v 13.70" Length (incl. 3 Spd Resistor)..... | V1006834 | <b>3800</b>  | 209  |

Compressors

| MODEL                           | APPLICATION   | O.E.M. #                         | PART NO.     | Page |
|---------------------------------|---|----------------------------------|--------------|------|
| L50D Wheel Loaders DKS15CH..... | 2 gr 4.92" Dia Direct Mnt Pad Type w/OE#.....       | 11006431<br>8708581              | <b>51427</b> | 324  |
| 7H15HD.....                     | 2 gr. 132mm 24V, Ear Mnt, WZ Head (8045).....       | 11104419                         | <b>58045</b> | 302  |
| 7H15.....                       | 2 gr. 132mm 24V Ear Mount WZ Head(8152).....        | 14506862                         | <b>58152</b> | 303  |
| 7H15SHD.....                    | 2 gr. 132mm 24V 2-wire Ear Mount WZ Head(6035)..... | 11412632                         | <b>56035</b> | 301  |
| 7H15.....                       | 2 gr. 132mm 24V, Ear Mnt, FZ Head (8069).....       | 11007309<br>11007314, 315        | <b>58069</b> | 302  |
|                                 | 2 gr. 125mm 12V, Ear Mnt, JD Head (4627).....       | 18882609                         | <b>5727</b>  | 293  |
| 7H15.....                       | 8 gr. 119mm 12v, Ear Mnt. JD Head (8103) w/OE#..... | 820161581                        | <b>5706</b>  | 292  |
| SD7H15.....                     | 8 gr. 132mm 24v, w/OE#.....                         | 8142555                          | <b>call</b>  |      |
| 7H15.....                       | 8 gr. 130mm 24V, Dir. Mnt, WZ Head (8112).....      | 11104251<br>11412631<br>21184142 | <b>58112</b> | 303  |
| SPRHD.....                      | 8 gr. 180mm Dir Mount 24V.....                      | SD4298                           | <b>54324</b> | 297  |

Condensers

| MODEL                  | APPLICATION   | O.E.M. # | PART NO.    | Page |
|------------------------|---|----------|-------------|------|
| Articulated Truck..... | 22-5/8" x 21-5/8" x 2-1/2" (#6 MIO #8 Flare) w/OE#..... | 11007249 | <b>6412</b> | 360  |
| Articulated Truck..... | 22-3/4" x 21-3/4" x 2-1/2" (Pad Fittings) w/OE#.....    | 11115414 | <b>6413</b> | 360  |

Evaporators

| MODEL                  | APPLICATION  | O.E.M. # | PART NO.    | Page |
|------------------------|--|----------|-------------|------|
| Articulated Truck..... | 22-3/4" x 21-3/4" x 2-1/2" (Pad Fittings) w/OE#..... | 11115414 | <b>6700</b> | 378  |
| Articulated Truck..... | 9" x 18-3/4" x 5-1/2" #8 Female #10 MIO w/OE#.....   | 11412984 | <b>6705</b> | 378  |

**VOLVO - Construction Equipment** (continued)

Expansion Valve

| MODEL | APPLICATION                                   | O.E.M. # | PART NO. | Page |
|-------|---|----------|----------|------|
| All   | Block Type 1.5 Ton Rating, -6-10/-10-10 w/OE# | 14509331 | 1697     | 388  |

Filters - In-Cab Air Filters, Recirculation, Fresh Air

| MODEL                              | APPLICATION                      | O.E.M. # | PART NO. | Page |
|------------------------------------|----------------------------------|----------|----------|------|
| Excavator EC135B-700B, EW140B-200B | 7-1/8" x 11-3/4" x 2-1/16" w/OE# | 14503269 | 9967     | 405  |
| Loader L70-L330 Series             | 13" x 15-1/2" x 2-3/4" w/OE#     | 11007848 | 9968     | 405  |
| Loader, Backhoe L/LC Series        | 16" x 18-3/8" x 1/4" w/OE#       | 11007847 | 9969     | 405  |

Receiver Driers and Accumulators

| MODEL                         | APPLICATION   | O.E.M. #      | PART NO. | Page |
|-------------------------------|---|---------------|----------|------|
| All                           | 3"x10-1/2" Pad Mount w16mm Port wOE#                          | 11164457      | 7545     | 539  |
|                               |   | 11104567      |          |      |
| All                           | #6X6 MIO, Side SG, 1)Male 1/4" Port, 2)Fem 1/4" Ports         | 1089855       | 7612     | 544  |
| All                           | 4"x6-3/4" #6 IN #6 OUT MOR w/OE#                              | RD5-6075-0    | 7565     | 540  |
| EC240BLC/240CL/290 Excavators | 2-3/8"x7-1/2" Pad Mount w/OE#                                 | 14509377      | 7592     | 542  |
| EC200-300, L90 Excavators     | 3" x 8" IN 3/8 MIO; OUT 3/8 FOR, w/Fuse Plug & Port w/OE#     | 20490945      | 7580     | 541  |
|                               |   | TEAE0023AAF20 |          |      |
| A25-30-40 Articulated Trucks  | 3" x 8-3/4" 3/8 x 3/8 Male O-ring, 1/4" Port; w/bracket w/OE# | 11005931      | 7579     | 541  |
|                               |   | 1089854       |          |      |
|                               |   | 13621495      |          |      |
| A30-40 Articulated Trucks     | 3" x 8" IN 3/8 MIO; OUT 3/8 FOR, w/Fuse Plug & Port w/OE#     | 20490945      | 7580     | 541  |
|                               | 3" x 9" IN #6 OUT #6 PRV -Side, 1/4" Port w/OE#               | 82733985      | 7159     | 529  |
|                               | 3" x 9" IN #6 OUT #6 PRV -Side, (2) 1/4" Port w/OE#           | V12745393     | 7161     | 529  |

**ZETOR - Farm Tractors**

| MODEL  | APPLICATION                                | O.E.M. # | PART NO. | Page |
|--------|--|----------|----------|------|
| 7H15HD | 2 grv. 125mm 12v 1 wire 1x14 CB Head w/OE# | SD4706   | 54706    | 300  |

APPLICATIONS - OFF ROAD