

A/C & HEATER UNITS

 VISIONAIRE, INC.

CONDENSER — ROOFTOP

43-3000

CONSTRUCTION • AGRICULTURE • FORESTRY • UNIVERSAL

The model 3000 Compact Condenser is designed for small cab applications. This forced air condenser can be used with the model 4100 evaporator.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<http://www.visionaire-inc.com>
866-838-2810



PART NO.	SHIPPING NOTICE
43-3000-1000 12VDC	Due to the size and weight this unit must be shipped LTL.
43-3000-2000 24VDC	

SPECIFICATIONS

Capacity..... 18,000 BTU/hr
Current Draw 8 amps @ 12VDC 4 amps @ 24VDC
Weight 26 LBS
Condenser Coil Copper Tubing Aluminum Fin
Dimensions..... 20.8" L x 10.1" W x 9.4" H
Motor 9" Condenser Fan



OPTIONS	• Remote Evaporator	• Refrigeration Hose Kit
	• Remote Compressor	

SERVICE PARTS

Part No.	
10-10-3000	Condenser Coil
14-10-0911	Condenser Fan



A/C & HEATER UNITS

CONDENSER — ROOFTOP — BACK WALL

43-3010

CONSTRUCTION • AGRICULTURE • FORESTRY • UNIVERSAL

Mounted to a vertical or horizontal surface, the model 3010 Condenser is versatile and rugged. Ideal for use with the model 4100, and 4050 Evaporators. The 3010 unit is also available with an externally mounted drier and binary switch.

Not Sure What To Order?
We Can Help . . .


See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810




PART NO.	
43-3010-1000	12VDC
43-3010-2000	24VDC
43-3010-1000K	w/Drier 12VDC
43-3010-2000K	w/Drier 24VDC

SHIPPING NOTICE
This unit can be shipped by UPS
or LTL.



SPECIFICATIONS	
Capacity	33,000 BTU/hr
Current Draw	11 amps @ 12VDC 5.5 amps @ 24VDC
Weight	36 LBS
Condenser Coil	Copper Tubing Aluminum Fin
Dimensions	20.4" L x 14.5" W x 10.2" H
Motor	14" Condenser Fan



OPTIONS	• Remote Evaporator	• Refrigeration Hose Kit
	• Remote Compressor	• Attached Drier

SERVICE PARTS	
Part No.	
10-10-0060	Condenser Coil
14-10-1410	Condenser Fan 12VDC
14-10-1411	Condenser Fan 24VDC
13-10-1010	Drier
12-10-3000	Binary/Pressure Switch
16-19-2002	Schrader Valve

A/C & HEATER UNITS

 VISIONAIRE, INC.

CONDENSER — ROOFTOP — BACK WALL

43-3025

CONSTRUCTION • AGRICULTURE • FORESTRY • TRUCKS • UNIVERSAL

The 3025 is a rugged, low profile Condenser perfect for back of day cabs or any cab where space is limited and superior performance is needed. A perfect match for any 16,000-20,000 BTU Evaporator. Available with optional attached drier.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810



PART NO.


43-3025-100012VDC
43-3025-200024VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.

SPECIFICATIONS

Capacity.....24,000 BTU/hr
Current Draw11 amps @ 12VDC5.5 amps @ 24VDC
Weight36 LBS
Condenser CoilAluminum Multiflow
Dimensions.....24.6" L x 14.4" W x 5.7" H
Motor14" Condenser Fan



- OPTIONS
- Remote Evaporator
 - Attached Drier

- Remote Compressor
 - Refrigeration Hose Kit

SERVICE PARTS

Part No.	
10-10-3025.....	Condenser Coil
14-10-1410.....	Condenser Fan 12VDC
14-10-1411.....	Condenser Fan 24VDC
13-10-1005.....	Drier
30-0000-210.....	Drier Bracket
35-3025-002.....	Drier Tube



A/C & HEATER UNITS

CONDENSER — BACK WALL

43-3030

CONSTRUCTION • AGRICULTURE • FORESTRY • UNIVERSAL

The 3030 features various mounting configurations and a low profile design, making it easily adaptable to most vehicles. Ideal for use with any mid-size evaporators, including the model 4050, 4050M and 4030.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810




PART NO.

43-3030-1112 12VDC

43-3030-2112 24VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.



SPECIFICATIONS

Capacity.....32,000 BTU/hr
Current Draw 15 amps @ 12VDC 7 amps @ 24VDC
Weight38 LBS
Condenser Coil Aluminum Multiflow
Dimensions.....29.7" L x 17.6" W x 8.2" H
Motor 12" Condenser Fan

OPTIONS

- Remote Evaporator
- Remote Compressor
- Refrigeration Hose Kit

SERVICE PARTS

Part No.

10-10-3030 Condenser Coil
12-10-3000 Binary/Pressure Switch
13-10-1005 Drier
14-10-1220 Condenser Fan 12VDC
14-10-1221 Condenser Fan 24VDC

A/C & HEATER UNITS

CONDENSER — ROOFTOP — BACK WALL

43-3060

CONSTRUCTION • AGRICULTURE • FORESTRY • RAIL • UNIVERSAL

Model 3060 is a high capacity single fan condenser design for large cab applications. It can be used in conjunction with the model 4161 Evaporator or other high capacity evaporators.


Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810



PART NO.	SHIPPING NOTICE
43-3060-1112 12VDC	This unit can be shipped by UPS or LTL.
43-3060-2112 24VDC	



SPECIFICATIONS

Capacity.....45,000 BTU/hr
Current Draw 12 amps @ 12VDC6 amps @ 24VDC
Weight50 LBS
Condenser CoilCopper Tubing Aluminum Fin
Dimensions.....27.1" L x 23.6" W x 9" H
Motor 16" Condenser Fan

OPTIONS	• Remote Evaporator	• Refrigeration Hose Kit
	• Remote Compressor	

SERVICE PARTS

Part No.	
10-10-7070.....	Condenser Coil
14-10-1610.....	Condenser Fan 12VDC
14-10-1611.....	Condenser Fan 24VDC
13-10-3000.....	Drier
12-10-3000.....	Binary/Pressure Switch

 VISIONAIRE, INC.

A/C & HEATER UNITS

CONDENSER — SKIRT MOUNT — BACK WALL

43-3081

CONSTRUCTION • BUS • UNIVERSAL

The 3081 is a 3 fan high capacity condenser ideal for use with large or multiple mid-size evaporators. Various mounting configurations makes this easily adaptable to most vehicles. Drier, bracket mount and drier bracket ships uninstalled for versatile mounting.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810



PART NO.


43-3081-1000 12VDC
43-3081-2000 24VDC

SHIPPING NOTICE

Due to the size and weight this unit must be shipped LTL.

SPECIFICATIONS

Capacity..... 82,000 BTU/hr
Current Draw 30 amps @ 12VDC 15 amps @ 24VDC
Weight 50 LBS
Condenser Coil Copper Tubing Aluminum Coated Fin
Dimensions..... 51" L x 15.8" W x 10.3" H
Motor 12" Condenser Fan



OPTIONS

- | | |
|---------------------|---------------------------------|
| • Remote Evaporator | • Refrigeration Hose Kit |
| • Remote Compressor | • Condenser Guard (30-3080-006) |

SERVICE PARTS

Part No.

10-10-3081	Condenser Coil
14-10-1230	Condenser Fan 12VDC
14-10-1231	Condenser Fan 24VDC
13-10-3000	Drier

A/C & HEATER UNITS



CONDENSER — SKIRT MOUNT — BACK WALL

43-3040
CONSTRUCTION • AGRICULTURE • FORESTRY • UNIVERSAL


The 3040 Single Fan Wedge Condensor is a design that has stood the test of time. Heavy duty aluminum construction, high capacity, and multiple mounting configurations. Available in both 12/24 Volt configurations and with left or right hand side connection points.

**Not Sure What To Order?
We Can Help . . .**

**See the A/C System
Configuration Worksheet
on the last page of this catalog.**

<http://www.visionaire-inc.com>

866-838-2810



PART NO.

43-3040-1112.....12VDC

43-3040-2112.....24VDC

SHIPPING NOTICE

This unit can be shipped by UPS or LTL.

SPECIFICATIONS

Capacity.....41,800 BTU/hr
Current Draw11.5 amps @ 12VDC6 amps @ 24VDC
Weight36 LBS
Condenser CoilCopper Tubing Aluminum Fin
Dimensions.....29.46" L x 12.26" W x 11.36" H
Motor12" Condenser Fan


OPTIONS

- Remote Evaporator
- Remote Compressor
- Alternate Side Hose Kit

SERVICE PARTS

Part No.

10-10-3040.....	Coil
12-10-3000.....	Binary/Pressure Switch
13-10-3000.....	Drier
14-10-1250.....	Fan
33-3040-001.....	Wire Harness





A/C & HEATER UNITS

CONDENSER — SKIRT MOUNT — BACK WALL

43-3045
CONSTRUCTION • AGRICULTURE • FORESTRY • UNIVERSAL

The 3045 Dual Fan Wedge Condensor utilizes the same footprint as the 3040 but packs a bigger punch. Heavy duty aluminum construction, high capacity, and multiple mounting configurations. Available in both 12/24 Volt configurations and with left or right hand side connection points.

**Not Sure What To Order?
We Can Help . . .**

**See the A/C System
Configuration Worksheet
on the last page of this catalog.**

<http://www.visionaire-inc.com>

866-838-2810



PART NO.

43-3045-111212VDC

43-3045-211224VDC

SHIPPING NOTICE

This unit can be shipped by UPS or LTL.

SPECIFICATIONS

Capacity.....47,400 BTU/hr
Current Draw23 amps @ 12VDC13 amps @ 24VDC
Weight40 LBS
Condenser CoilCopper Tubing Aluminum Fin
Dimensions.....29.46" L x 12.26" W x 11.36" H
Motor12" Condenser Fan


OPTIONS

- Remote Evaporator
- Remote Compressor
- Alternate Side Hose Kit

SERVICE PARTS

Part No.

10-10-3040.....	Coil
12-10-3000.....	Binary/Pressure Switch
13-10-3000.....	Drier
14-10-1230.....	Fan
33-3040-001.....	Wire Harness



A/C & HEATER UNITS

VISIONAIRE, INC.

CONDENSER — ROOFTOP — BACK WALL

43-3085


CONSTRUCTION • AGRICULTURE • FORESTRY • RAIL • UNIVERSAL

The 3085 is a high capacity and versatile unit that can be mounted to a vertical or horizontal surface. Slim profile design and steel construction are a winning combination for the toughest of jobs. This unit is designed to be paired with high capacity evaporators.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<http://www.visionaire-inc.com>
866-838-2810



PART NO.	SHIPPING NOTICE
43-3085-1000 12VDC	This unit can be shipped by UPS or LTL.
43-3085-2000 24VDC	

SPECIFICATIONS

Capacity.....77,000 BTU/hr
Current Draw32 amps @ 12VDC 16 amps @ 24VDC
Weight 52 LBS
Condenser Coil Copper Tubing Aluminum Fin
Dimensions.....37.2" L x 18.4" W x 8.9" H
Motor 16" Condenser Fan



OPTIONS	• Remote Evaporator	• Refrigeration Hose Kit
	• Remote Compressor	

SERVICE PARTS

Part No.	
10-10-3085.....	Condenser Coil
14-10-1612.....	Condenser Fan 12v
14-10-1613.....	Condenser Fan 24v
13-10-2003.....	Drier

 VISIONAIRE, INC.

A/C & HEATER UNITS

CONDENSER — ROOFTOP — BACK WALL

43-3110

CONSTRUCTION • AGRICULTURE • FORESTRY • UNIVERSAL

The 3110 is both a Condenser and Hydraulic* Drive Compressor in one convenient package. Saves on space and makes for ease of installation. Ideal for use on boom trucks and oilfield cabs.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810




PART NO.	
43-3110-1100	 12VDC
43-3110-2100	 24VDC

SHIPPING NOTICE
Due to the size and weight this
unit must be shipped LTL.

*Flow Rate and Pressure/PSI Needs Confirmed Prior to Purchase

SPECIFICATIONS

Capacity.....	25,500 BTU/hr
Current Draw	12 amps @ 12VDC 6 amps @ 24VDC
Weight	105 LBS
Condenser Coil	Copper Tubing Aluminum Fin
Dimensions.....	23.8" L x 17.4" W x 14.7" H
Motor	14" Condenser Fan



- OPTIONS**
- Remote Evaporator
 - Refrigeration Hose Kit

SERVICE PARTS

Part No.	
10-10-7110.....	Condenser Coil
12-10-3000.....	Binary/Pressure Switch
13-10-1005.....	Drier
14-10-1410.....	Cond Fan 12VDC
14-10-1411.....	Cond Fan 24VDC

Part No.	
11-10-0032.....	Compressor
14-80-0209.....	Hyd Motor

A/C & HEATER UNITS



CONDENSER — ROOFTOP — BACK WALL

CONSTRUCTION • AGRICULTURE • FORESTRY • UNIVERSAL

43-3130

The 3130 is a heavy duty, steel forced air condenser with Hydraulic* Driven Compressor. Mounts on roof-top or outside wall. Pair with 4030 evaporator for optimum performance.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810



PART NO.

43-3130-1112 12VDC
43-3130-2112 24VDC


SHIPPING NOTICE

Due to the size and weight this
unit must be shipped LTL.

*Flow Rate and Pressure/PSI Needs Confirmed Prior to Purchase

SPECIFICATIONS

Capacity..... 32,000 BTU/hr
Current Draw 20 amps @ 12VDC 12 amps @ 24VDC
Weight 105 LBS
Condenser Coil Aluminum Multiflow
Dimensions..... 27.1" L x 26.7" W x 8.1" H
Motor 12" Condenser Fan



- OPTIONS
- Remote Evaporator
 - Refrigeration Hose Kit

SERVICE PARTS

Part No.
10-10-3030Condenser Coil
14-10-1220Condenser Fan 12VDC
14-10-1221Condenser Fan 24VDC
11-10-0030Compressor

Part No.
14-80-0210Hyd Motor 12VDC
14-80-0220Hyd Motor 24VDC
13-10-1005Drier
12-10-3000Binary/Pressure Switch

A/C & HEATER UNITS

CONDENSER — ROOFTOP

891029-12VDC

CONSTRUCTION • ON & OFF-ROAD • FORESTRY

Passenger van (Sprinter/Transit Vans) HVAC

The 891029-12V is a high performance, aluminum framed casing- roof mounted condensing unit. Perfect aftermarket solution for medium sized cabs / passenger vans.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<https://atc.ca>
800-295-4156



PART NO.	SHIPPING NOTICE
891029 12VDC Condenser unit	Due to the size and weight this unit must be shipped LTL.

SPECIFICATIONS

Air Flow..... 1,800 CFM
Capacity..... 65,600 BTU/hr
Current Draw 21 amps @ 12VDC
Weight 60 LBS
Condenser Coil Copper Tubing / Aluminum Fin
Dimensions..... 51.6250" L x 33.5" W x 7.6250" H
Motor 11" Fans



OPTIONS	• 810025 - Digital Controller • 820086-12/24VDC - Relay Box / Wiring Harness	• Engine Driven Compressor • Refrigeration Hose Kit
---------	---	--

SERVICE PARTS

Part No.	
M970273	Condenser Coil
M910132	Cond. Pull Fan 12VDC
7502.....	Drier

A/C & HEATER UNITS

CONDENSER — ROOFTOP — BACK WALL

CONSTRUCTION • ON & OFF-ROAD • FORESTRY



891005-12/24VDC - AC

The 6000 is a heavy duty, powder coated black steel casing -Low profile micro-channel electric condenser. Perfect for small to medium size cabs.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<https://atc.ca>
800-295-4156



PART NO.	SHIPPING NOTICE
891005 12/24VDC	This unit can be shipped by UPS or LTL.

SPECIFICATIONS

Air Flow..... 1,200 CFM
Capacity..... 28,000 BTU/hr
Current Draw 14 amps @ 12VDC7 amps @ 24VDC
Weight 15 LBS
Condenser Coil Aluminum Multiflow
Dimensions..... 30.5625" L x 14" W x 5.8750" H
Motor 10" Fans



- OPTIONS**

 - 810025 - Digital controller
 - 820086-12/24VDC - Relay Box / Wiring Harness
- Engine Driven Compressor
 - Refrigeration Hose Kit

SERVICE PARTS

Part No.	
6310.....	Condenser Coil
3560.....	10" Pull Fan
N/A.....	External Water Valve Option

A/C & HEATER UNITS

CONDENSER — ROOFTOP891024-12V

CONSTRUCTION • ON & OFF-ROAD • FORESTRY

The 891024-12V is a high performance, aluminum framed casing-roof mounted condensing unit.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://atc.ca>
800-295-4156



PART NO.


891024 12VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.

SPECIFICATIONS

Air Flow.....930 CFM
Capacity.....32,000 BTU/hr
Current Draw8.6 amps @ 12VDC
Weight35 LBS
Condenser CoilCopper Tubing / Aluminum Fin
Dimensions.....25.75"L x 36.3125" W x 6.3125" H
Motor11" Fan



OPTIONS

- 810025 - Digital controller
 - 820086-12/24VDC - Relay Box / Wiring Harness
- Engine Driven Compressor
 - Refrigeration Hose Kit

SERVICE PARTS

Part No.

M970271 Condenser Coil
M910132 11" Pull Fan
7502..... Drier
4150..... Sight Glass (moist Ind.)

A/C & HEATER UNITS



CONDENSER — ROOFTOP — WALL MOUNT

891008-12/24V

CONSTRUCTION • ON & OFF-ROAD • FORESTRY

The 6015 is a heavy duty, high profile, powder coated black steel condenser - perfect for small to medium size cabs.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://atc.ca>


800-295-4156



PART NO.	SHIPPING NOTICE
891008 12VDC	This unit can be shipped by UPS or LTL.
891008 24VDC	

SPECIFICATIONS

Air Flow.....	1,200 CFM
Capacity.....	25,000 BTU/hr
Current Draw	14 amps @ 12VDC8 amps @ 24VDC
Weight	28 LBS
Condenser Coil	Copper Tubing / Aluminum Fin
Dimensions.....	27.75"L x 14.6250" W x 7.25" H
Motor	10" Fans



OPTIONS	• 810025 - Digital Controller	• Engine Driven Compressor
	• 820086-12/24VDC - Relay Box / Wiring Harness	• Refrigeration Hose Kit

SERVICE PARTS

Part No.	
875002A	Condenser Coil
3560.....	10" Pull Fan-12VDC
3561.....	10" Pull Fan 24VDC

A/C & HEATER UNITS

CONDENSER — ROOFTOP — WALL MOUNT

891027-12/24 VDC

CONSTRUCTION • ON & OFF-ROAD • FORESTERY

The 891027-12/24 VDC is a heavy duty, high profile, high capacity, powder coated black steel casing condenser - perfect for small to medium size cabs.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://atc.ca>
800-295-4156



PART NO.


891027 12VDC
891027 24VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.

SPECIFICATIONS

Air Flow..... 1,200 CFM
Capacity..... 45,000 BTU/hr
Current Draw 14 amps @ 12VDC 8 amps @ 24VDC
Weight 34.5 LBS
Condenser Coil Copper Tubing / Aluminum Fin
Dimensions..... 27.8750" L x 16.9375" W x 8.3750" H
Motor 10" Fans



OPTIONS

- 810025 - Digital Controller
 - 820086-12/24VDC - Relay Box / Wiring Harness
- Engine Driven Compressor
 - Refrigeration Hose Kit

SERVICE PARTS

Part No.	
875117	Condenser Coil
M910147	10" Push Fan-12VDC
3584	10" Push Fan 24VDC

A/C & HEATER UNITS



CONDENSER — ROOFTOP — BEHIND CAB — FLOOR MOUNT

HA-100-12-HD
HA-100-24-HD

CONSTRUCTION • FORESTRY • MINING • BULLDOZER

Heavy Duty Condenser - 10" x 24" 5 row copper/aluminum coil with 1/4" base plate, 3/16" shell and drier.

Not Sure What To Order?
We Can Help . . .
See the A/C System Configuration Worksheet on the last page of this catalog.
<https://www.hammondac.com>
800-267-2665

PART NO.
HA-100-12-HD 12VDC
HA-100-24-HD 24VDC

SHIPPING NOTICE
Due to size and weight this unit must be shipped LTL.

SPECIFICATIONS
Air Flow..... 1180 CFM
Capacity..... 36,000 BTU/hr
Current Draw 12 amps @ 12VDC 6 amps @ 24VDC
Weight 75 LBS
Condenser Coil Copper Tubing Aluminum Fin
Dimensions..... 30.6" L x 8.4" W x 11.1" H
Motor 9" Condenser Fans

OPTIONS

- Right or Left Hand Configurations
- HA-100-ZA - Z Bracket Assembly for Behind Cab Mounting

SERVICE PARTS

Part No.		Part No.	
420-860	Condenser Coil	520-HD100-2A	Hinged Fan Cover
430-038	9" Power Fan, 12V Pusher	HA-102	Intake Screen
430-009	9" Power Fan, 24V Pusher	440-091	#8 Securing Lug
523-052-9	Receiver Drier		
523-100-HD	Drier Bracket		
430-006	Fan Mounting Feet		



A/C & HEATER UNITS

CONDENSER — WALL MOUNT

HA-100-12-HD-VERT
HA-100-24-HD-VERT


CONSTRUCTION • FORESTRY • MINING • BULLDOZER

Heavy Duty Condenser - 10" x 24" 5 row copper/aluminum coil with 1/4" base plate, 3/16" shell and drier.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://www.hammondac.com>
800-267-2665




PART NO.

HA-100-12-HD-VERT 12VDC
HA-100-24-HD-VERT 24VDC


SHIPPING NOTICE

Due to size and weight this unit
must be shipped LTL.



SPECIFICATIONS

Air Flow..... 1180 CFM
Capacity..... 36,000 BTU/hr
Current Draw 12 amps @ 12VDC 6 amps @ 24VDC
Weight 75 LBS
Condenser Coil Copper Tubing Aluminum Fin
Dimensions..... 11.1" L x 8.4" W x 30.6" H
Motor 9" Condenser Fans



OPTIONS • Right or Left Hand Configurations

SERVICE PARTS

Part No.

420-860 Condenser Coil
430-038 9" Power Fan, 12V Pusher
430-009 9" Power Fan, 24V Pusher
523-092-9 Receiver Drier
523-HD100-7 Drier Bracket

Part No.

430-006 Fan Mounting Feet
520-HD100-2A..... Hinged Fan Cover
HA-102..... Intake Screen
440-091 #8 Securing Lug

A/C & HEATER UNITS



CONDENSER — FOOT MOUNT

HA-100-3-LRG-12
HA-100-3-LRG

CONSTRUCTION • FORESTRY • MINING • UNIVERSAL

12" x 32" 5 row copper/aluminum coil with steel shell, three 10" power fans and drier.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://www.hammondac.com>
800-267-2665

PART NO.

HA-100-3-LRG-12..... 12VDC

HA-100-3-LRG..... 24VDC

SHIPPING NOTICE

Due to size and weight this unit must be shipped LTL.

SPECIFICATIONS

Air Flow.....2406 CFM

Capacity.....55,000 BTU/hr

Current Draw28 amps @ 12VDC14 amps @ 24VDC

Condenser CoilCopper Tubing Aluminum Fin

Dimensions.....40" L x 10.43" W x 12.55" H

Motor10" Condenser Fans

OPTIONS • N/A

SERVICE PARTS

Part No.

420-800A.....Condenser Coil

430-020A.....10" Power Fan, 24V Puller

430-021.....10" Power Fan, 12V Puller

523-063-9.....Receiver Drier

301-215-2.....Condenser Screen



A/C & HEATER UNITS

CONDENSER — UNIVERSAL

420-904-100-12
420-904-100-24


UNIVERSAL

3 row copper/aluminum coil with steel shroud and two 10" power fans.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://www.hammondac.com>
800-267-2665



PART NO.


420-904-100-12 12VDC
420-904-100 24VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.

SPECIFICATIONS

Air Flow..... 1710 CFM
Capacity..... 25,000 BTU/hr
Current Draw 16 amps @ 12VDC 8 amps @ 24VDC
Weight 25 LBS
Condenser Coil Copper Tubing Aluminum Fin
Dimensions..... 27.74" L x 6.37" W x 16.27" H
Motor 10" Condenser Fans



- OPTIONS**
- Variety of Mounting and Standoff Brackets
 - Steel Shroud

SERVICE PARTS

Part No.

420-904 Condenser Coil
430-04 10" Power Fan - 12V Puller
430-02 10" Power Fan - 24V Puller
520-BRON-50 16x24 Fan Shroud - 2 10" Fans

A/C & HEATER UNITS



CONDENSER — UNIVERSAL

420-860-977-12
420-860-977


CONSTRUCTION • FORESTRY • MINING • UNIVERSAL

5 row copper/aluminum coil with 12 gauge steel shroud and two 9" power fans.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<https://www.hammondac.com>
800-267-2665



PART NO.
420-860-977-1212VDC
420-860-97724VDC

SHIPPING NOTICE
This unit can be shipped by UPS
or LTL.

SPECIFICATIONS	
Air Flow.....	1180 CFM
Capacity.....	36,000 BTU/hr
Current Draw	12 amps @ 12VDC6 amps @ 24VDC
Condenser Coil	Copper Tubing Aluminum Fin
Weight	45 LBS
Dimensions.....	31.38" L x 10.31" W x 7.63" H
Motor	9" Condenser Fans



OPTIONS • 3/16" Shroud

SERVICE PARTS

Part No.	
420-860-977-1.....	Condenser Coil
430-008	9" Power Fan, 24V Puller
430-039	9" Power Fan, 12V Puller
430-006	Fan Mounting Feet
440-090	#6 Securing Lug
440-091	#8 Securing Lug



A/C & HEATER UNITS

CONDENSER — UNIVERSAL

420-855-NEXG
420-855-NEXG-24


UNIVERSAL

Multiflow condenser with aluminum shroud and two 10" power fans.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://www.hammondac.com>
800-267-2665




PART NO.

420-855-NEXG 12VDC
420-855-NEXG-24 24VDC


SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.



SPECIFICATIONS

Air Flow..... 802 CFM
Capacity..... 18,000 BTU/hr
Current Draw 6 amps @ 12VDC
Weight 13 LBS
Dimensions..... 26.5" L x 12.20" W x 5.38" H
Condenser Coil Aluminum Multiflow
Motor 10" Condenser Fans



OPTIONS

- Variety of Mounting and Standoff Brackets
- Steel Shroud

SERVICE PARTS

Part No.

420-855 Condenser Coil
430-040-DFW 10" Power Fan - 12VDC Puller
430-020 10" Power Fan - 24VDC Puller

A/C & HEATER UNITS



CONDENSER — UNIVERSAL

424-008-H50


UNIVERSAL

Multiflow condenser with steel shroud and two 10" power fans.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<https://www.hammondac.com>
800-267-2665



PART NO.
424-008-H5012VDC

SHIPPING NOTICE
This unit can be shipped by UPS
or LTL.

- SPECIFICATIONS**
- Air Flow.....708 CFM
Capacity.....19,000 BTU/hr
Current Draw6 amps @ 12VDC
Weight15 LBS
Condenser CoilAluminum Multiflow
Dimensions.....26.31" L x 14" W x 3.97" H
Motor10" Condenser Fans



- OPTIONS

- 24VDC Available upon request
 - 520-H50-51 - Mounting Bracket
- One 12" Condenser Fan

SERVICE PARTS	
Part No.	
424-008	Condenser Coil
430-022	10" Power Fan - 12VDC Pusher