



A/C & HEATER UNITS

EVAPORATOR — ROOFTOP — BACK WALL

44-4030
CONSTRUCTION • AGRICULTURE • FORESTRY • TRUCKS • UNIVERSAL

The 44-4030 is a heavy duty, powder coated steel evaporator that mounts on the outside of a cab in a vertical or horizontal position. Perfect for medium size cabs. Pair with the 3030 Forced Air Condenser for optimum performance.

**Not Sure What To Order?
We Can Help . . .**

**See the A/C System
Configuration Worksheet
on the last page of this catalog.**

<http://www.visionaire-inc.com>

866-838-2810



PART NO.


44-4030-1040 ACH	12VDC
44-4030-2040 ACH	24VDC
44-4030-1041 AC Only	12VDC
44-4030-2041 AC Only	24VDC

SHIPPING NOTICE

This unit can be shipped by UPS or LTL.

SPECIFICATIONS

Air Flow	420 CFM
Capacity	Cooling 25,000 BTU/hr.....Heating 37,500 BTU/hr
Current Draw	12.5 amps @ 12VDC6.3 amps @ 24VDC
Weight	62 LBS
Evaporator Coil	Copper Tubing Aluminum Fin
Dimensions	26.7" L x 21.1" W x 11.8" H
Motor	3 Speed Blower (low/med/high)



OPTIONS

- Remote Condenser
- Pressurizer Kit
- Refrigeration Hose Kit
- Heater Hose Kit

SERVICE PARTS

Part No.

10-20-4030	Evaporator Coil
10-30-4030	Heater Coil
14-20-0020	Blower Fan 12VDC
14-20-0021	Blower Fan 24VDC
12-11-1001	Expansion Valve

Part No.

15-10-1017	Return Air Filter
12-31-0002	Mechanical Water Valve
12-54-1001	Thermostat

A/C & HEATER UNITS



EVAPORATOR — BACK WALL

44-4050
CONSTRUCTION • AGRICULTURE • FORESTRY • TRUCKS • UNIVERSAL

The 44-4050 is a heavy duty plastic wall mounted Evaporator/Heater for small cabs. Three speed blower offering 290 CFM. Perfect for crane cabs or similar size applications.

**Not Sure What To Order?
We Can Help . . .**

**See the A/C System
Configuration Worksheet
on the last page of this catalog.**

<http://www.visionaire-inc.com>

866-838-2810



PART NO.


44-4050-1000 ACH	12VDC
44-4050-2000 ACH	24VDC
44-4050-1001 AC Only	12VDC
44-4050-2001 AC Only	24VDC

SHIPPING NOTICE

This unit can be shipped by UPS or LTL.

SPECIFICATIONS

Air Flow.....	290 CFM
Capacity.....	Cooling 18,500 BTU/hr.....Heating 35,000 BTU/hr
Current Draw	11 amps @ 12VDC5.5 amps @ 24VDC
Weight	28 LBS
Evaporator Coil	Copper Tubing Aluminum Fin
Dimensions.....	20.3" L x 17.3" W x 7.1" H
Motor	3 Speed Blower (low/med/high)



OPTIONS

- Remote Condenser
- Refrigeration Hose Kit
- Pressurizer Kit
- Heater Hose Kit

SERVICE PARTS

Part No.

10-20-4050	Evaporator Coil
10-30-4050	Heater Coil
14-20-0042	Blower Fan 12VDC
14-20-0043	Blower Fan 24VDC
12-11-1001	Expansion Valve

Part No.

15-10-1011	Return Air Filter
12-54-1001	Thermostat



A/C & HEATER UNITS

EVAPORATOR — BACK WALL

44-4050M

CONSTRUCTION • AGRICULTURE • FORESTRY • TRUCKS • UNIVERSAL

The 44-4050 is a heavy duty metal wall mounted Evaporator/Heater for small cabs. Three speed blower offering 290 CFM. Perfect for crane cabs or similar size applications.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810




PART NO.

44-4050-1100 ACH 12VDC
44-4050-2100 ACH 24VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.



SPECIFICATIONS

Air Flow.....290 CFM
Capacity.....Cooling 18,500 BTU/hr.....Heating 35,000 BTU/hr
Current Draw 11 amps @ 12VDC5.5 amps @ 24VDC
Weight30 LBS
Evaporator Coil Copper Tubing Aluminum Fin
Dimensions.....20.1" L x 20.1" W x 7.1" H
Motor 3 Speed Blower (low/med/high)

OPTIONS

- | | |
|--------------------|--------------------------|
| • Remote Condenser | • Refrigeration Hose Kit |
| • Pressurizer Kit | • Heater Hose Kit |

SERVICE PARTS

Part No.

10-20-4050..... Evaporator Coil
10-30-4050..... Heater Coil
14-20-0042..... Blower Fan 12VDC
14-20-0043..... Blower Fan 24VDC
12-11-1001..... Expansion Valve

Part No.

15-10-1011..... Return Air Filter
12-54-1001..... Thermostat

A/C & HEATER UNITS

EVAPORATOR — BACK WALL

CONSTRUCTION • AGRICULTURE • FORESTRY • TRUCKS • UNIVERSAL

44-4100

The 4100 compact evaporator is designed as an outside wall mount unit. A small operator cab with limited available space makes this unit ideal.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810




PART NO.

44-4100-1001 AC Only 12VDC
44-4100-2001 AC Only 24VDC

SHIPPING NOTICE

Due to size and weight this unit
must be shipped LTL.



SPECIFICATIONS

Air Flow..... 250 CFM
Capacity..... Cooling 16,000 BTU/hr
Current Draw 8 amps @ 12VDC 4 amps @ 24VDC
Weight 25 LBS
Evaporator Coil Copper Tubing Aluminum Fin
Dimensions..... 20.8" L x 10.5" W x 8.6" H
Motor 3 Speed Blower (low/med/high)

OPTIONS

- Remote Condenser
 - Pressurizer Kit
- Refrigeration Hose Kit
 - Heater Hose Kit

SERVICE PARTS

Part No.

10-20-4000 Evaporator Coil
12-11-1001 Expansion Valve
14-20-3013 Blower Fan 12VDC
14-20-3014 Blower Fan 24VDC
12-54-1001 Thermostat

Part No.

13-10-1000 Drier
15-10-0050 Air Filter



A/C & HEATER UNITS

EVAPORATOR — BACK WALL

44-4145

CONSTRUCTION • AGRICULTURE • FORESTRY • TRUCKS • UNIVERSAL

The model 4145 features a steel chassis with plastic cover and is a popular wall-mounted evaporator for small to mid-size cabs. Offered as AC only or also offered as an AC + heat combo unit. This evaporator has a three speed blower offering 300 CFM. The 4145 is sized to fit between the seats in a day cab or as a wall mount in your off-highway cab.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810




PART NO.

44-4145-1000 ACH	12VDC
44-4145-2000 ACH	24VDC
44-4145-1001 AC Only	12VDC
44-4145-2001 AC Only	24VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.



SPECIFICATIONS

Air Flow	300 CFM
Capacity	Cooling 20,000 BTU/hr. Heating 20,700 BTU/hr
Current Draw	14.4 amps @ 12VDC 7.2 amps @ 24VDC
Weight	18 LBS
Evaporator Coil	Copper Tubing Aluminum Fin
Dimensions	21.2" L x 14.3" W x 9.5" H
Motor	3 Speed Blower (low/med/high)

OPTIONS

- Remote Condenser
- Refrigeration Hose Kit
- Heater Hose Kit
- Mounting Feet

SERVICE PARTS

Part No.

10-40-4145	Evaporator Heater Coil
12-11-1001	Expansion Valve
14-20-0050	Blower Fan 12VDC
14-20-0051	Blower Fan 24VDC
15-10-1018	Return Air Filter

Part No.

12-54-1001	Thermostat ACH
12-54-2002	Thermostat AC Only
12-50-3002	Mode Switch
12-50-2001	Fan Speed Switch

A/C & HEATER UNITS

EVAPORATOR — BACK WALL

44-4150

CONSTRUCTION • AGRICULTURE • FORESTRY • TRUCKS • UNIVERSAL

The 44-4150 is a heavy duty, powder coated steel evaporator that mounts on inside wall of cab. Perfect for medium size cabs. Pair with 3030 forced air condenser for optimum performance.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<http://www.visionaire-inc.com>
866-838-2810



PART NO.	SHIPPING NOTICE
44-4150-1000 ACH..... 12VDC	Due to size and weight this unit must be shipped LTL.
44-4150-2000 ACH..... 24VDC	
44-4150-1001 AC Only..... 12VDC	
44-4150-2001 AC Only..... 24VDC	

SPECIFICATIONS

Air Flow.....	420 CFM
Capacity.....	Cooling 25,000 BTU/hr.....Heating 37,500 BTU/hr
Current Draw	30 amps @ 12VDC15 amps @ 24VDC
Weight	50 LBS
Evaporator Coil	Copper Tubing Aluminum Fin
Dimensions.....	25.1" L x 23.5" W x 8.4" H
Motor	3 Speed Blower (low/med/high)



OPTIONS	• Remote Condenser	• Refrigeration Hose Kit
	• Pressurizer Kit	• Heater Hose Kit

SERVICE PARTS

Part No.		Part No.	
10-20-4030.....	Evaporator Coil	15-10-1011.....	Return Air Filter
10-30-4030.....	Heater Coil	12-31-0001.....	Mechanical Water Valve
14-20-0020.....	Blower Fan 12VDC	12-39-1052.....	Pull Cable
14-20-0021.....	Blower Fan 24VDC	12-54-1001.....	Thermostat
12-11-1001.....	Expansion Valve		



A/C & HEATER UNITS

EVAPORATOR — BACK WALL

44-4161

CONSTRUCTION • AGRICULTURE • FORESTRY • TRUCKS • UNIVERSAL

Model 4161 delivers the cooling or heating needed for those medium to large cab applications. This evaporator would require a remote mounted condenser and compressor. Available with optional plenum and duct kit to direct air wherever you need it to heat, cool, or defrost.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810



PART NO.


44-4161-1000 ACH 12VDC
44-4161-2000 ACH 24VDC

SHIPPING NOTICE

Due to size and weight this unit
must be shipped LTL.

SPECIFICATIONS

Air Flow.....500 CFM
Capacity.....Cooling 36,000 BTU/hr.....Heating 30,000 BTU/hr
Current Draw 18 amps @ 12VDC 9 amps @ 24VDC
Weight 53 LBS
Evaporator Coil Copper Tubing Aluminum Fin
Dimensions.....27.5" L x 20.3" W x 11.1" H
Motor 3 Speed Blower (low/med/high)



- OPTIONS**

 - Remote Condenser
 - Remote Compressor
- Refrigeration Hose Kit
 - Heater Hose Kit

SERVICE PARTS

Part No.

10-40-7160.....	Evaporator and Heat Coil	15-10-1007.....	Return Air Filter
12-11-1001.....	Expansion Valve	12-54-1001.....	Thermostat
14-20-0020.....	Blower Fan 12VDC		
14-20-0021.....	Blower Fan 24VDC		

A/C & HEATER UNITS

EVAPORATOR — UNDER DASH — DUCTABLE

44-4220

UNIVERSAL

The 4220 is an under bunk or under dash unit that is ductable. Fits nicely in a sleeper cab where space is a concern, features AC+Heat.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<http://www.visionaire-inc.com>
866-838-2810



PART NO.	SHIPPING NOTICE
44-4220-1040 ACH..... 12VDC	This unit can be shipped by UPS or LTL.
44-4220-2040 ACH..... 24VDC	

SPECIFICATIONS

Air Flow.....	500 CFM
Capacity.....	Cooling 34,000 BTU/hr.....Heating 36,000 BTU/hr
Current Draw	22.5 amps @ 12VDC11.4 amps @ 24VDC
Weight	42 LBS
Evaporator Coil	Copper Tubing Aluminum Fin
Dimensions.....	23" L x 20.2" W x 8.2" H
Motor	3 Speed Blower (low/med/high)



OPTIONS	• Duct Kit	• Heater Hose Kit
	• Refrigeration Hose Kit	

SERVICE PARTS

Part No.	
10-20-4030	Evaporator Coil
10-30-4030	Heater Coil
12-11-1001	Expansion Valve
12-54-1001	Thermostat

Part No.	
14-20-0020	Blower Fan 12VDC
14-20-0021	Blower Fan 24VDC



A/C & HEATER UNITS

EVAPORATOR — BACK WALL

890091-12/24VDC - AC & Heat


CONSTRUCTION • ON & OFF-ROAD • FORESTRY

The 5400 is a heavy duty, powder coated black steel casing- wall mounted ductable HVAC unit. Perfect for small to medium size cabs.

Not Sure What To Order?
We Can Help . . .


See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://atc.ca>
800-295-4156



PART NO.	SHIPPING NOTICE
890091 12/24VDC Base unit	This unit can be shipped by UPS or LTL.
890091 12VDC (11 Variants)	
890091 24VDC (8 Variants)	
Ductable Fresh Air Option Available	

SPECIFICATIONS	
Air Flow.....	600 CFM
Capacity.....	Cooling 25,000 BTU/hr.....Heating 39,000 BTU/hr
Current Draw	21 amps @ 12VDC.....11 amps @ 24VDC
Weight	34 LBS
Coil	Copper Tubing Aluminum Fin- Evaporator and Heat Coils
Dimensions.....	17.1875" L x 6.75" W x 20.6875" H
Motor	3 Speed Blower x 2 (low/med/high)



OPTIONS	• 810025 - Digital controller	• Engine Driven Compressor
	• 820086-12/24VDC - Relay Box / Wiring Harness	• Refrigeration Hose Kit
	• Optional Pressurizer Kit	

SERVICE PARTS	
Part No.	Part No.
870109..... Evap Coil	1600..... Expansion Valve
876056..... Heat Coil	N/A..... External Water Valve Option
810086..... 3-Speed Blower 12VDC	
810091..... 3-Speed Blower 24VDC	

A/C & HEATER UNITS

EVAPORATOR — HEADLINER

CONSTRUCTION • ON & OFF-ROAD • FORESTRY


890129-12/24VDC - AC & Heat

The 890129-12/24VDC is a heavy duty, powder coated black steel casing-ceiling mounted HVAC unit. Perfect for small to medium size cabs.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<https://atc.ca>
800-295-4156



PART NO.		SHIPPING NOTICE
890129	12VDC-RH-AC Only	This unit can be shipped by UPS or LTL.
890129	12VDC-RHH-HVAC unit	
890129	12VDC-LH-AC Only	
890129	12VDC-LHH-HVAC unit	
890129	24VDC-RH-AC Only	
890129	24VDC-RHH-HVAC unit	
890129	24VDC-LH-AC Only	
890129	24VDC-LHH-HVAC unit	
890129	12/24VDC	

SPECIFICATIONS

Air Flow	350 CFM
Capacity	Cooling 19,000 BTU/hr.....Heating 25,000 BTU/hr
Current Draw	12 amps @ 12VDC6 amps @ 24VDC
Weight	25 LBS
Coil	Copper Tubing / Alum. Fin - Evaporator and Heat Coils
Dimensions	24.8125" L x 17.125" W x 5.25" H
Motor	3 Speed Blower (low/med/high)



OPTIONS	• 810025 - Digital Controller • 820086-12/24VDC - Relay Box / Wiring Harness • Optional Pressurizer Kit	• Engine Driven Compressor • Refrigeration Hose Kit
---------	---	---

SERVICE PARTS

Part No.		Part No.	
870130	Evap Coil	810064	3-Speed Blower 24VDC
870131	Evap Coil	1600	Expansion Valve
876088	Heat Coil	N/A	External Water Valve Option
810062	3-Speed Blower 12VDC		

A/C & HEATER UNITS

EVAPORATOR — HEADLINER

890151-12/24VDC - AC & Heat (LH connection)
890152-12/24VDC - AC & Heat (RH connection)

CONSTRUCTION • ON & OFF-ROAD • FORESTRY

The 890151-12/24 VDC / 890152-12/24VDC are heavy duty, low profile ceiling/Headliner mounted HVAC unit, powder coated black steel hinged casing -perfect for small to medium size cabs.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://atc.ca>


800-295-4156



PART NO.	SHIPPING NOTICE
890151 12VDC-LH-AC Only	This unit can be shipped by UPS or LTL.
890151 12VDC-LHH-HVAC unit	
890152 12VDC-RH-AC Only	
890152 12VDC-RHH-HVAC unit	
890151 24VDC-LH-AC Only	
890151 24VDC-LHH-HVAC unit	
890152 24VDC-RH-AC Only	
890152 24VDC-RHH-HVAC unit	

SPECIFICATIONS

Air Flow..... 700 CFM
Capacity..... Cooling 35,000 BTU/hr..... Heating 45,000 BTU/hr
Current Draw 24 amps @ 12VDC 12 amps @ 24VDC
Weight 50 LBS
Coil Copper Tubing / Alum. Fin - Evaporator and Heat Coils
Dimensions..... 17.2" L x 46.4" W x 5.3" H
Motor 3 Speed Blower x 2 (low/med/high)



OPTIONS	• 810025 - Digital Controller	• Engine Driven Compressor
	• 820086-12/24VDC - Relay Box / Wiring Harness	• Refrigeration Hose Kit

SERVICE PARTS

Part No.	Part No.
870160..... Evap Coil	810064..... 3-Speed Blower 24VDC
870161..... Evap Coil	1600..... Expansion Valve
876089..... Heat Coil	N/A..... External Water Valve Option
810062..... 3-Speed Blower 12VDC	

A/C & HEATER UNITS

EVAPORATOR — WALL MOUNT

CONSTRUCTION • ON & OFF-ROAD • FORESTRY

890121-12/24VDC

The 5410 is a heavy duty, powder coated black steel casing- wall mounted compact HVAC unit. Perfect for small sized cabs.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<https://atc.ca>
800-295-4156



PART NO.	SHIPPING NOTICE
890121 12VDC	This unit can be shipped by UPS or LTL.
890121 12/24VDC	

SPECIFICATIONS

Air Flow.....	350 CFM
Capacity.....	Cooling 16,800 BTU/hr.....Heating 22,000 BTU/hr
Current Draw	12.5 amps @ 12VDC7 amps @ 24VDC
Weight	25 LBS
Coil	Copper Tubing / Alum. Fin - Evaporator and Heat Coils
Dimensions.....	15.68.75" L x 15.375" W x 5.25" H
Motor	3 Speed Blower (low/med/high)



OPTIONS	
• 810025 - Digital Controller	• Engine Driven Compressor
• 820086-12/24VDC - Relay Box / Wiring Harness	• Refrigeration Hose Kit
• Optional Pressurizer Kit	

SERVICE PARTS

Part No.	Part No.
870124.....	Combo Coil (Cooling/ Heating)
810062.....	3-Speed Blower 12VDC
810064.....	3-Speed Blower 24VDC
	1600.....Expansion Valve
	26-06662-Way Water Valve

A/C & HEATER UNITS

EVAPORATOR — FLOOR MOUNT

CONSTRUCTION • ON & OFF-ROAD • FORESTERY


890119-12/24VDC

This HVAC is a heavy duty, powder coated black steel casing- under-seat ductable unit. Perfect for small to medium sized cabs.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://atc.ca>
800-295-4156



PART NO.


890119	12/24VDC
890119	12VDC
890119	24V-L (Louver Plate)

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.

SPECIFICATIONS

Air Flow.....	450 CFM
Capacity.....	Cooling 22,000 BTU/hr.....Heating 32,500 BTU/hr
Current Draw	15 amps @ 12VDC.....8 amps @ 24VDC
Weight	25 LBS
Coil	Copper Tubing Aluminum Fin- Evaporator and Heat Coils
Dimensions.....	15.375" L x 16.1875" W x 7.375" H
Motor	3 Speed Blower (low/med/high)



OPTIONS

- 810025 - Digital Controller
 - 820086-12/24VDC - Relay box / Wiring Harness
 - Optional Pressurizer Kit
- Engine Driven Compressor
 - Refrigeration Hose Kit

SERVICE PARTS

Part No.

870121.....	Evap Coil
876065.....	Heat Coil
810067.....	3-Speed Blower 12VDC
3237.....	3-Speed Blower 24VDC

Part No.

1600.....	Expansion Valve
N/A.....	External Water Valve Option

A/C & HEATER UNITS



EVAPORATOR — CEILING MOUNT

520-12VDC-SALON
520-24VDC-SALON


UNIVERSAL

Steel compact ceiling mount evaporator with 2 blowers and 2 directional louvers.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<https://www.hammondac.com>
800-267-2665



PART NO.	SHIPPING NOTICE
520-12VDC-SALON 12VDC	This unit can be shipped by UPS or LTL.
520-24VDC-SALON 24VDC	

SPECIFICATIONS

Air Flow.....	612 CFM
Capacity.....	Cooling 18,500 BTU/hr
Current Draw	10 amps @ 12VDC5 amps @ 24VDC
Weight	20 LBS
Coil	Aluminum
Dimensions.....	14.18" L x 14.88" W x 6.61" H
Motor	3" Speed Scroll Blower



OPTIONS • N/A

SERVICE PARTS

Part No.	Part No.
411-364Evaporator Coil	411-110 Louver
514-410Expansion Valve	412-102 4 Position Switch
401-864Blower, 12VDC	411-058 Fan Control Knob
401-854-24Blower, 24VDC	412-132 Solenoid Valve 24VDC
413-203 Thermostat 18"	412-131 Solenoid Valve 12VDC



A/C & HEATER UNITS

EVAPORATOR — CEILING MOUNT

HA-9750-12
HA-9750-24


UNIVERSAL

Steel ceiling mount heat/cool unit with 3 directional louvers.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://www.hammondac.com>
800-267-2665



PART NO.



HA-9750-12 12VDC
HA-9750-24 24VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.

SPECIFICATIONS

Air Flow..... 378 CFM
Capacity..... Cooling 19,000 BTU/hr..... Heating 26,000 BTU/hr
Current Draw 12 amps @ 12VDC 6 amps @ 24VDC
Weight 25 LBS
Coil Copper Tubing Aluminum Fin
Dimensions..... 20.27" L x 19.62" W x 5.77" H
Motor Low / Med / High 3 Speed Blower



OPTIONS • N/A

SERVICE PARTS

Part No.

411-146 Evaporator Coil
411-475-H Heater Core
514-412 Expansion Valve
401-850 Blower, 12VDC
401-851 Blower, 24VDC

Part No.

413-203 Thermostat 18"
411-842 Louver, 3.25"
412-102 4 Position Switch
412-983A Pot Switch Assembly
411-055 Knob, Plain with line

A/C & HEATER UNITS



EVAPORATOR — CEILING MOUNT

411-580-E35PL-12
411-580-E35PL-24


UNIVERSAL

Steel small ceiling mount unit with directional louvers, A/C only.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://www.hammondac.com>
800-267-2665



PART NO.


411-580-E35PL-12 12VDC
411-580-E35PL-24 24VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.

SPECIFICATIONS

Air Flow.....612 CFM
Capacity.....15,000 BTU
Current Draw20 amps @ 12VDC10 amps @ 24VDC
Weight20 LBS
CoilCopper Tubing Aluminum Fin
Dimensions.....25.21" L x 8.65" W x 5.31" H
MotorLow / Med / High 3 Speed Scroll Blower



OPTIONS • N/A

SERVICE PARTS

Part No.

411-580-E35PL.....Evaporator Coil
514-410Expansion Valve
401-854-24.....Blower, 24VDC
401-864Blower, 12VDC
413-204Thermostat 24"

Part No.

411-867Louver
435-012Filter
412-1024 Position Switch
411-063Fan Control Knob - Soft



A/C & HEATER UNITS

EVAPORATOR — EXTERNAL WALL MOUNT

520-NGC-100


UNIVERSAL

Steel wall mount dual blower evaporator with 4 directional louvers, A/C only.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://www.hammondac.com>
800-267-2665



PART NO.


520-NGC-100 12VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.

SPECIFICATIONS

Air Flow.....896 CFM
Capacity.....Cooling 30,000 BTU/hr
Current Draw32 amps @ 12VDC
Weight40 LBS
CoilCopper Tubing Aluminum Fin
Dimensions.....30" L x 6.66" W x 13.5" H
MotorLow / Med / High 3 Speed Scroll Blowers



OPTIONS

- 24VDC Available upon request
- 1200 CFM Optional
- Flex Ducting
- Louvers

SERVICE PARTS

Part No.

411-966-NGC.....Evaporator Coil
514-412Expansion Valve
401-463Blower, 12VDC
413-204Thermostat 24"

Part No.

411-846Louver
435-019Filter

A/C & HEATER UNITS



EVAPORATOR — FLOOR MOUNT

HA-320-7-12


UNIVERSAL

Steel floor mounted heat/cool unit with hose adapters for ducting.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<https://www.hammondac.com>
800-267-2665



PART NO.
HA-320-7-1212VDC

SHIPPING NOTICE
This unit can be shipped by UPS
or LTL.

SPECIFICATIONS	
Air Flow.....	637 CFM
Capacity.....	Cooling 23,000 BTU/hr.....Heating 31,000 BTU/hr
Current Draw	25 amps @ 12VDC
Weight	25 LBS
Coil	Copper Tubing Aluminum Fin
Dimensions.....	17.21" L x 14.74" W x 10" H
Motor	Low / Med / High 3 Speed Blower



OPTIONS	• 24V Available upon request	• Flex Ducting
	• Standoff Brackets Available	• Louvers

SERVICE PARTS	
Part No.	Part No.
411-929Evaporator Coil	413-204Thermostat 24"
411-930Heater Coil	419-816Hose Adapter
514-412Expansion Valve	435-055-1Filter
401-440Blower, 12VDC	314-RT914-100.....Wiring Harness



A/C & HEATER UNITS

EVAPORATOR — FLOOR MOUNT — BETWEEN THE SEATS

411-300-T30


UNIVERSAL • FORKLIFT

Steel compact floor mount or between the seats heat/cool unit with 4 direction a louvers.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://www.hammondac.com>
800-267-2665



PART NO.


411-300-T30.....12VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.

SPECIFICATIONS

Air Flow.....290 CFM
Capacity.....Cooling 15,000 BTU/hr.....Heating 18,000 BTU/hr
Current Draw.....15 amps @ 12VDC.....7.5 amps @ 24VDC
Weight.....35 LBS
Coil.....Aluminum
Dimensions.....10.69" L x 9.35" W x 17" H
Motor.....Low / Med / High 3 Speed Scroll Blower



OPTIONS • 24V Available upon request

SERVICE PARTS

Part No.

411-300.....Evaporator Coil
TBD.....Heater Coil
514-410.....Expansion Valve
401-856.....Blower, 12VDC
413-205A.....Thermostat 48" wrapped
411-842.....Louver

Part No.

411-846.....Louver
412-102.....4 Position Switch
412-983A.....Pot Switch Assembly
412-172.....Resistor, 12VDC
411-055.....Knob, Plain with line

A/C & HEATER UNITS



EVAPORATOR — EXTERNAL WALL MOUNT

901-12
901-24


UNIVERSAL

Steel external wall mounted heat/cool unit with louver bezel plate and 4 directional louvers.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://www.hammondac.com>
800-267-2665




PART NO.	SHIPPING NOTICE
901-12	This unit can be shipped by UPS or LTL.
901-24	

12VDC
24VDC

SPECIFICATIONS

Air Flow.....590 CFM
Capacity.....Cooling 24,000 BTU/hr.....Heating 30,000 BTU/hr
Current Draw.....30 amps @ 12VDC.....15 amps @ 24VDC
Weight.....62 LBS
CoilCopper Tubing Aluminum Fin
Dimensions.....20.00" L x 10.06" W x 22.38" H
MotorLow / Med / High 3 Speed Scroll Blower



OPTIONS	• Flex Ducting
	• Louvers

SERVICE PARTS

Part No.	
411-002	Evaporator/Heater Coil
514-408	Expansion Valve
401-856-24	Blower, 24VDC
401-856	Blower, 12VDC
413-205	Thermostat 48"

Part No.	
411-861	Louver
435-014	Filter
412-102	4 Position Switch
412-123	Toggle Switch On/Off/On
412-128	Solenoid Valve 24VDC



A/C & HEATER UNITS

EVAPORATOR — WALL MOUNT

901-000-A-100


MARINE

Aluminum heat/cool evaporator box with drier and heater control valve.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://www.hammondac.com>
800-267-2665



PART NO.


901-000-A-10024VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.

SPECIFICATIONS

Air Flow.....590 CFM
Capacity.....Cooling 24,000 BTU/hr.....Heating 30,000 BTU/hr
Current Draw30 amps @ 12VDC15 amps @ 24VDC
Weight48 LBS
CoilCopper Tubing Aluminum Fin
Dimensions.....20.00" L x 12.25" W x 21.5" H
MotorLow / Med / High 3 Speed Scroll Blower



OPTIONS

- 12VDC Available upon request
- Customizable
- 3 blowers
- A/C only
- Flex Ducting
- Louvers

SERVICE PARTS

Part No.

411-002A.....Evaporator/Heater Coil
514-410Expansion Valve
401-856-24.....Blower, 24VDC
413-205PThermostat

Part No.

419-843Hose Adapter
523-556-7Drier Assembly
412-153Binary Switch
413-229N.....Marine Switch Panel

A/C & HEATER UNITS



EVAPORATOR — WALL MOUNT

520-12VDC-210SP


UNIVERSAL • TRUCKS

Steel small single blower A/C only evaporator assembly.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://www.hammondac.com>
800-267-2665




PART NO.
520-12VDC-210SP12VDC

SHIPPING NOTICE
This unit can be shipped by UPS
or LTL.

SPECIFICATIONS
Air Flow.....306 CFM
Capacity..... 14,000 BTU
Current Draw 10 amps @ 12VDC5 amps @ 24VDC
Weight 13 LBS
CoilAluminum
Dimensions..... 12.2" L x 11.2" W x 9.1" H
MotorLow / Med / High 3 Speed Scroll Blower

OPTIONS • 24VDC Available upon request



SERVICE PARTS	
Part No.	Part No.
411-300-100.....Evaporator Coil Assembly	412-102 4 Position Switch
514-410Expansion Valve	411-064 Snowflake Knob
401-864ABlower Assembly, 12VDC	411-058 Fan Control Knob
111-051 Rotary Thermostat	314-004-154 Main Wiring Harness
411-110 Louver	318-002-241 Wiring Harness



A/C & HEATER UNITS

EVAPORATOR — WALL MOUNT

520-12VDC-210DC


UNIVERSAL • TRUCKS

Steel small single blower A/C only evaporator assembly with standoff bracket and directional louver plate.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://www.hammondac.com>
800-267-2665



PART NO.


520-12VDC-210DC 12VDC

SHIPPING NOTICE

This unit can be shipped by UPS
or LTL.

SPECIFICATIONS

Air Flow.....306 CFM
Capacity.....14,000 BTU
Current Draw 10 amps @ 12VDC5 amps @ 24VDC
Weight 15 LBS
CoilAluminum
Dimensions.....11.9" L x 9.1" W x 23.1" H
Motor Low / Med / High 3 Speed Scroll Blower



OPTIONS • 24V Available upon request

SERVICE PARTS

Part No.

411-300-100.....Evaporator Coil Assembly
514-410Expansion Valve
401-864ABlower Assembly, 12VDC
111-051Rotary Thermostat
411-110Louver

Part No.

412-1024 Position Switch
411-064Snowflake Knob
411-058Fan Control Knob
314-004-154.....Main Wiring Harness
318-002-241Wiring Harness