


E-Z CLIP Assembly Instructions



Step 1. Cut the Hose

Cut the hose to proper length with an appropriate tool. The hand-held hose cutter has been specially designed for cutting all non-wire reinforced hose, such as GH134 multi-refrigerant hose. Be sure the cut is made square to the hose length.



Step 2. Slip on Two Clips

Install two proper-sized clips onto the cut end of the hose. Orientation of the clips does not affect the performance of the connection. However, for ease of assembly, both clips should have the same orientation.

NOTE: Failure to slide the clips over the hose at this time will require the clips to be stretched over the hose or fitting later. This may permanently damage the clip.



Step 3. Oil the Nipple

Lubricate the nipple with a generous amount of the refrigeration or A/C system's compressor lubricating oil. This MUST be done to lower the force of the nipple insertion.



Step 4. Insert the Nipple into the Hose

Insert the nipple into the hose. To ensure that the nipple is fully inserted, check the gap between the cut end of the hose and the shoulder on the nipple. Care should be taken to avoid kinking or other damage to the hose during nipple insertion.

NOTE: Be sure to wipe excess oil from the nipple and hose.



Step 5. Snap on the Cage

Snap the cage into the groove on the nipple. The arms should extend over the hose length. When the cage has been correctly installed in the cage groove, the cage will be able to rotate in the groove. This step MUST be performed to ensure:

1. The clips will be located over the O-rings on the nipple.
2. The connection will be compatible with the connection's pressure rating.




Step 6. Slide the Clips

Slide the clips over the cage arms and into the channels on each arm.



Step 7. Close the Clips

Use the 8760EZ or 8762EZ (#16) pliers to close the clips. The pliers should be positioned squarely on the clip connection points and should remain square during the closing of the clip.



Nose of the pliers should be firmly seated under the assembly bump and lock latch.






Note: -16 only, tap the top latch until fully seated.



If the pliers are not kept square during closing of the clip, the clasp may have an offset. Use the pliers to correct the clasp alignment.

AEROQUIP E-Z CLIP — FITTINGS

NOTE: Fittings are supplied with E-Z Clips and Attachment Cage. 
 E-Z Clip Fittings work exclusively with Aeroquip GH134 Series Refrigerant Hose Only (continued).

ILLUSTRATION	DESCRIPTION	PART #	FITTING END	HOSE END	THREAD SIZE	OAL
FEMALE FLARE STRAIGHT						
	w/o Port	4350EZ	#6	#6	5/8 -18	2.88
	w/o Port	4362EZ	#6	#8	5/8 -18	3.14
	w/o Port	4351EZ	#8	#8	3/4 -16	2.96
	w/o Port	4363EZ	#8	#10	3/4 -16	3.56
	w/o Port	4352EZ	#10	#10	7/8 -14	3.63
	w/o Port	4364EZ	#10	#12	7/8 -14	3.66
FEMALE FLARE 45° ELBOW						
	Dbl notch in nut, Universal Type I.D.	4354EZ	#6	#6	5/8 -18	2.61
	Dbl notch in nut, Universal Type I.D.	4365EZ	#6	#8	5/8 -18	2.62
	Universal Flare	4355EZ	#8	#8	3/4 -16	2.97
	Universal Flare	4366EZ	#8	#10	3/4 -16	2.98
	Universal Flare	4356EZ	#10	#10	7/8 -14	3.08
	Universal Flare	4367EZ	#10	#12	7/8 -14	3.11
FEMALE FLARE 90° ELBOW w/o Service Port						
	Dbl notch in nut, Universal Type I.D.	4358EZ	#6	#6	5/8 -18	2.51
	Dbl notch in nut, Universal Type I.D.	4368EZ	#6	#8	5/8 -18	2.52
	Universal Flare	4359EZ	#8	#8	3/4 -16	2.74
	Universal Flare	4360EZ	#10	#10	7/8 -14	3.09
	Universal Flare	4369EZ	#10	#12	7/8 -14	3.09
	Universal Flare	4361EZ	#12	#12	1-1/16 -14	3.68
FEMALE JIC FLARE 37°						
	JIC designates: Joint Industry Council					
	45° JIC Flare 37°	4348EZ	#4	#4	7/16 -20	-
	90° JIC Flare 37°	4349EZ	#4	#4	7/16 -20	-
FEMALE O'RING STRAIGHT						
	w/o Port	4402EZ	#6	#6	5/8 -18	3.14
	w/o Port	4428EZ	#6	#8	5/8 -18	3.16
	w/o Port	4403EZ	#8	#8	3/4 -16	3.56
	w/o Port	4429EZ	#8	#10	3/4 -16	3.57
	w/o Port	4404EZ	#10	#10	7/8 -14	3.63
	w/o Port	4430EZ	#10	#12	7/8 -14	3.66
	w/o Port	4432EZ	#12	#10	1-1/16 -14	4.25
	w/o Port	4405EZ	#12	#12	1-1/16 -14	4.25
	w/o Port	4629EZ	#10	#16	1-1/16 -14	4.35
	w/o Port, Long Pilot	4620EZ	#12	#16	1-1/16 -14	4.35
	Long Pilot, M20-1.5	4663EZ	#8	#8	M20 x 1.5	3.20

FITTINGS

FITTINGS — AEROQUIP E-Z CLIP









NOTE: Fittings are supplied with E-Z Clips and Attachment Cage. 
 E-Z Clip Fittings work exclusively with Aeroquip GH134 Series Refrigerant Hose Only.

ILLUSTRATION	DESCRIPTION	PART #	FITTING END	HOSE END	THREAD SIZE	OAL
FEMALE FLARE 90° ELBOW w/Service Port						
	Flare SAE 45° w/16mm R134a Port	4530EZ	#6	#6	5/8 -18	4.35
	Flare SAE 45° w/16mm R134a Port	4531EZ	#8	#8	3/4 -16	4.61
	Flare SAE 45° w/13mm R134a Port	4532EZ	#10	#10	7/8 -14	4.80
FEMALE O’RING STRAIGHT w/R134a Port						
	w/16mm R134a Port (High Side)	4502EZ	#6	#6	5/8 -18	3.91
	w/16mm R134a Port (High Side)	4503EZ	#8	#8	3/4 -16	4.09
	w/16mm R134a Port (High Side)	4516EZ	#8	#10	3/4 -16	4.09
	w/13mm R134a Port (Low Side)	4504EZ	#10	#10	7/8 -14	4.24
	w/13mm R134a Port (Low Side)	4505EZ	#10	#12	7/8 -14	4.27
	w/13mm R134a Port (Low Side)	4517EZ	#12	#12	1-1/16 -14	4.58
	w/13mm R134a Port (Low Side)	4638EZ	#12	#16	—	—
FEMALE O’RING STRAIGHT w/M10, M12 Switch Port						
	M10 x 1.25 Port, Long Pilot	4440EZ	#10	#10	7/8 -14	4.25
	M12 x 1.5 Port, Long Pilot	4619EZ	#10	#10	7/8 -14	4.25
	M12 x 1.5 Port, Long Pilot	4636EZ	#10	#12	7/8 -14	4.27
	M12 x 1.5 Port, Long Pilot	4637EZ	#12	#12	1-1/16 -14	4.86
FEMALE O’RING 45° ELBOW w/R134a Port						
	Top Port, 16mm Port, Short Pilot	4514EZ	#8	#8	3/4 -16	4.3
	Top Port, 13mm Port (Low Side)	4508EZ	#10	#10	7/8 -14	4.3
	Side Port, 13mm (Low Side)	4515EZ	#10	#10	7/8 -14	4.3
FEMALE O’RING 45° ELBOW						
	w/o Port	4406EZ	#6	#6	5/8 -18	3.60
	w/o Port	4407EZ	#8	#8	3/4 -16	3.94
	w/o Port	4408EZ	#10	#10	7/8 -14	4.37
	w/o Port	4409EZ	#12	#12	1-1/16 -14	5.33
	w/o Port	4417EZ	#6	#8	5/8 -18	3.62
	w/o Port	4418EZ	#8	#10	3/4 -16	3.95
	w/o Port	4419EZ	#10	#12	7/8 -14	4.46
	w/o Port	4625EZ	#10	#16	—	—
	w/o Port, Long Pilot	4621EZ	#12	#16	1-1/16 -14	5.12

FITTINGS

AEROQUIP E-Z CLIP — FITTINGS

NOTE: Fittings are supplied with E-Z Clips and Attachment Cage. 
 E-Z Clip Fittings work exclusively with Aeroquip GH134 Series Refrigerant Hose Only (continued).

ILLUSTRATION	DESCRIPTION	PART #	FITTING END	HOSE END	THREAD SIZE	OAL
FEMALE O'RING STRAIGHT - Swivel						
	O.R.S. (flat surface type o'ring)					
	Female Swivel (O.R.S.)	4340EZ	#4	#4		
	Female Swivel - Metric Hex Nut	4610EZ	#6	#6	1-1/16 -16	2.95
	Female Swivel - Metric Hex Nut	4611EZ	#8	#8	1-3/16 -16	3.17
	Female Swivel - Metric Hex Nut	4612EZ	#10	#10	1" -14	3.33
	Female Swivel - Metric Hex Nut	4613EZ	#10	#12	1" -14	3.32
FEMALE O'RING 45° ELBOW - Swivel						
	O.R.S. (flat surface type o'ring)					
	Female Swivel	4341EZ	#4	#4	—	—
	Female Swivel	4529EZ	#8	#8	—	—
	Female Swivel	4616EZ	#10	#10	1" -14	3.22
	Female Swivel	4615EZ	#10	#8	1" -14	3.32
FEMALE FLANGE 90° ELBOW - Female Swivel						
	O.R.S. (flat surface type o'ring)					
	Female Swivel	4342EZ	#4	#4	—	—
	Female Swivel	4371EZ	#6	#6	1-1/16 -16	2.50
	Female Swivel	4372EZ	#8	#8	13/16 -16	2.74
	Female Swivel	4373EZ	#10	#10	Roto	3.09
	Female Swivel	4374EZ	#10	#12	Roto	3.11
	Female Swivel	4375EZ	#12	#12	1-3/16 -12	3.36
FEMALE O'RING 90° ELBOW						
	w/o Port	4410EZ	#6	#6	5/8 -18	3.32
	w/o Port	4411EZ	#8	#8	3/4 -16	3.77
	w/o Port	4412EZ	#10	#10	7/8 -14	4.22
	w/o Port	4413EZ	#12	#12	1-1/16 -14	4.74
	w/o Port	4435EZ	#6	#8	5/8 -18	3.33
	w/o Port	4438EZ	#8	#6	—	—
	w/o Port	4436EZ	#8	#10	3/4 -16	3.78
	w/o Port	4437EZ	#10	#12	7/8 -14	4.24
	w/o Port, Long Pilot	4622EZ	#10	#16	7/8 -14	4.40
	w/o Port	4439EZ	#12	#10	1-1/16 -14	4.76
w/o Port, Long Pilot	4623EZ	#12	#16	1-1/16 -14	4.84	
FEMALE O'RING 90° ELBOW - Metric Thread						
	Metric M20, Long Pilot	4376EZ	#8	#8	M20 x 1.5	3.77
	Metric M27, Long Pilot	4377EZ	#12	#12	M27 x 2	4.74

FITTINGS

FITTINGS — AEROQUIP E-Z CLIP












NOTE: Fittings are supplied with E-Z Clips and Attachment Cage. 
 E-Z Clip Fittings work exclusively with Aeroquip GH134 Series Refrigerant Hose Only.

ILLUSTRATION	DESCRIPTION	PART #	FITTING END	HOSE END	THREAD SIZE	OAL
FEMALE O'RING 90° ELBOW w/Service Port						
	w/1/4" R12 Port (7/16-20 Thread)	4331EZ	#10	#10	7/8 -14	3.68
	w/1/4" R12 Port (7/16-20 Thread)	4301EZ	#12	#12	1-1/16 -14	4.43
	w/16mm R134a Port (High Side)	4510EZ	#6	#6	5/8 -18	4.35
	w/16mm R134a Port (High Side)	4511EZ	#8	#8	3/4 -16	4.61
	w/16mm R134a Port (High Side)	4550EZ	#8	#10	3/4 -16	4.53
	w/13mm R134a Port (Low Side)	4512EZ	#10	#10	7/8 -14	4.88
	w/13mm R134a Port (Low Side)	4543EZ	#12	#12	1-1/16 -14	5.10
	w/13mm R134a Port (Low Side)	4513EZ	#10	#12	7/8 -14	4.83
w/13mm R134a Port (Low Side)	4627EZ	#10	#16	-	-	
w/13mm R134a Port (Low Side)	4628EZ	#12	#16	-	-	
FEMALE O'RING 90° ELBOW w/R134a Port and M10Switch Port						
	w/16mm R134a Port (High Side) M10 Switch Port, Short Pilot	4521EZ	#8	#8	3/4 -16	7.22
FEMALE O'RING 90° ELBOW w/Metric Switch Port						
	w/ M10, Long Pilot	4519EZ	#8	#8	-	-
	w/ M12 x 1.5 Port, Long Pilot	4633EZ	#10	#10	7/8 -14	4.80
	w/ M12 x 1.5 Port, Long Pilot	4634EZ	#10	#12	7/8 -14	4.83
	w/ M12 x 1.5 Port, Long Pilot	4635EZ	#12	#12	1-1/16 -14	5.08
MANIFOLD A6 COMPRESSOR SWIVEL FITTING 90°						
	A6 Compressors	5542EZ	#8	#8		
	A6 Compressors	5543EZ	#10	#10		
	A6 Compressors	5544EZ	#12	#12		
PILOT CONNECTION 90°						
	Long Pilot	4411EB	#8	#8		3.77
	Long Pilot	4412EB	#10	#10		4.22
	Long Pilot	4435EB	#6	#8		
	Long Pilot	4437EB	#10	#12		4.25

FITTINGS

AEROQUIP E-Z CLIP — FITTINGS

NOTE: Fittings are supplied with E-Z Clips and Attachment Cage. 
 E-Z Clip Fittings work exclusively with Aeroquip GH134 Series Refrigerant Hose Only (continued).

ILLUSTRATION	DESCRIPTION	PART #	FITTING END	HOSE END	THREAD SIZE	OAL
COMPRESSOR FEMALE STRAIGHT						
	TUBE-O Style, w/o Port	4378EZ	TUBE-O	#10	1"-14	2.98
	TUBE-O Style, w/13mm Port	4649EZ	TUBE-O	#12	1"-14	—
	TUBE-O Style, w/13mm Port	4650EZ	TUBE-O	#16	1"-14	—
COMPRESSOR FEMALE 90° ELBOW						
	TUBE-O Style	4386EZ	TUBE-O	#8	1"-14	2.98
	TUBE-O Style	4379EZ	TUBE-O	#10	1"-14	2.98
	TUBE-O Style	4387EZ	TUBE-O	#12	1"-14	2.98
	TUBE-O Style, Short Drop	4647EZ	TUBE-O	#8	1"-14	—
	TUBE-O Style, Short Drop	4648EZ	TUBE-O	#12	1"-14	—
COMPRESSOR FEMALE 90° ELBOW w/Port						
 R12 Port	TUBE-O Style, w/1/4" R12 Port (7/16"-20 Thread)	4546EZ	TUBE-O	#10	1"-14	4.43
	R134a Port, 13mm	4525EZ	TUBE-O	#10	1"-14	—
	R134a Port, 13mm	4528EZ	TUBE-O	#12	1"-14	—
MALE O'RING STRAIGHT						
	w/o Port	4389EZ	#6	#6	5/8 -18	3.32
	w/o Port	4390EZ	#8	#8	3/4 -18	3.78
	w/o Port	4391EZ	#10	#10	7/8 -18	4.22
	w/o Port	4392EZ	#12	#12	1-1/16 -16	4.74
	w/o Port	4380EZ	#6	#8	5/8 -18	3.33
	w/o Port	4381EZ	#10	#12	7/8 -18	4.24
	w/o Port, Long Pilot	4630EZ	#10	#16	7/8 -18	4.33
w/o Port, Long Pilot	4631EZ	#12	#16	1-1/16 -16	4.28	
MALE O'RING STRAIGHT w/R134a Port						
	w/16mm R134a Port (High Side)	4533EZ	#6	#6	5/8 -18	4.18
	w/16mm R134a Port (High Side)	4534EZ	#8	#8	3/4 -18	4.58
	w/16mm R134a Port (High Side)	4535EZ	#10	#10	7/8 -18	4.34
	w/13mm R134a Port (Low Side)	4536EZ	#10	#10	7/8 -18	4.43
	w/13mm R134a Port (Low Side)	4537EZ	#10	#12	7/8 -18	4.46

FITTINGS

FITTINGS — AEROQUIP E-Z CLIP













NOTE: Fittings are supplied with E-Z Clips and Attachment Cage. 
 E-Z Clip Fittings work exclusively with Aeroquip GH134 Series Refrigerant Hose Only.

ILLUSTRATION	DESCRIPTION	PART #	FITTING END	HOSE END	THREAD SIZE	OAL
MALE O’RING 45° ELBOW						
	w/o Port	4393EZ	#6	#6	5/8 -18	3.99
	w/o Port	4394EZ	#8	#8	3/4 -18	4.59
	w/o Port	4395EZ	#10	#10	7/8 -18	4.65
MALE O’RING 90° ELBOW						
	w/o Port	4398EZ	#6	#6	5/8 -18	3.33
	w/o Port	4399EZ	#8	#8	3/4 -18	3.77
	w/o Port	4400EZ	#10	#10	7/8 -18	4.22
	w/o Port	4416EZ	#12	#12	1-1/16 -16	4.22
	w/o Port	4415EZ	#6	#8	5/8 -18	3.34
	w/o Port	4423EZ	#8	#10	3/4 -18	3.78
	w/o Port	4401EZ	#10	#12	7/8 -18	4.24
w/o Port	4651EZ	#10	#16	—	—	
MALE O’RING 90° ELBOW w/R134a Port						
	w/16mm R134a Port (High Side)	4538EZ	#6	#6	5/8 -18	4.34
	w/16mm R134a Port (High Side)	4539EZ	#8	#8	3/4 -18	4.61
	w/16mm R134a Port (High Side)	4540EZ	#10	#10	7/8 -18	4.81
	w/13mm R134a Port (Low Side)	4541EZ	#10	#10	7/8 -18	4.81
	w/13mm R134a Port (Low Side)	4542EZ	#10	#12	7/8 -18	4.81
MALE INSERT O’RING STRAIGHT - Metric Thread						
	Metric M20, w/o Port	4424EZ	#8	#10	M20 x 1.5	3.62
MALE INSERT O’RING STRAIGHT						
	w/o Port	4470EZ	#6	#6	5/8 -18	3.36
	w/o Port	4471EZ	#8	#8	3/4 -16	2.69
	w/o Port	4472EZ	#10	#10	7/8 -14	2.90
	w/o Port	4473EZ	#12	#12	1-1/16 -14	4.29
	w/o Port	4477EZ	#10	#12	7/8 -14	4.11

AEROQUIP E-Z CLIP — FITTINGS

NOTE: Fittings are supplied with E-Z Clips and Attachment Cage. 
 E-Z Clip Fittings work exclusively with Aeroquip GH134 Series Refrigerant Hose Only (continued).

ILLUSTRATION	DESCRIPTION	PART #	FITTING END	HOSE END	THREAD SIZE	OAL
MALE INSERT O’RING 90° ELBOW						
	w/o Port	4474EZ	#6	#6	5/8 -18	2.50
	w/o Port	4475EZ	#8	#8	3/4 -16	2.74
	w/o Port	4476EZ	#10	#10	7/8 -14	3.09
	w/16mm Port (steel)	4384EZ	#8	#8	3/4 -16	—
MALE BULKHEAD JIC FLARE 37°						
 BULKHEAD	BULKHEAD JIC designates: Joint Industry Council For use with oil separator lines	4950B	#4	#4	7/16"-20	—
MALE BULKHEAD STRAIGHT						
 BULKHEAD	BULKHEAD	4447EZ	#6	#6	5/8 -18	—
	BULKHEAD	4448EZ	#8	#8	3/4 -16	—
	BULKHEAD	4449EZ	#10	#10	7/8 -14	—
	BULKHEAD	4551EZ	#12	#12	—	—
	BULKHEAD	4552EZ	#12	#16	—	—
MALE BULKHEAD 90° ELBOW						
 BULKHEAD	BULKHEAD	4444EZ	#6	#6	5/8 -18	—
	BULKHEAD	4445EZ	#8	#8	3/4 -16	—
	BULKHEAD	4446EZ	#10	#10	7/8 -14	—
	BULKHEAD	4442EZ	#12	#12	1-1/16 -14	—
	BULKHEAD	4443EZ	#10	#12	7/8 -14	—
MALE STRAIGHT w/o PORT						
 5400 Threaded Coupler Fitting	Quick Disconnect Type	4973EZ	#6	#6	5/8 -18	—
	Quick Disconnect Type	4974EZ	#8	#8	3/4 -16	—
	Quick Disconnect Type	4975EZ	#12	#12	1-1/16 -14	—
	Quick Disconnect Type	4976EZ	#16	#16	—	—
MALE 90° w/o PORT						
 5400 Threaded Coupler Fitting	Quick Disconnect Type	4977EZ	#8	#6	—	—
	Quick Disconnect Type	4978EZ	#12	#10	—	—

FITTINGS

FITTINGS — AEROQUIP E-Z CLIP













NOTE: Fittings are supplied with E-Z Clips and Attachment Cage. 
 E-Z Clip Fittings work exclusively with Aeroquip GH134 Series Refrigerant Hose Only.

ILLUSTRATION	DESCRIPTION	PART #	FITTING END	HOSE END	THREAD SIZE	OAL	
COMPRESSION FITTING STRAIGHT							
	Compression Fitting	4490EZ	#6	#6	9/16 -18	4.92	
	Compression Fitting	4491EZ	#8	#8	3/4 -16	4.84	
	Compression Fitting	4492EZ	#10	#10	7/8 -14	4.64	
	Compression Fitting	4493EZ	#12	#12	1-1/16 -12	4.98	
	Compression Fitting	4498EZ	#8	#10	-	-	
	Compression Fitting	4501EZ	#10	#8	-	-	
	Compression Fitting	4499EZ	#10	#12	7/8 -14	4.66	
	SPLICERS STRAIGHT						
		Splicer	4478EZ	#6	#6	-	4.63
Splicer		4479EZ	#8	#8	-	4.76	
Splicer		4480EZ	#10	#10	-	5.68	
Splicer		4481EZ	#12	#12	-	4.72	
Splicer		4639EZ	#16	#16	-	-	
Splicer		4483EZ	#10	#8	-	-	
Splicer		4484EZ	#12	#10	-	-	
SPLICER STRAIGHT w/R12 Port							
	Splicer w/R12 Port	4494EZ	#6	#6	-	5.41	
	Splicer w/R12 Port	4495EZ	#8	#8	-	5.61	
	Splicer w/R12 Port	4496EZ	#10	#10	-	5.54	
	Splicer w/R12 Port	4497EZ	#12	#12	-	5.60	
SPLICERS STRAIGHT w/R134a Port							
	w/16mm R134a Port (High Side)	4578EZ	#6	#6	-	5.41	
	w/16mm R134a Port (High Side)	4579EZ	#8	#8	-	5.61	
	w/16mm R134a Port (High Side)	4582EZ	#10	#10	-	5.62	
	w/16mm R134a Port (High Side)	4577EZ	#12	#12	-	-	
	w/13mm R134a Port (Low Side)	4580EZ	#10	#10	-	5.54	
	w/13mm R134a Port (Low Side)	4581EZ	#12	#12	-	5.60	
	w/13mm R134a Port (Low Side)	4640EZ	#16	#16	-	6.79	
SPLICERS STRAIGHT w/M10, M12 Switch Port							
	w/ M10 x 1.25 Port (High Side)	4584EZ	-	#8	-	5.61	
	w/ M10 x 1.25 Port (High Side)	4585EZ	-	#10	-	5.54	
	w/ M12 x 1.5 Port (Low Side)	4586EZ	-	#12	-	5.59	

AEROQUIP E-Z CLIP — FITTINGS

NOTE: Fittings are supplied with E-Z Clips and Attachment Cage. 
 E-Z Clip Fittings work exclusively with Aeroquip GH134 Series Refrigerant Hose Only (continued).

ILLUSTRATION	DESCRIPTION	PART #	FITTING END	HOSE END	THREAD SIZE	OAL
SPLICERS 90° ELBOW						
	90° Splicer	4466EZ	-	#6	-	2.71
	90° Splicer	4467EZ	-	#8	-	2.98
	90° Splicer	4469EZ	-	#12	-	3.68
SPLICERS TEE STYLE Male Insert O-ring Connection						
	#8 MIO Thread x #8 x #8	4680EZ	#8	#8	3/4 -16	4.84
	#10 MIO Thread x #12 x #12	4678EZ	#10	#12	7/8 -14	5.67
	#12 MIO Thread x #16 x #16	4679EZ	#12	#16	1-1/16 -14	6.79
SPLICERS TEE SPLICER, 3 Way						
	3 Way - #6 x #6 x #6	4485EZ	-	HOSE END #6	HOSE END -	-
	3 Way - #8 x #8 x #8	4486EZ	-	HOSE END #8	HOSE END -	-
	3 Way - #10 x #10 x #10	4487EZ	-	HOSE END #10	HOSE END -	-
	3 Way - #12 x #12 x #12	4489EZ	-	HOSE END #12	HOSE END -	-
	3 Way - #12 x #16 x #16	4654EZ	-	HOSE END #12	HOSE END #16	-
SPLICERS "Y" SPLICER						
	#8 x #8 x #8	4038EZ	-	HOSE END #8	HOSE END #8	HOSE END #8
	#12 x #12 x #12	4039EZ	-	HOSE END #12	HOSE END #12	HOSE END #12
	#10 x #10 x #16	4040EZ	-	HOSE END #10	HOSE END #10	HOSE END #16
	#12 x #12 x #16	4041EZ	-	HOSE END #12	HOSE END #12	HOSE END #16
SPLICERS "H" SPLICER						
	#12 x #12 x #12	4036EZ	-	#12	#12	#12
	#10 x #12 x #12	4037EZ	-	#10	#12	#12
	#12 x #16 x #16	4042EZ	-	#12	#16	#16
SPLICERS "U" SPLICER						
	180° Degree, #8 x #8	4681EZ	-	#8	#8	

FITTINGS

FITTINGS — AEROQUIP E-Z CLIP







NOTE: Fittings are supplied with E-Z Clips and Attachment Cage. 
 E-Z Clip Fittings work exclusively with Aeroquip GH134 Series Refrigerant Hose Only.

ILLUSTRATION	DESCRIPTION	PART #	FITTING END	HOSE END	THREAD SIZE	OAL	
E-Z CONNECTION CLIPS / CLIP and CAGE KIT							
	E-Z CONNECTION CLIP #04	Clip ea. 4114EZ	#4	—			
	E-Z CONNECTION CLIP #06	4120EZ	#6	—			
	E-Z CONNECTION CLIP #08	4121EZ	#8	—			
	E-Z CONNECTION CLIP #10	4122EZ	#10	—			
	E-Z CONNECTION CLIP #12	4123EZ	#12	—			
	E-Z CONNECTION CLIP #16	4133EZ	#16	—			
	E-Z FITTING CAGES FITTING TO HOSE ATTACHMENT						
	E-Z ATTACHMENT CAGE FOR #04	Cage ea. 4115EZ	#4	—			
	E-Z ATTACHMENT CAGE FOR #06	4124EZ	#6	—			
	E-Z ATTACHMENT CAGE FOR #08	4125EZ	#8	—			
	E-Z ATTACHMENT CAGE FOR #10	4126EZ	#10	—			
	E-Z ATTACHMENT CAGE FOR #12	4127EZ	#12	—			
	E-Z ATTACHMENT CAGE FOR #16	4134EZ	#16	—			
	E-Z LIFESAVERS (weld-on steel fittings)						
	(supplied without o'rings, clips, or cage)	6-6	4670EZ	#6	#6	—	2.01
		8-8	4672EZ	#8	#8	—	2.02
		10-10	4674EZ	#10	#10	—	2.03
		12-12	4676EZ	#12	#12	—	2.11
		16-16	4677EZ	#16	#16	—	2.21
		6-8	4671EZ	#6	#8	—	2.02
		8-10	4673EZ	#8	#10	—	2.03
		10-12	4675EZ	#10	#12	—	2.06
		10-16	4682EZ	#10	#16	—	—
		12-16	4683EZ	#12	#16	—	—
	E-Z CLIP LIFESAVER KITS - ALUMINUM						
	Each KIT contains the correct components for replacement of a single hose assembly.						
	The Aluminum Lifesaver Braze Fitting Kits are designed to rework failed OEM aluminum air conditioning tubing and hose assemblies in sizes 10mm to 18mm (metric tubing only, -6 to -12). This repair system allows the installer to reuse unique OEM terminal connections, while replacing the failed OEM hose and nipple with the E-Z Clip attachment system.						
	(Note: Aeroquip GH134 hose not included. Also, clips and cages not supplied.) (Note: for individual Braze Rings see page 447).						
	KIT COMPONENTS		LIFESAVER KITS				
	Qty.	Description	PART#	HOSE SIZE	TUBE O.D.		
	2 ea.	Braze-on Nipples	4900EZK	#6	8mm		
	5 ea.	Nipple O-rings	4901EZK	#8	10mm		
	3 ea.	Silver Braze Rings	4902EZK	#10	16mm		
1 ea.	Assembly Instructions	4903EZK	#12	18mm			



CLIP and CAGE KITS

1 Cage and 2 Clips

4128EZ..... #6
 4129EZ..... #8
 4130EZ..... #10
 4131EZ..... #12
 4132EZ..... #16

FITTINGS

AEROQUIP E-Z CLIP — FITTINGS

NOTE: Fittings are supplied with E-Z Clips and Attachment Cage. 
 E-Z Clip Fittings work exclusively with Aeroquip GH134 Series Refrigerant Hose Only (continued).

ILLUSTRATION	DESCRIPTION	PART #	FITTING END	HOSE END	THREAD SIZE	OAL
--------------	-------------	--------	-------------	----------	-------------	-----

E-Z CLIP TOOLS — PLIERS / HOSE CUTTER



8760EZ.....for #6 to #12

FOR EASY ASSEMBLY -
 USE TO CLOSE ALL SIZES OF
 E-Z FITTING CLIPS



8762EZ.....for #16 only



8000
 Braze Ring
 Assortment Kit
 (20 pcs. each size)

BRAZE RINGS
 Service Item for Silver Brazing
 of Aluminum Fittings.
 Corrosive Flux required.
 (sold individual, 20 pcs. each size)



Individual Rings
 8006.....#6
 8008.....#8
 8010.....#10
 8012.....#12
 (20 each size)

E-Z CLIP SYSTEM ASSORTMENT CASE



8420EZ

8420EZ
E-Z CLIP SYSTEM ASSORTMENT CASE

- Kit contains:
 (20) CLIPS, 4120EZ
 (20) CLIPS, 4121EZ
 (20) CLIPS, 4122EZ
 (20) CLIPS, 4123EZ
 (10) CAGES, 4124EZ
 (10) CAGES, 4125EZ
 (10) CAGES, 4126EZ
 (10) CAGES, 4127EZ
 (1) CONN. TOOL, 8760EZ
 (1) HOSE CUTTER, 8730
 (1) REPL. BLADE



8421EZ
E-Z CLIP FITTING STARTER KIT

- Kit contains:
 • E-Z CLIP Assortment P/N# 8420EZ
 • and one (1) roll of each size of 50ft. hose.

AEROQUIP GH134 SERIES REFRIGERANT HOSE



FEATURES:

- Internal polyamide veneer tube
- Synthetic-rubber backing layer
- Stabilized, synthetic braided reinforcement
- Chlorobutyl rubber cover • E-Z Clip fittings


BENEFITS:

- Excellent effusion resistance
- Maximum resistance to moisture
- Extended service performance • Superior flexibility
- Assured coupling integrity, exceeds SAE J2064 performance

SIZE	HOSE I.D.	TUBE O.D.	PART#	HOSE	PART#	REEL
#6	8mm (0.32")	10mm (0.39")	8576	50ft.	8676	560ft.
#8	11mm (0.42")	12mm (.047")	8578	50ft.	8678	575ft.
#10	13mm (0.51")	16mm (0.63")	8570	50ft.	8670	550ft.
#12	16mm (0.64")	18mm (0.71")	8572	50ft.	8672	367ft.
#16	AeroQuip Hose		8574	50ft.	8674	75ft.

Ⓢ reorder with "A" suffix (ex. #8576A)

E-Z CLIP O-RINGS and ASSORTMENT



8419EZ
E-Z CLIP O-RING ASSORTMENT
 O-ring Kit for E-Z Clip Fittings
 #6, #8, #10, #12 (10 pcs. each size)



Each Fitting Requires
 Two (2) O-rings

**O-RINGS FOR
 E-Z CLIP FITTINGS**
PART#

- #6.....0041EZ
 #8.....0042EZ
 #10.....0043EZ
 #12.....0044EZ
 #16.....0045EZ