

A/C & HEATER UNITS

HEATER

UNIVERSAL

42-2200

The 2200 is a rugged, low profile heater perfect for small to mid size cabs.
Resistor mounted on heater allows up to three speeds.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<http://www.visionaire-inc.com>
866-838-2810



PART NO.	SHIPPING NOTICE
42-2200-1111 Rear Exit..... 12VDC	This unit can be shipped by UPS.
42-2200-2111 Rear Exit..... 24VDC	
42-2200-1112 Floor Exit..... 12VDC	
42-2200-2112 Floor Exit..... 24VDC	

SPECIFICATIONS

Air Flow.....	200 CFM
Capacity.....	16,000 BTU/hr
Current Draw	4 amps @ 12VDC2 amps @ 24VDC
Weight	7 LBS
Dimensions.....	11.6" L x 5" W x 6.4" H
Motor	5" Fan



OPTIONS	• 3 Speed Switch/Knob	• Booster Pump
	• Heater Hose Kit	• Water Valve Kit

SERVICE PARTS

Part No.	
10-30-2200R	Heater Coil Rear
10-30-2200B.....	Heater Coil Floor
14-10-0510.....	Fan 12VDC
14-10-0520.....	Fan 24VDC
12-55-0010.....	Resistor



A/C & HEATER UNITS

HEATER — DUCTABLE — UNDER DASH

42-2205

UNIVERSAL

The 2205 ductable coolant cab heater warms the cab while defrosting the windows. This heater can be mounted in any position, either by utilizing the leg brackets or mounting straight to the frame. Hose connections out the back or out the bottom will allow for custom install. Various duct parts available to suit any application.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810



PART NO.


- 42-2205-1111 Rear Exit 12VDC
- 42-2205-2111 Rear Exit 24VDC
- 42-2205-1112 Floor Exit .. 12VDC
- 42-2205-2112 Floor Exit ... 24VDC

SHIPPING NOTICE

This unit can be shipped by UPS.

SPECIFICATIONS

- Air Flow.....220 CFM
- Capacity.....16,000 BTU/hr
- Current Draw4 amps @ 12VDC2 amps @ 24VDC
- Weight7 LBS
- Dimensions.....11.6" L x 7.2" W x 6.7" H
- MotorSingle Blower



OPTIONS

- 3 Speed Switch/Knob
- Heater Hose Kit
- Duct Kit
- Water Valve Kit

SERVICE PARTS

Part No.

- 10-30-2200R Heater Coil Rear
- 10-30-2200B..... Heater Coil Floor
- 14-20-0047 Blower Fan 12VDC
- 14-20-0048 Blower Fan 24VDC

A/C & HEATER UNITS



HEATER

UNIVERSAL

42-2210

The 2210 is a rugged, low profile high output heater perfect for large cabs and small cargo areas. resistor mounted on heater allows up to three speeds.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.



<http://www.visionaire-inc.com>
866-838-2810



PART NO.	SHIPPING NOTICE
42-2210-1111 Rear Exit..... 12VDC	This unit can be shipped by UPS.
42-2210-2111 Rear Exit..... 24VDC	
42-2210-1112 Floor Exit..... 12VDC	
42-2210-2112 Floor Exit..... 24VDC	

SPECIFICATIONS

Air Flow.....400 CFM
Capacity.....30,000 BTU/hr
Current Draw7.4 amps @ 12VDC3.7 amps @ 24VDC
Weight 10 LBS
Dimensions.....18.4" L x 4.7" W x 6.4" H
Motor5" Fans



OPTIONS	• 3 Speed Switch/Knob • Heater Hose Kit	• Coolant Booster Pump • Water Valve Kit
---------	---	--

SERVICE PARTS

Part No.	
10-30-2210R	Heater Coil Rear
10-30-2210B.....	Heater Coil Floor
14-10-0510.....	Fan 12VDC
14-10-0520.....	Fan 24VDC
12-55-0010.....	Resistor



A/C & HEATER UNITS

HEATER — DUCTABLE — UNDER DASH

42-2215

UNIVERSAL

The 2215 is a rugged, low profile high output heater perfect for large cabs and small cargo areas. Ductable to bring heat direct to windshield/window. Resistor mounted on heater allows up to three speeds.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<http://www.visionaire-inc.com>
866-838-2810



PART NO.


- 42-2215-1111 Rear Exit 12VDC
- 42-2215-2111 Rear Exit 24VDC
- 42-2215-1112 Floor Exit ... 12VDC
- 42-2215-2112 Floor Exit ... 24VDC

SHIPPING NOTICE

This unit can be shipped by UPS.

SPECIFICATIONS

- Air Flow.....430 CFM
- Capacity.....30,000 BTU/hr
- Current Draw7.4 amps @ 12VDC3.7 amps @ 24VDC
- Weight 13 LBS
- Dimensions.....18.4" L x 8.3" W x 6.7" H
- MotorDual Blower



OPTIONS

- 3 Speed Switch/Knob
- Heater Hose Kit
- Duct Kit
- Water Valve Kit

SERVICE PARTS

Part No.

- 10-30-2210R Heater Coil Rear
- 10-30-2210B..... Heater Coil Floor
- 14-20-0042 Blower Fan 12VDC
- 14-20-0043..... Blower Fan 24VDC

A/C & HEATER UNITS

HEATER

UNIVERSAL

42-2900

When heat is needed and engine coolant is not readily available the 2900 Self-Contained Diesel Fired Coolant Heater is the answer. This heater box includes a diesel fired heater, fuel pump, fuel filter, coolant reservoir, and all hardware needed for complete install. An optional fuel tank is available. Perfect for crane cabs, where running coolant lines through the swivel is not an option.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.


<http://www.visionaire-inc.com>
866-838-2810



PART NO.	SHIPPING NOTICE
42-2900-1400 12VDC	This unit can be shipped by UPS or LTL.

SPECIFICATIONS

Air Flow..... N/A
Capacity..... 8,600 - 17,000 BTU/hr
Current Draw 3.8 amps @ 12VDC 1.9 amps @ 24VDC
Weight 25 LBS
Dimensions..... 14.3" L x 12" W x 12.1" H



OPTIONS • Fuel Tank

SERVICE PARTS

Part No.
N/A



A/C & HEATER UNITS

HEATER — UNDER DASH

CONSTRUCTION • ON & OFF-ROAD • FORESTRY


892041-12/24VDC

The 4005 is a heavy duty, powder coated black steel casing -high heat output in a compact envelope. Perfect for small to medium size cabs.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://atc.ca>
800-295-4156



PART NO.


892041 12VDC
892041 24VDC

SHIPPING NOTICE

This unit can be shipped by UPS.

SPECIFICATIONS

Air Flow.....450 CFM
Capacity.....44,135 BTU/hr
Current Draw 14 amps @ 12VDC 7 amps @ 24VDC
Weight 16 LBS
Coil Copper tube/ Alum. Fin
Dimensions.....17.75" L x 15.75" W x 7" H
Motor Three Speed Blower (Low / Med / High)



OPTIONS

- 810025 - Digital Controller
- 820086-12/24VDC - Relay Box / Wiring Harness
- Heater Hose Kit

SERVICE PARTS

Part No.

876050..... Heating Coil
810067..... Blower 12VDC - 3 Spd
810068 Blower 24VDC - 3 Spd
N/A..... External Water Valve Option

A/C & HEATER UNITS



HEATER — UNDER DASH

892002-12/24VDC


CONSTRUCTION • ON & OFF-ROAD • FORESTRY

The 4065S is a heavy duty, powder coated black steel casing -high heat output with optional ducting/louver capabilities. Perfect for medium to large size cabs.

Not Sure What To Order?
We Can Help . . .

See the A/C System
Configuration Worksheet
on the last page of this catalog.

<https://atc.ca>
800-295-4156



PART NO.

892002 12VDC

892002 24VDC

SHIPPING NOTICE
This unit can be shipped by UPS.

SPECIFICATIONS
Air Flow..... 450 CFM
Capacity..... 67,610 BTU/hr
Current Draw 16 amps @ 12VDC 9 amps @ 24VDC
Weight 34 LBS
Coil Copper tube/ Alum. Fin - Heat Coil
Dimensions..... 26" L x 12.25" W x 8.25" H
Motor Three Speed (Low / Med / High)

- OPTIONS**

- 810025 - Digital Controller
 - 820086-12/24VD - Relay Box / Wiring Harness
- Optional Pressurizer Kit

SERVICE PARTS

Part No.	
876036.....	Heating Coil
810067.....	Blower 12VDC - 3 Spd
810068.....	Blower 24VDC - 3 Spd
N/A.....	External Water Valve Option